



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

A

755,468

DUPL

RAND SCIENCE SERIES.

No. 77.

STADIA

THEORY OF

*Accompanied by 34  
and Differences  
of Stadia*

ARTHUR

Assistant Geologist, Second

*Republished by permission  
of the American Geographical Society*

D. VAN NO

35 Murray

Y DAMS. By John B. McMaster.  
OF METALS UNDER REPEATED  
h various Tables of Results of Ex-  
com the German of Prof. Ludwig  
With a Preface by S. H. Shreve  
TREATISE ON THE TEETH OF  
the Theory of the Use of Robin-  
aph. By Prof. S. W. Robinson.  
CALCULATIONS OF CONTINU-  
s. By Mansfield Merriman, C. E.  
TREATISE ON THE PROPERTIES  
OUS BRIDGES. By Charles Bender.  
CRUSTATION AND CORROSION-  
2.  
SION OF POWER BY WIRE  
Albert W. Stahl.  
HEIR THEORY AND USE. Trans-  
French of M. Leon Pouchet.  
MAGNETISM AND THE MAGNET-  
ON SHIPS. By Prof. Fairman  
Y CONDITION OF DWELLING  
OWN AND COUNTRY. By George  
G FOR SUSPENSION BRIDGES.  
l in the construction of the East  
By Wilhelm Hildenbrand, C. E.  
VENTILATION. By George W.  
By Prof. Jules Gaudard, C. E.  
m the French.  
BAROMETER: Its Construction  
compiled by Prof. G. W. Plympton.  
MOTION. By J. Clerk Maxwell  
L SURVEYING: Its Uses, Methods  
By Frank De Yeaux Carpenter.  
RESSES IN FRAMED BRIDGES.  
Cain.  
OF THE ELECTRO-MAGNETIC  
By A. E. Loring, a Practical Tel-  
Edition.  
OF POWER BY COMPRESSED  
ert Zahner, M. E.  
MATERIALS. By William Kent.  
HES, applied to Stone Bridges, Tum  
and Domes. By Prof. Wm. Cain.  
RTEX MOTION. By Dr. Thomas  
Hopkins University.



## THE VAN NOSTRAND SCIENCE SERIES.

- No. 22.—HIGH MASONRY DAMS. By John B McMaster.
- No. 23.—THE FATIGUE OF METALS UNDER REPEATED STRAINS, with various Tables of Results of Experiments. From the German of Prof. Ludwig Spangenberg. With a Preface by S. H. Shreve
- No. 24.—A PRACTICAL TREATISE ON THE TEETH OF WHEELS, with the Theory of the Use of Robinson's Odontograph. By Prof. S. W. Robinson.
- No. 25.—THEORY AND CALCULATIONS OF CONTINUOUS BRIDGES. By Mansfield Merriman, C. E.
- No. 26.—PRACTICAL TREATISE ON THE PROPERTIES OF CONTINUOUS BRIDGES. By Charles Bender
- No. 27.—ON BOILER INCORUSTATION AND CORROSION By F. J. Rowan.
- No. 28.—ON TRANSMISSION OF POWER BY WIRE ROPE. By Albert W. Stahl.
- No. 29.—INJECTORS; THEIR THEORY AND USE. Translated from the French of M. Leon Pouchet.
- No. 30.—TERRESTRIAL MAGNETISM AND THE MAGNETISM OF IRON SHIPS. By Prof. Fairman Rogers.
- No. 31.—THE SANITARY CONDITION OF DWELLING HOUSES IN TOWN AND COUNTRY. By George E. Waring, Jr.
- No. 32.—CABLE MAKING FOR SUSPENSION BRIDGES as exemplified in the construction of the East River Bridge. By Wilhelm Hildenbrand, C. E.
- No. 33.—MECHANICS OF VENTILATION. By George W Rafter, C. E.
- No. 34.—FOUNDATIONS. By Prof. Jules Gaudard, C. E. Translated from the French.
- No. 35.—THE ANEROID BAROMETER: Its Construction and Use. Compiled by Prof. G. W. Plympton 2d Edition
- No. 36.—MATTER AND MOTION. By J. Clerk Maxwell
- No. 37.—GEOGRAPHICAL SURVEYING: Its Uses, Methods and Results. By Frank De Yeaux Carpenter.
- No. 38.—MAXIMUM STRESSES IN FRAMED BRIDGES By Prof. Wm. Cain.
- No. 39.—A HANDBOOK OF THE ELECTRO-MAGNETIC TELEGRAPH. By A. E. Loring, a Practical Telegrapher. 2d Edition.
- No. 40.—TRANSMISSION OF POWER BY COMPRESSED AIR. By Robert Zahner, M. E.
- No. 41.—STRENGTH OF MATERIALS. By William Kent.
- No. 42.—VOUSSOIR ARCHES, applied to Stone Bridges, Tunnels, Culverts and Domes. By Prof. Wm. Cain.
- No. 43.—WAVE AND VORTEX MOTION. By Dr. Thomas Craig, of Johns Hopkins University.



Engineering  
Library

TA

588

.K75

1886

Emile ~~Rowe~~

Saltsville, Virginia.

Oct. 24<sup>th</sup> 1892



# STADIA SURVEYING.

THE

## THEORY OF STADIA MEASUREMENTS;

*Accompanied by Tables of Horizontal Distances  
and Differences of Level for the Reduction  
of Stadia Field Observations.*

BY

ARTHUR WINSLOW,

Assistant Geologist, Second Geological Survey of Pennsylvania.

---

*Republished by permission from First Report of Progress in  
the Anthracite Region, Second Geological Survey of  
Pennsylvania.*

---



NEW YORK:  
D. VAN NOSTRAND COMPANY,  
23 MURRAY AND 27 WARREN STREET.  
1889.





Engineering  
Library

TA

688

M 7 S

NOV 1968

## P R E F A C E.

---

THE rapid extension of the practice of stadia measurements has naturally created a demand for a guide to the method. The present hand-book contains a complete exposition of the theory, with directions for its application in the field. The tables for reduction of observations have been in use by the author on the Geological Survey of Pennsylvania.

To increase the serviceableness of the book the trigonometrical four place tables have been added.


EDITOR OF *MAGAZINE*.



## STADIA SURVEYING.\*

---

THE fundamental principle upon which stadia measurements are based, is the geometrical one that the lengths of parallel lines subtending an angle are proportional to their distances from its apex.



Thus if, in Fig. 1,  $a$  represents the

---

\* The credit of having first introduced this method of measurement into this country would seem to belong to Mr. *John R. Mayer*, a French Swiss. It was used by him as early as 1850; and subsequently, during his connection with the United States Lake Survey, he did much towards perfecting the instruments and improving the methods of work. An essay by him in the *Journal Franklin Institute* for January, 1885, contains a short historical sketch of the development of topographical surveying and a brief discussion of the general principles of Stadia measurements.

length of a line subtending an angle at a distance  $d$  from its apex, and  $a'$  the length of line, parallel to and twice the length of  $a$ , subtending the same angle at a distance  $d'$  from its apex, then will  $d'$  equal  $2d$ .


This is, in a general way, the underlying principle of stadia work; the nature of the instruments used, however, introduces several modifications, and these will be best understood by a consideration of the conditions under which such measurements are generally made.

In the telescopes of most instruments fitted for stadia work, there are placed either two horizontal wires (usually adjustable) or a glass with two etched horizontal lines at the position of the cross wires, and equidistant from the center wire.

A self-reading stadia rod is further provided, graduated according to the units of measurement used.

In a horizontal sight with such a telescope and rod, the stadia wires seem to be projected upon the rod and to inter-

cept a distance which in Fig. 2 is represented by  $a$ .



In point of fact there is formed, at the position of the stadia wires, a small con-

jugate image of the rod which the wires intersect at points  $b$  and  $c$ , which are respectively the foci of the points B and C on the rod. If, for simplicity's sake, the object glass be considered a simple bi-convex lens, then, by a principle of optics, the rays from any point of an object converge to a focus at such a position that a straight line, called a secondary axis, connecting the point with its image, passes through the *center* of the lens. This point of intersection of the secondary axes is called the optical center. Hence, it follows that lines such as  $c$  C and  $b$  B, in Fig. 2, drawn from the stadia wires through the centre of the object glass will intersect the rod at points corresponding to those which the wires cut on the *image* of the rod. From this follows the proportion:

$$\frac{d}{p} = \frac{a}{f} \therefore d = \frac{p}{f} a, \quad . \quad . \quad . \quad (1)$$

Where:

$d$  = the distance of the rod from the center of the objective;

$p$  = the distance of the stadia wires from the center of the objective ;

$a$  = the distance intercepted on the rod by the stadia wires ;

$I$  = the distance of the stadia wires apart.

If  $p$  remained the same for all lengths of sight, then  $\frac{p}{I}$  could be made a desirable constant and  $d$  would be directly proportional to  $a$ . Unfortunately, however, for the simplicity of such measurements,  $p$  (the focal length) varies with the length of the sight, increasing as the distance diminishes and *vice versa*. Thus the proportionality between  $d$  and  $a$  is variable.

The object, then, is to determine exactly what function  $a$  is of  $d$  and to express the relation in some convenient formula.

The general formula for bi-convex lenses is :

$$\frac{1}{p} + \frac{1}{p'} = \frac{1}{f}. \quad . \quad . \quad . \quad (2)$$



$f$  is the *principal* focal length of the lens, and  $p$  and  $p'$  are the focal distances of image and object, and are *approximately* the same as  $p$  and  $d$ , respectively, in equation (1) :

therefore,  $\frac{1}{p} + \frac{1}{d} = \frac{1}{f}$ , approximately.

$$\text{and } \frac{d}{p} = \frac{d}{f} - 1$$

From (1),  $\frac{d}{p} = \frac{a}{I}$

$$\therefore \frac{a}{I} = \frac{d}{f} - 1$$

whence  $d = \frac{f}{I}a + f$  . . . . . (3)

In this formula, it will be noticed that, as  $f$  and  $I$  remain constant for sights of all lengths, the factor by which  $a$  is to be multiplied is a constant, and that  $d$  is thus equal to a constant times the length of  $a$ , plus  $f$ . This formula would seem, then, to express the relation desired, and it is generally considered as the fundamental one for stadia measurements. As above stated, however, the equation

$$\frac{1}{p} + \frac{1}{d} = \frac{1}{f}$$

is only *approximately* true and the conjunction of this formula with (1) being, therefore, not rigidly admissible, equation (3) does not express the exact relation.\* The equation expressing the true relation, however, though differing from (3) in value, agrees with it in form and also in that the expression corresponding to  $\frac{f}{I}$  is a constant and that the amount to be added remains, practically,  $f$ . The constant corresponding to  $\frac{f}{I}$  may be called  $k$ † and thus the distance of the rod from the objective of the telescope is seen to be equal to a constant times the reading on the rod, plus the principal focal length of the objective. To obtain the exact distance to the *center* of the in-

---

\* This is demonstrated on page 21.

†  $k$  is dependent upon  $I$  and can, therefore, be made a convenient value in any instrument fitted with adjustable stadia wires. It is generally made equal to 100, so that a reading on the rod of 1 corresponds to a distance of  $100 + f$ .

strument, it is further necessary to add the distance of the objective from that centre, to  $f$ ; which sum may be called  $c$ . The final expression for the distance, with a horizontal sight, is then

$$d = ka + c \quad . \quad . \quad (4)$$

The necessity of adding  $c$  is somewhat of an incumbrance. In the stadia work of the United States Government surveys an approximate method is adopted in which the total distance is read directly from the rod. For this method the rod is arbitrarily graduated, so that, at the distance of an average sight, the same number of units of the graduation are intercepted between the stadia wires on the rod, as units of length are contained in the distance. For any other distance, however, this proportionality does not remain the same; for, according to the preceding demonstration, the reading on the rod is proportional to its distance, not from the center of the instrument, but from a point at a distance " $c$ " in front of that center; so that,

when the rod is moved from the position where the reading expresses the *exact* distance to a point, say half that distance from the instrument center, the reading expresses a distance *less* than half; and, at a point double that distance from the instrument center, the distance expressed by the reading is *more* than twice the distance. The error for all distances less than the average being minus, and for greater distances plus. The method is, however, a close approximation, and excellent results are obtained by its use.

Another method of getting rid of the necessity of adding the constant was devised by *Mr. Porro*, a Piedmontese, who constructed an instrument in which there was such a combination of lenses in the objective, that the readings on the rod, for all lengths of sight, were exactly proportional to the distances.\* The instru-

---


\* A notice of this instrument will be found in an article by Mr. Benjamin Smith Lyman, entitled "Telescopic Measurements in Surveying," in *Jour. Franklin Inst.*, May and June, 1868, and a fuller description is contained in *Annales des Mines*, Vol. XVI, fourth series.



One, is to hold the rod at right angles to the line of sight; the other, to hold it vertical. With the first method it will be seen by reference to Fig. 3, that the distance read is not to the foot of the rod, E, but to a point, *f*, vertically under the point, *F*, cut by the center wire. A correction has, therefore, to be made for this. An objection to this method is the difficulty of holding the rod at the same time in a vertical plane and inclined at a definite angle. Further, as the rod changes its inclination with each new position of the transit, the vertical angles of back and foresight are not measured from the same point.

The method usually adopted is the second, where the rod is always held *vertical*. Here, owing to the oblique view of the rod, it is evident that the space intercepted by the wires on the rod varies, not only with the distance, but also with the angle of inclination of the sight. Hence, in order to obtain the true distance from station to station, and also its vertical and horizontal components, a

correction must be made for this oblique view of the rod. In Fig. 4,



$AB = a = \text{the reading on the rod ;}$   
 $MF = d = \text{the inclined distance} = c + GF$   
 $= c + kCD.$

MP=D=the horizontal distance= $d$   
 $\cos n$ ,

FP=Q=the vertical distance=D tan  $n$   
 $n$ =the vertical angle,

AGB=2 $m$ .

It is first required to express  $d$  in terms of  $a$ ,  $n$  and  $m$ .

From the proportionality existing between the sides of a triangle and the sides of the opposite angles,

$$\frac{AF}{GF} = \frac{\sin m}{\sin [90^\circ + (n-m)]}$$

$$\text{or, } AF = GF \sin m \frac{1}{\cos (n-m)};$$

$$\text{and } \frac{BF}{GF} = \frac{\sin m}{\sin [90^\circ - (n+m)]}$$

$$\text{or, } BF = GF \sin m \frac{1}{\cos (n+m)};$$

$$\therefore AF + BF = GF \sin m \left( \frac{1}{\cos (n-m)} + \frac{1}{\cos (n+m)} \right)$$



$$\begin{aligned} \text{AF} + \text{BF} = a, \text{ and } \text{GF} &= \frac{\text{CD}}{2} \frac{1}{\tan m} \\ &= \frac{\text{CD} \cos m}{2 \sin m} \end{aligned}$$

By substituting and reducing to a common denominator,

$$a = \frac{\text{CD}}{2} \frac{\cos m [\cos (n+m) + \cos (n-m)]}{\cos (n+m) \cos (n-m)}$$

Reducing this according to trigonometrical formulæ,

$$\text{CD} = a \frac{\cos^2 n \cos^2 m - \sin^2 n \sin^2 m}{\cos n \cos^3 m}$$

$$\text{as } d = \text{MF} = c + k \cdot \text{CD},$$

$$\therefore d = c + k a \frac{\cos^2 n \cos^2 m - \sin^2 n \sin^2 m}{\cos n \cos^3 m}$$

The horizontal distance,  $D = d \cos n$ .

$$\therefore D = c \cos n + k a \cos^3 n - k a \sin^2 n \tan^2 m.$$

“The third member of this equation may safely be neglected, as it is very small even for long distances and large angles of elevation (for 1500',  $n=45^\circ$  and  $k=100$ , it is but 0.07'.) Therefore, the final formula for distances, with a stadia

kept vertical, and with wires equidistant from the center wire, is the following:”

$$D = c \cos n + a k \cos^2 n \quad . \quad . \quad (5)$$

The vertical distance  $Q$ , is easily obtained from the relation:  $Q = D \tan n$ .

$$\therefore Q = c \sin n + a k \cos n \sin n$$

$$\text{or } Q = c \sin n + a k \frac{\sin 2n}{2} \quad . \quad (6)^*$$

With the aid of formulæ (5) and (6) the horizontal and vertical distances can be immediately calculated when the reading from a *vertical* rod, and the angle of elevation of any sight are given; and it is from these formulæ that I have calculated my stadia reduction tables. The values of  $ak \cos^2 n$  and  $ak \frac{\sin 2n}{2}$  were separately calculated for each two minutes up to 30 degrees of elevation; but, as the value of  $c \sin n$  and  $c \cos n$  have

---

\* The above demonstration is substantially that given by Mr. George J. Specht, in an article on Topographical Surveying in *Van Nostrand's Engineering Magazine* for February, 1880, though enlarged and corrected.

quite an inappreciable variation for 1 degree, it was thought sufficient to determine these values only for each degree. As  $c$  varies with different instruments these last two expressions were calculated for three different values of  $c$ , thus furnishing a ratio from which values of  $c \sin n$  and  $c \cos n$  can be easily determined for an instrument having any constant ( $c$ ).

Similar tables have been computed by *J. A. Ockerson* and *Jared Teeple*, of the United States Lake Survey. Their use is, however, limited, from the fact that the meter is the unit of horizontal measurement while the elevations are in feet. The bulk of the tables furnish differences of level for stadia readings up to 400 meters, but only up to  $10^\circ$  of elevation. Supplementary tables give the elevations up to  $30^\circ$  for a distance of one meter. For obtaining horizontal distances reference has to be made to *another* table, which is somewhat an objectionable feature, and a multiplication *and* a subtraction has to be made in order to obtain

the result. Last, but not least, these tables are, apparently, only accurate when used with an instrument whose constant is 0.43 meters.

As stated in the preceding discussion (p. 11), the generally accepted formula expressing the relation between the distance in a horizontal sight, the reading on the rod, the distance of the stadia wires apart, and the focal length of the objective is

$$d = \frac{f}{I} a + f \quad . \quad . \quad . \quad (3)$$

where  $d$ ,  $a$ ,  $I$  and  $f$  represent these factors respectively.

This formula is derived from the conjunction of the two equations:

$$d = \frac{p}{I} a; \quad . \quad . \quad . \quad . \quad (1)$$

$$\text{and } \frac{1}{p} + \frac{1}{p'} = \frac{1}{f}; \quad . \quad . \quad . \quad (2)$$

$p$  and  $p'$  in (2) being considered as equal to  $p$  and  $d$  in (1).  $p$  and  $d$  in (1), it will be remembered, are the distances from the *center* of the objective to the image

and object respectively. But the general formula for lenses, (2), is derived on the supposition that  $p$  and  $p'$  are measured from the *exterior faces* of the lens, and therefore  $p$  and  $d$  in (1) are each greater, by half the thickness of the lens, than  $p$  and  $p'$  in (2). Further, this formula is derived on the supposition that the object glass of the telescope is a simple, bi-convex lens, whereas, in fact, it is a compound lens composed of a plano concave and a biconvex lens. Now, though these points may seem insignificant in themselves, they may greatly influence the final result, as a difference of only 1 in the denominator of such a fraction as  $\frac{1,000,000}{2}$  may alter the result by as much as 500,000. Considerable thought and time has, therefore, been given to the consideration of the effect of these corrections, and, as a result, it was found that the formula (3) does not express the true relation even within practical limits; and that if it were attempted to calculate the distance,  $d$ , by this formula, when

the factors  $f$ ,  $p$  and  $a$  were given, a result would be obtained which would differ considerably from the real distance. The inaccuracy lies in the expression

$\frac{f}{I}$ . The one to be substituted for it is,

however, like it, a constant for each instrument; and, as we determine the value of this constant by actual trial and not from a knowledge of the values of  $f$  and  $I$ , the correction to be made will not affect the practice.

Considering first the case of a telescope with a simple, biconvex lens, the optical center being, here, in the center of the lens,  $d$  and  $p$ , in equation (1), as before stated, are measured from the center of the lens, while, in equation (2),  $p$  and  $p'$  are measured from the exterior faces. If the thickness of the lens be taken as  $2x$ , then

$p$  in equation (1) =  $p$  in equation (2),  
minus  $x$ ; and

$p'$  in equation (1) =  $d$  in equation (2),  
minus  $x$ .

Therefore, while (1) remains

$$d = \frac{p}{I}a, \text{ or } p = \frac{I}{a}d \quad . \quad (1a)$$

by substitution, (2), becomes,

$$\frac{1}{p-x} + \frac{1}{d-x} = \frac{1}{f} \quad . \quad . \quad (2a)$$

Substituting  $d \frac{I}{a}$  for  $p$  in (2a)

$$\frac{1}{d \frac{I}{a} - x} \times \frac{1}{d-x} = \frac{1}{f}$$

$$\therefore d-x + d \frac{I}{a} - x = \frac{1}{f} (d-x) \left( d \frac{I}{a} - x \right)$$

$$= \frac{1}{f} d^2 \frac{I}{a} - \frac{1}{f} d \frac{I}{a} x - \frac{1}{f} dx + \frac{1}{f} x^2$$

whence,  $-2x - \frac{1}{f} x^2 = \frac{1}{f} d^2 \frac{I}{a}$

$$-d \frac{1}{f} x \left( \frac{I}{a} + 1 \right) - d \left( \frac{I}{a} + 1 \right)$$

or  $= \frac{1}{f} d^2 \frac{I}{a} - d \left\{ \left( \frac{I}{a} + 1 \right) \left( \frac{1}{f} x + 1 \right) \right\}.$

Multiplying both sides by  $\frac{I}{a} \frac{1}{f}$

$$-\frac{1}{a} \frac{1}{f} \left( 2x + \frac{1}{f} x^2 \right) = \frac{1}{f^2} d^2 \frac{1}{a^2}$$

$$-\frac{1}{a} \frac{1}{f} d \left\{ \left( \frac{1}{a} + 1 \right) \left( \frac{1}{f} x + 1 \right) \right\}$$

Adding to both sides  $\frac{\left\{ \left( \frac{1}{a} + 1 \right) \left( \frac{1}{f} x + 1 \right) \right\}^2}{2 \text{ squared,}}$

$$\frac{\left\{ \left( \frac{1}{a} + 1 \right) \left( \frac{1}{f} x + 1 \right) \right\}^2}{4} - \frac{1}{a} \frac{1}{f} \left( 2x + \frac{1}{f} x^2 \right) = \left( d \frac{1}{f} \frac{1}{a} \right)^2 - d \frac{1}{f} \frac{1}{a}$$

$$\left\{ \left( \frac{1}{a} + 1 \right) \left( \frac{1}{f} x + 1 \right) \right\} \times \frac{\left\{ \left( \frac{1}{a} + 1 \right) \left( \frac{1}{f} x + 1 \right) \right\}^2}{4}$$

Extracting the square root of both terms,

$$\sqrt{\frac{\left\{ \left( \frac{1}{a} + 1 \right) \left( \frac{1}{f} x + 1 \right) \right\}^2}{4}} - \frac{1}{f} \frac{1}{a} \left( 2x + \frac{1}{f} x^2 \right) = d \frac{1}{f} \frac{1}{a} - \frac{\left( \frac{1}{a} + 1 \right) \left( \frac{1}{f} x + 1 \right)}{2}$$



Therefore,

$$\left\{ \sqrt{\left\{ \left( \frac{I}{a} + 1 \right) \left( \frac{1}{f} x + 1 \right) \right\}^2 - \frac{1}{f} \frac{I}{a} \left( 2x + \frac{1}{f} x^2 \right) + \frac{\left( \frac{I}{a} + 1 \right) \left( \frac{1}{f} x + 1 \right)}{2}} \right\} \frac{af}{I} = k$$

$$\text{or, } d = \frac{(I+a)(x+f)}{2I}$$

$$+ \sqrt{\frac{[(I+a)(x+f)]^2}{4I^2} - \frac{a}{I}(x^2 + 2xf)} \quad (3a)$$

This is the *exact* formula corresponding to (3), for biconvex lenses. This can, however, be considerably reduced without materially affecting its value. With a telescope of the dimensions of that of an ordinary engineer's transit, the term  $\frac{a}{I}(x^2 + 2xf)$  diminishes the result by about  $\frac{1}{8}$  of an inch and, therefore, may be neglected. Formula (3a), then becomes :

$$d = 2 \frac{(I+a)(x+f)}{2I}$$

$$\begin{aligned}
 &= \frac{Ix + If + ax + af}{I} \\
 &= a \frac{x+f}{I} + f + x
 \end{aligned}$$

The addition of  $x$  (half the thickness of the object glass) would be inappreciable in the length of any ordinary sight, and may be omitted. The final expression becomes, then,

$$d = \frac{x+f}{I} a + f \quad (3b)$$

This formula, it will be observed, differs from (3) in that the reading on the rod ( $a$ ), is multiplied by  $x+f$  instead of  $f$ . The numerical difference between the results is seen in the following examples:

Consider first the case with a one-foot reading on the rod, and let  $x = .18''$ ,  $f = 9.00''$ , and  $I = .08''$ .\*

Formula (3) becomes, then:

$$d = \frac{9.00''}{.08''} 12.00'' + 9.00'' = 1359'' = 113.25';$$

---

\* These are very closely the dimensions in Heller & Brightly's large Surveyor's Transit (5-inch needle), as kindly furnished me by Mr. Heller.

Formula (3b) becomes·

$$d = \frac{.18'' + 9.00''}{.08''} 12.00'' + 9.00'' = 1386 = 115.50'$$


---

Difference = 2.25'

When the reading on the rod is 5 feet (or 60'') then, (3) becomes:

$$d = \frac{9.00''}{.08''} 60.00'' + 9.00 = 563.25';$$

and (3b) becomes:

$$d = \frac{.18'' + 9.00''}{.08''} 60.00'' + 9.00 = 574.50'$$


---

Difference = 11.25'\*

The above demonstration shows, then, that, with a simple biconvex object glass, the usually accepted formula expressing the relation between the distance, the reading on the rod, the distance of the stadia wires apart, and the focal length of the objective, is not accurate even

---

\* As the difference is evidently proportional to the length of sight, with a 1000' sight it would amount to 22.5', etc.

within the limits of accuracy of such measurements. With the usual combination of lenses in objectives this error would still remain. The derivation of a formula similar to (3*b*), for such lenses, would, however, be extremely difficult, and would only hold for the special lens in question. For, with such a combination of lenses, the optical center would no longer remain in the center of the lens, but would vary its position according to the relative thicknesses of the two glasses, their radii of curvature and their indices of refraction; and, after its position had been determined by abstruse calculation and refined experiment, its distance from the two exterior faces of the compound lens would be expressed by *two different* values ( $x$  and  $x'$ ) instead of two equal values ( $x$ ); and this would very much complicate further calculation.

It was seen that, in the newly deduced formula, for biconvex objectives, like that heretofore accepted, the factor by which the reading on the rod is multiplied is a

constant for each instrument, and that the practical method of adjusting the instrument remains the same. The question now arises, does this remain the case with a compound objective ?

In view of the difficulty of demonstrating this mathematically it was decided to make a practical test of this point with a carefully adjusted instrument. A distance of 500 feet was first measured off on a level stretch of ground, and each 50 foot point accurately located. From one end of this line three successive series of stadia readings\* were then taken from the first 50 foot and each succeeding 100 foot mark. The following table contains the results :

---

\* The readings were taken from two targets, set so that the sight should be horizontal and thus also preventing any personal error or prejudice from affecting the reading

Distances.	Spaces Intercepted on the Rod.			
	1st Series.	2d Series.	3d Series.	Mean.
	Feet.	Feet.	Feet.	Feet.
50. 00	.4850	.4860	.4855	.4855
100. 00	.9850	.9870	.9890	.9850
200. 00	1.9850	1.9860	1.9840	1.9850
300. 00	2.9890	2.9875	2.9870	2.9878
400. 00	3.9830	3.9800	3.9890	3.9840
500. 00	4.9850	4.9850	4.9900	4.9867

Multiplying the mean of these readings by 100, and subtracting the result from the corresponding distance, we obtain the following table :

Distances.	Mean of Stadia Readings times 100.	Differences.	Variations from Mean.
Feet. 50.00 100.00 200.00 300.00 400.00 500.00	Feet. 48.55 98.50 198.50 298.78 398.40 498.67	Feet. 1.45 1.50 1.50 1.22 1.60 1.33	Feet. +.02 +.07 +.07 -.21 +.17 -.10

Sum of Differences = 8.60 ;

Mean of Differences = 1.43.

The variations between the numbers of the column of differences are slight, the maximum from a mean value of 1.43 feet being only .21 feet. A study of the tables will show that these variations have no apparent relation to the length of the sight; in the maximum case, the variation corresponds to a reading on the rod of only .0021 feet (an amount much within the limits of accuracy of any ordinary sight). We are, therefore, perfectly justified in concluding that these variations are accidental, and that the "difference" is, for all practical purposes, a *constant* value.

We thus see that with a telescope having a compound, plano-convex objective, whatever the formula may be expressing the relation between  $d$ ,  $f$ ,  $x$ , etc., the horizontal distance is equal to a *constant* times the reading on the rod plus a *constant*, and may, as in the other cases, be expressed by the equation,

$$d = ak + c^*$$

---

\* This may seem a statement of what was already a well-known fact. But, heretofore, it has been assumed to be a direct deduction from optical principles,



The many advantages of stadia measurements in surveying need not be dwelt upon here, both because attention has been repeatedly called to them, and because they are self-evident to every engineer. Neither will it be within the compass of this article to describe the various forms of rods and instruments, or the conventionalities of stadia work.

A few precautions, necessary for accurate work, should, however, be emphasized. First, as regards the special adjustments: care should be taken that in setting the stadia wires\* allowance be

---

and as, according to the preceding article, this is not so clearly evident, it seemed necessary to redetermine the point.

\* This applies to an instrument with movable stadia wires, and not to one with etched lines on glass. In the latter case the graduation of the rod is the adjustable portion. It has been claimed as an advantage for etched lines on glass, that they are not affected by variations of temperature while the distance between stadia wires is. A series of tests which I made with one of Heller & Brightly's transits, to determine this point, showed no appreciable alteration in the space between the wires, as measured on a rod 500 feet distant, with a range of temperature between that produced in the instrument by the sun of a hot summer's day, and that produced by enveloping the telescope in a bag of ice.

made for the instrument constant, and that the wires are so set that the reading, at any distance, is less than the true distance by the amount of this constant.\*

For accurate stadia work it is better to take the reading for both distances and elevations only at alternate stations and then to take them from both back and fore sights, in such a manner that the vertical angle is always read from the same position on each rod, which should be the average height of the telescope at the different stations.

Cases will, of course, occur where this method will be impracticable, and then the mode of procedure must be left to the judgment of the surveyor. If it be desired to have the absolute elevation of the ground under the instrument, the height of the telescope at each station will have to be measured by the rod, and the difference between this measurement and the average height used in sighting to

---

\* This is assuming the measurements to be made by the ordinary method, and not by the approximate one of the U. S. Engineers.

the rod either added or subtracted as the case may be. This difference will ordinarily be so small, that in a great deal of stadia work no reduction will be necessary. In sighting to the rod for the angle of depression or elevation, the center horizontal wire must always be used. By this means an exactly continuous line is measured.

For theoretical exactness it is necessary that the stadia wires should be equidistant from the horizontal center wire, for, if this be not the case, the distance read is for an angle of elevation differing from the true one by an amount proportional to the displacement of the wires.

With reasonable care a high degree of accuracy can be attained in stadia measurements. The common errors of stadia reading are unlike the common errors of chaining, the gross ones (such as making a difference of a whole hundred feet) being, in general, the only important ones, and these are readily checked by double readings. To facilitate the subtraction of the reading of one cross hair from that

of another, one should be put upon an even foot mark, and in the check reading the other one.

A general measure of the efficiency of stadia measurements is furnished in the professional papers of the Corps of Engineers, U. S. A., for 1882, on the Primary Triangulation of the Lake Survey, where it is stated that in computing coördinates of stadia work for 1875, the average amount of discrepancy in 141 lines, varying between 965 and 6,648 meters (mean 2,450 meters) when compared with lines determined by triangulation or chaining, was found to be 1 in 649. The maximum limit of error is put at 1 in 300.

Mr. Benjamin Smith Lyman, who has made extensive use of stadia work both in this country and Japan, considers it decidedly more accurate than ordinary good chaining, if the gross errors be carefully avoided.

The results of stadia survey which have come to my notice fully support this view. During the past summer I had occasion to run a continuous stadia line

between two points some twelve miles apart. It was necessary that the position of these points with reference to each other should be determined as closely as possible with the means at hand. In consequence, the work was checked by taking duplicate vernier and stadia readings, and by taking a series of check sights to prominent objects. The latitudes and departures of this survey were afterwards calculated out, and the check angles computed and compared with those observed. The results are shown in the accompanying diagram and table. From the results of the tests tabulated on pp. 31, 32, Mr. Lyman has kindly furnished me with the following deductions, as an indication of the exactness of stadia measurements.\*

---

\* I wish to take this opportunity to acknowledge my indebtedness to Mr. Benjamin Smith Lyman, for the kindly interest he has taken in the above discussion, for his valuable suggestions, and for his assistance in referring me to various sources for information.

DIAGRAM OF CHECK SIGHTS  
SCALE, 10000' = 1"




TABLE OF CHECK ANGLES.

Sights.	Course as read.	Course as Deduced.	Difference.	Minimum Pro- portional Linear Displacement.
19-1	N. 26° 9' E.	N. 26° 8' E.	0° 1'	1.3' E.
28-a	N. 28° 8' E.	N. 28° 3' E.	0° 5'	5.6' E.
59-e	N. 5° 9' E.	N. 5° 12' E.	0° 3'	7 6' W.
73-N	S. 87° 14' E.	S. 87° 19' E.	0° 5'	3.6' S.
77-N	N. 72° 8' E.	N. 72° 7' E.	0° 1'	1.0' S.
94-N	N. 72° 26' E.	N. 72° 24' E.	0° 2'	6.0' S.
97-N	N. 73° 35' E.	N. 73° 34' E.	0° 1'	3.6' S.

" Distances.	Variations from Mean.	Error (or Variation from Mean) in Parts of the Distance Measured.	Mean Magnitude.
50 feet.	+.07 -.03 +.02	+.0014 -.0006 +.0004	.0008
100 "	+.07 -.13 +.27	+.0007 -.0013 +.0027	.0016
200 "	+.07 -.03 +.17	+.00035 -.0015 +.00085	.00045
300 "	-.33 -.18 -.13	-.0011 -.0006 -.00043	.00071
400 "	+.27 +.57 -.33	+.000675 +.0014 -.00082	.000965
500 "	+.07 +.07 -.43	+.00014 +.00014 -.00086	.00038
		+.23 +.27 -.43=6	6).004905
			.000817



Taking the mean, 1.43, as exactly correct, we see, then, that the total error of the eighteen sights was only .06 feet, or  $\frac{1}{17100}$  of the whole distance measured, 4,650 feet, a precision (as it happens) seven times greater than I suggested in my paper for a telescope magnifying ten times. But the mean of the errors .000817 (or  $\frac{1}{1224}$ ), which, so far as the insufficient number of eighteen sights can show, would be the mean of the errors of an infinite number of trials, would correspond to a probable error for any one of the number of trials (that is, in general) of the same kind, of .00069, or  $\frac{1}{1450}$ . This is within half the exactness I claimed as possible for the stadia in my paper. The difference may be due to several causes that I neglected to consider, such as a slight leaning of the rod forward or back, imperfect graduation of the rod, imperfect cleanliness or transparency of the glasses or of the air, imperfection in the shape of the lenses, or in their adjustments to one another, waviness from the varying refraction of the air with the

heat from the sun and the ground, inaccurate focussing, inexact placing of the center hair upon the center of the target or graduation. This last difficulty might be avoided by taking one edge of the upper or lower cross hairs, and by special painting of the target for the center hair.

\* \* \* But at any rate the superior exactness of stadia measurement over chaining is shown, so far as eighteen trials could do it."

TABLES OF HORIZONTAL DISTANCES AND  
DIFFERENCES OF LEVEL FOR STADIA  
MEASUREMENTS.

The formulæ used in the computation of the following tables, were those given by Mr. Geo. J. Specht in an article on Topographical Surveying, published in VAN NOSTRAND'S ENGINEERING MAGAZINE for February, 1880. These formulæ furnish expressions for horizontal distances and differences of level for stadia measurements with the conditions that the stadia rod *be held vertical*, and the stadia wires

be equidistant from the centre wire. The are as follows :

$$D = c \cos n + ak \cos^2 n.$$

$$Q = D \tan n = c \sin n + \frac{ak \sin 2n}{2}.$$

$D$  = Horizontal distance.

$Q$  = Difference of level.

$c$  = the distance from the center of the instrument to the center of the object glass, plus the focal length of the object glass.

$k$  = the focal length of the object glass divided by the distance of the stadia wires apart.

$a$  = the reading on the stadia rod.

$n$  = the vertical angle.

$ak$  is the reading on the rod multiplied by  $k$ , which is a constant for each instrument (generally 100.) In the tables the vertical columns consist of two series of numbers for each degree, which series represent respectively the different values of  $ak \cos^2 n$  and  $\frac{ak \sin 2n}{2}$  for

every two minutes, when  $ak=100$ . To obtain the horizontal distance or the difference of level in any case, the corresponding value of  $c \cos n$  or  $c \sin n$  must further be added, and the mean of each of these expressions, for each degree, with 3 of the most common values of  $c$ , is given under each column.

As an example, let it be required to find the horizontal distance and the difference of level when,  $n=+6^{\circ} 18'$ ,  $ak=570$ , and the instrument constant,  $c=.75$ . In the column headed  $6^{\circ}$ , opposite  $18'$  in the series for "Hor. Dist.," we find 98.80 as the expression for  $ak \cos^2 n$  when  $ak=100$ , therefore, when  $ak=570$ .

$$ak \cos^2 n = 98.80 \times 5.70 = 563.16.$$

To this must be added  $c \cos n$ , which in this case is found in the subjoined column to be .75.

$563.16 + .75 = 563.91$ , which is the required horizontal distance.

In a similar manner,

$$10.91 \times 5.70 + .08 = 62.27 \text{ is the re-}$$

quired difference of level. One multiplication and one addition must be made in each case.

It is to be noticed, that, with the smaller angles,  $\cos n$  may be neglected in the expression  $c \cos n$ , and  $c \sin n$  may be entirely neglected without appreciable error.

For values of  $c$  which differ from those given, an approximate correction proportional to the amount of difference may very easily be made in these two expressions.

M.	0°		1°		2°		3°	
	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.
0' ....	100.00	.00	99.97	1.74	99.88	3.49	99.78	5.23
2' ....	"	.06	"	1.80	99.87	3.55	99.72	5.23
4' ....	"	.12	"	1.86	"	3.60	99.71	5.34
6' ....	"	.17	99.96	1.92	"	3.66	"	5.40
8' ....	"	.23	"	1.98	99.86	3.72	99.70	5.46
10' ....	"	.29	"	2.04	"	3.78	99.69	5.52
12' ....	"	.35	"	2.09	99.85	3.84	"	5.57
14' ....	"	.41	99.95	2.15	"	3.90	99.68	5.63
16' ....	"	.47	"	2.21	99.84	3.95	"	5.69
18' ....	"	.52	"	2.27	"	4.01	99.67	5.75
20' ....	"	.58	"	2.33	99.83	4.07	99.66	5.80
22' ....	"	.64	99.94	2.38	"	4.13	"	5.86
24' ....	"	.70	"	2.44	99.82	4.18	99.65	5.92
26' ....	99.99	.76	"	2.50	"	4.24	99.64	5.98
28' ....	"	.81	99.93	2.56	99.81	4.30	99.63	6.04
30' ....	"	.87	"	2.62	"	4.36	"	6.09
32' ....	"	.93	"	2.67	99.80	4.42	99.62	6.15
34' ....	"	.99	"	2.73	"	4.48	"	6.21
36' ....	"	1.05	99.92	2.79	99.79	4.53	99.61	6.27
38' ....	"	1.11	"	2.85	"	4.59	99.60	6.33
40' ....	"	1.16	"	2.91	99.78	4.65	99.59	6.38
42' ....	"	1.22	99.91	2.97	"	4.71	"	6.44
44' ....	99.98	1.28	"	3.02	99.77	4.76	99.58	6.50
46' ....	"	1.34	99.90	3.08	"	4.82	99.57	6.56
48' ....	"	1.40	"	3.14	99.76	4.88	99.56	6.61
50' ....	"	1.45	"	3.20	"	4.94	"	6.67
52' ....	"	1.51	99.89	3.26	99.75	4.99	99.55	6.73
54' ....	"	1.57	"	3.31	99.74	5.05	99.54	6.78
56' ....	99.97	1.63	"	3.37	"	5.11	99.53	6.84
58' ....	"	1.69	99.88	3.43	99.73	5.17	99.52	6.90
60' ....	"	1.74	"	3.49	"	5.23	99.51	6.96
c = .75	.75	.01	.75	.02	.75	.03	.75	.06
c = 1.00	1.00	.01	1.00	.03	1.00	.04	1.00	.06
c = 1.25	1.25	.02	1.25	.03	1.25	.05	1.25	.06

M.	4°		5°		6°		7°	
	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.
0' ....	99.51	6.96	99.24	8.68	98.91	10.40	98.51	12.1
2' ....	"	7.02	99.23	8.74	98.90	10.45	98.50	12.1
4' ....	99.50	7.07	99.22	8.80	98.88	10.51	98.48	12.2
6' ....	99.49	7.13	99.21	8.85	98.87	10.57	98.47	12.2
8' ....	99.48	7.19	99.20	8.91	98.86	10.62	98.46	12.2
10' ....	99.47	7.25	99.19	8.97	98.85	10.68	98.44	12.2
12' ....	99.46	7.30	99.18	9.03	98.83	10.74	98.43	12.4
14' ....	"	7.36	99.17	9.08	98.82	10.79	98.41	12.4
16' ....	99.45	7.42	99.16	9.14	98.81	10.85	98.40	12.5
18' ....	99.44	7.48	99.15	9.20	98.80	10.91	98.39	12.6
20' ....	99.43	7.53	99.14	9.25	98.78	10.96	98.37	12.6
22' ....	99.42	7.59	99.13	9.31	98.77	11.02	98.36	12.7
24' ....	99.41	7.65	99.11	9.37	98.76	11.08	98.34	12.7
26' ....	99.40	7.71	99.10	9.43	98.74	11.13	98.33	12.8
28' ....	99.39	7.76	99.09	9.48	98.73	11.19	98.31	12.8
30' ....	99.38	7.82	99.08	9.54	98.72	11.25	98.29	12.9
32' ....	99.38	7.88	99.07	9.60	98.71	11.30	98.28	13.0
34' ....	99.37	7.94	99.06	9.65	98.69	11.36	98.27	13.0
36' ....	99.36	7.99	99.05	9.71	98.68	11.42	98.25	13.1
38' ....	99.35	8.05	99.04	9.77	98.67	11.47	98.24	13.1
40' ....	99.34	8.11	99.03	9.83	98.65	11.53	98.22	13.1
42' ....	99.33	8.17	99.01	9.88	98.64	11.59	98.20	13.1
44' ....	99.32	8.22	99.00	9.94	98.63	11.64	98.19	13.1
46' ....	99.31	8.28	98.99	10.00	98.61	11.70	98.17	13.1
48' ....	99.30	8.34	98.98	10.05	98.60	11.76	98.16	13.4
50' ....	99.29	8.40	98.97	10.11	98.58	11.81	98.14	13.1
52' ....	99.28	8.45	98.96	10.17	98.57	11.87	98.13	13.1
54' ....	99.27	8.51	98.94	10.22	98.56	11.93	98.11	13.1
56' ....	99.26	8.57	98.93	10.28	98.54	11.98	98.10	13.1
58' ....	99.25	8.63	98.92	10.34	98.53	12.04	98.08	13.1
60' ....	99.24	8.68	98.91	10.40	98.51	12.10	98.06	13.1
c = .75	.75	.06	.75	.07	.75	.08	.74	.1
c = 1.00	1.00	.06	.99	.09	.99	.11	.99	.1
c = 1.25	1.25	.10	1.24	.11	1.24	.14	1.24	.11

M.	8°		9°		10°		11°	
	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.
0' ....	98.06	13.78	97.55	15.45	96.98	17.10	96.36	18.73
2' ....	98.05	13.84	97.53	15.51	96.96	17.16	96.34	18.78
4' ....	98.03	13.89	97.52	15.56	96.94	17.21	96.32	18.84
6' ....	98.01	13.95	97.50	15.62	96.92	17.26	96.29	18.89
8' ....	98.00	14.01	97.48	15.67	96.90	17.32	96.27	18.95
10' ....	97.98	14.06	97.46	15.73	96.88	17.37	96.25	19.00
12' ....	97.97	14.12	97.44	15.78	96.86	17.43	96.23	19.05
14' ....	97.95	14.17	97.43	15.84	96.84	17.48	96.21	19.11
16' ....	97.93	14.23	97.41	15.89	96.82	17.54	96.18	19.16
18' ....	97.92	14.28	97.39	15.95	96.80	17.59	96.16	19.21
20' ....	97.90	14.34	97.37	16.00	96.78	17.65	96.14	19.27
22' ....	97.88	14.40	97.35	16.06	96.76	17.70	96.12	19.32
24' ....	97.87	14.45	97.33	16.11	96.74	17.76	96.09	19.38
26' ....	97.85	14.51	97.31	16.17	96.72	17.81	96.07	19.43
28' ....	97.83	14.56	97.29	16.22	96.70	17.86	96.05	19.48
30' ....	97.82	14.62	97.28	16.28	96.68	17.92	96.03	19.54
32' ....	97.80	14.67	97.26	16.33	96.66	17.97	96.00	19.59
34' ....	97.78	14.73	97.24	16.39	96.64	18.03	95.98	19.64
36' ....	97.76	14.79	97.22	16.44	96.62	18.08	95.96	19.70
38' ....	97.75	14.84	97.20	16.50	96.60	18.14	95.93	19.75
40' ....	97.73	14.90	97.18	16.55	96.57	18.19	95.91	19.80
42' ....	97.71	14.95	97.16	16.61	96.55	18.24	95.89	19.86
44' ....	97.69	15.01	97.14	16.66	96.53	18.30	95.86	19.91
46' ....	97.68	15.06	97.12	16.72	96.51	18.35	95.84	19.96
48' ....	97.66	15.12	97.10	16.77	96.49	18.41	95.82	20.02
50' ....	97.64	15.17	97.08	16.83	96.47	18.46	95.79	20.07
52' ....	97.62	15.23	97.06	16.88	96.45	18.51	95.77	20.12
54' ....	97.61	15.28	97.04	16.94	96.42	18.57	95.75	20.18
56' ....	97.59	15.34	97.02	16.99	96.40	18.62	95.72	20.23
58' ....	97.57	15.40	97.00	17.05	96.38	18.68	95.70	20.28
60' ....	97.55	15.45	96.98	17.10	96.36	18.73	95.68	20.34
c = .75	.74	.11	.74	.12	.74	.14	.73	.15
c = 1.00	.99	.15	.99	.16	.98	.18	.96	.20
c = 1.25	1.23	.18	1.23	.21	1.23	.23	1.22	.25



M.	12°		13°		14°		15°	
	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.
0' ....	95.68	20.84	94.94	21.92	94.15	22.47	93.30	25.00
2' ....	95.65	20.89	94.91	21.97	94.12	22.52	93.27	25.05
4' ....	95.63	20.44	94.89	22.02	94.09	22.58	93.24	25.10
6' ....	95.61	20.50	94.86	22.08	94.07	22.63	93.21	25.15
8' ....	95.58	20.55	94.84	22.13	94.04	22.68	93.18	25.20
10' ....	95.56	20.60	94.81	22.18	94.01	22.73	93.16	25.25
12' ....	95.53	20.66	94.79	22.23	93.98	22.78	93.13	25.30
14' ....	95.51	20.71	94.76	22.28	93.95	22.83	93.10	25.35
16' ....	95.49	20.76	94.73	22.34	93.93	22.88	93.07	25.40
18' ....	95.46	20.81	94.71	22.39	93.90	22.93	93.04	25.45
20' ....	95.44	20.87	94.68	22.44	93.87	22.99	93.01	25.50
22' ....	95.41	20.92	94.66	22.49	93.84	23.04	92.98	25.55
24' ....	95.39	20.97	94.63	22.54	93.81	23.09	92.95	25.60
26' ....	95.36	21.03	94.60	22.60	93.79	23.14	92.92	25.65
28' ....	95.34	21.08	94.58	22.65	93.76	23.19	92.89	25.70
30' ....	95.32	21.13	94.55	22.70	93.73	23.24	92.86	25.75
32' ....	95.29	21.18	94.52	22.75	93.70	23.29	92.83	25.80
34' ....	95.27	21.24	94.50	22.80	93.67	23.34	92.80	25.85
36' ....	95.24	21.29	94.47	22.85	93.65	23.39	92.77	25.90
38' ....	95.22	21.34	94.44	22.91	93.62	23.44	92.74	25.95
40' ....	95.19	21.39	94.42	22.96	93.59	23.49	92.71	26.00
42' ....	95.17	21.45	94.39	23.01	93.56	23.55	92.68	26.05
44' ....	95.14	21.50	94.36	23.06	93.53	23.60	92.65	26.10
46' ....	95.12	21.55	94.34	23.11	93.50	23.65	92.62	26.15
48' ....	95.09	21.60	94.31	23.16	93.47	23.70	92.59	26.20
50' ....	95.07	21.66	94.28	23.22	93.45	23.75	92.56	26.25
52' ....	95.04	21.71	94.26	23.27	93.42	23.80	92.53	26.30
54' ....	95.02	21.76	94.23	23.32	93.39	23.85	92.49	26.35
56' ....	94.99	21.81	94.20	23.37	93.36	23.90	92.46	26.40
58' ....	94.97	21.87	94.17	23.42	93.33	23.95	92.43	26.45
60' ....	94.94	21.92	94.15	23.47	93.30	24.00	92.40	26.50
c = .75	.73	.16	.73	.17	.73	.19	.72	.20
c = 1.00	.98	.22	.97	.23	.97	.25	.96	.27
c = 1.25	1.22	.27	1.21	.29	1.21	.31	1.20	.34

M.	16°		17°		18°		19°	
	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.
0' ....	92.40	26.50	91.45	27.96	90.45	29.39	89.40	30.78
2' ....	92.37	26.55	91.42	28.01	90.42	29.44	89.36	30.83
4' ....	92.34	26.59	91.39	28.06	90.38	29.48	89.33	30.87
6' ....	92.31	26.64	91.35	28.10	90.35	29.53	89.29	30.92
8' ....	92.28	26.69	91.32	28.15	90.31	29.58	89.26	30.97
10' ....	92.25	26.74	91.29	28.20	90.28	29.62	89.22	31.01
12' ....	92.22	26.79	91.26	28.25	90.24	29.67	89.18	31.06
14' ....	92.19	26.84	91.22	28.30	90.21	29.72	89.15	31.10
16' ....	92.15	26.89	91.19	28.34	90.18	29.76	89.11	31.15
18' ....	92.12	26.94	91.16	28.39	90.14	29.81	89.08	31.19
20' ....	92.09	26.99	91.12	28.44	90.11	29.86	89.04	31.24
22' ....	92.06	27.04	91.09	28.49	90.07	29.90	89.00	31.28
24' ....	92.03	27.09	91.06	28.54	90.04	29.95	88.96	31.33
26' ....	92.00	27.13	91.02	28.58	90.00	30.00	88.93	31.38
28' ....	91.97	27.18	90.99	28.63	89.97	30.04	88.89	31.42
30' ....	91.93	27.23	90.96	28.68	89.93	30.09	88.86	31.47
32' ....	91.90	27.28	90.92	28.73	89.90	30.14	88.82	31.51
34' ....	91.87	27.33	90.89	28.77	89.86	30.19	88.78	31.56
36' ....	91.84	27.38	90.86	28.82	89.83	30.23	88.75	31.60
38' ....	91.81	27.43	90.82	28.87	89.79	30.28	88.71	31.65
40' ....	91.77	27.48	90.79	28.92	89.76	30.32	88.67	31.69
42' ....	91.74	27.52	90.76	28.96	89.72	30.37	88.64	31.74
44' ....	91.71	27.57	90.72	29.01	89.69	30.41	88.60	31.78
46' ....	91.68	27.62	90.69	29.06	89.65	30.46	88.56	31.83
48' ....	91.65	27.67	90.66	29.11	89.61	30.51	88.53	31.87
50' ....	91.61	27.72	90.62	29.15	89.58	30.55	88.49	31.92
52' ....	91.58	27.77	90.59	29.20	89.54	30.60	88.45	31.96
54' ....	91.55	27.81	90.55	29.25	89.51	30.65	88.41	32.01
56' ....	91.52	27.86	90.52	29.30	89.47	30.69	88.38	32.05
58' ....	91.48	27.91	90.48	29.34	89.44	30.74	88.34	32.09
60' ....	91.45	27.96	90.45	29.39	89.40	30.78	88.30	32.14
c= .75	.72	.21	.72	.23	.71	.24	.71	.25
c=1.00	.96	.28	.95	.30	.95	.32	.94	.33
c=1.25	1.20	.36	1.19	.38	1.19	.40	1.18	.42

M.	20°		21°		22°		23°	
	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dis.	Diff. Elev.	Hor. Dist.	Diff. Elev.
0'....	88.30	32.14	87.16	33.46	85.97	34.73	84.73	35.97
2'....	88.26	32.18	87.12	33.50	85.93	34.77	84.69	36.01
4'....	88.23	32.23	87.08	33.54	85.89	34.82	84.65	36.05
6'....	88.19	32.27	87.04	33.59	85.85	34.86	84.61	36.09
8'....	88.15	32.32	87.00	33.63	85.80	34.90	84.57	36.13
10'....	88.11	32.36	86.96	33.67	85.76	34.94	84.53	36.17
12'....	88.08	32.41	86.93	33.72	85.72	35.0 <sup>8</sup>	84.48	36.21
14'....	88.04	32.45	86.88	33.76	85.68	35.0 <sup>2</sup>	84.44	36.25
16'....	88.00	32.49	86.84	33.80	85.64	35.07	84.40	36.29
18'....	87.96	32.54	86.80	33.84	85.60	35.11	84.36	36.33
20'....	87.93	32.58	86.77	33.89	85.56	35.15	84.31	36.37
22'....	87.89	32.63	86.73	33.93	85.52	35.19	84.27	36.41
24'....	87.85	32.67	86.69	33.97	85.48	35.23	84.23	36.45
26'....	87.81	32.72	86.65	34.01	85.44	35.27	84.18	36.49
28'....	87.77	32.76	86.61	34.06	85.40	35.31	84.14	36.53
30'....	87.74	32.80	86.57	34.10	85.36	35.36	84.10	36.57
32'....	87.70	32.85	86.53	34.14	85.31	35.40	84.06	36.61
34'....	87.66	32.89	86.49	34.18	85.27	35.44	84.01	36.65
36'....	87.62	32.93	86.45	34.23	85.23	35.48	83.97	36.69
38'....	87.58	32.98	86.41	34.27	85.19	35.52	83.93	36.73
40'....	87.54	33.02	86.37	34.31	85.15	35.56	83.89	36.77
42'....	87.51	33.07	86.33	34.35	85.11	35.60	83.84	36.80
44'....	87.47	33.11	86.29	34.40	85.07	35.64	83.80	36.84
46'....	87.43	33.15	86.25	34.4 <sub>4</sub>	85.02	35.68	83.76	36.88
48'....	87.39	33.20	86.21	34.4 <sub>4</sub>	84.98	35.72	83.72	36.92
50'....	87.35	33.24	86.17	34.5 <sup>8</sup> <sub>2</sub>	84.94	35.76	83.67	36.96
52'....	87.31	33.28	86.13	34.57	84.90	35.80	83.63	37.00
54'....	87.27	33.33	86.09	34.61	84.86	35.85	83.59	37.04
56'....	87.24	33.37	86.05	34.65	84.82	35.89	83.54	37.08
58'....	87.20	33.41	86.01	34.69	84.77	35.93	83.50	37.12
60'....	87.16	33.46	85.97	34.73	84.73	35.97	83.46	37.16
c=.75	.70	.26	.70	.27	.69	.29	.69	.30
c=1.00	.94	.35	.93	.37	.92	.38	.92	.40
c=1.25	1.17	.44	1.16	.46	1.15	.48	1.15	.50

M.	24°		25°		26°		27°	
	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.
0' ....	88.46	37.16	82.14	38.30	80.78	39.40	79.89	40.45
2' ....	88.41	37.90	82.09	38.34	80.74	39.44	79.84	40.49
4' ....	88.37	37.23	82.05	38.38	80.69	39.47	79.80	40.52
6' ....	88.33	37.27	82.01	38.41	80.65	39.51	79.75	40.55
8' ....	88.28	37.31	81.96	38.45	80.60	39.54	79.70	40.59
10' ....	88.24	37.35	81.92	38.49	80.55	39.58	79.15	40.62
12' ....	88.20	37.39	81.87	38.53	80.51	39.61	79.11	40.66
14' ....	88.15	37.43	81.83	38.56	80.46	39.65	79.06	40.69
16' ....	88.11	37.47	81.78	38.60	80.41	39.69	79.01	40.72
18' ....	88.07	37.51	81.74	38.64	80.37	39.72	78.96	40.76
20' ....	88.02	37.54	81.69	38.67	80.32	39.76	78.92	40.79
22' ....	88.98	37.58	81.65	38.71	80.28	39.79	78.87	40.83
24' ....	88.93	37.62	81.60	38.75	80.23	39.83	78.82	40.86
26' ....	88.89	37.66	81.56	38.78	80.18	39.86	78.77	40.89
28' ....	88.85	37.70	81.51	38.82	80.14	39.90	78.73	40.92
30' ....	88.80	37.74	81.47	38.86	80.09	39.93	78.68	40.96
32' ....	88.76	37.77	81.42	38.89	80.04	39.97	78.63	40.99
34' ....	88.72	37.81	81.38	38.93	80.00	40.00	78.58	41.02
36' ....	88.67	37.85	81.33	38.97	79.95	40.04	78.54	41.06
38' ....	88.63	37.89	81.28	39.00	79.90	40.07	78.49	41.09
40' ....	88.58	37.93	81.24	39.04	79.86	40.11	78.44	41.12
42' ....	88.54	37.96	81.19	39.08	79.81	40.14	78.39	41.16
44' ....	88.49	38.00	81.15	39.11	79.76	40.18	78.34	41.19
46' ....	88.45	38.04	81.10	39.15	79.72	40.21	78.30	41.22
48' ....	88.41	38.08	81.06	39.18	79.67	40.24	78.25	41.26
50' ....	88.36	38.11	81.01	39.22	79.62	40.28	78.20	41.29
52' ....	88.32	38.15	80.97	39.26	79.58	40.31	78.15	41.32
54' ....	88.27	38.19	80.92	39.29	79.53	40.35	78.10	41.35
56' ....	88.23	38.23	80.87	39.33	79.48	40.38	78.06	41.39
58' ....	88.18	38.26	80.83	39.36	79.44	40.42	78.01	41.42
60' ....	88.14	38.30	80.78	39.40	79.39	40.45	77.96	41.45
c= .75	.68	.31	.68	.32	.67	.33	.66	.35
c=1.00	.91	.41	.90	.43	.89	.45	.89	.46
c=1.25	1.14	.52	1.18	.54	1.12	.56	1.11	.58

M.	28°		29°		30°	
	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.	Hor. Dist.	Diff. Elev.
0'....	77.96	41.45	76.50	42.40	75.00	43.30
2'....	77.91	41.48	76.45	42.43	74.95	43.33
4'....	77.86	41.52	76.40	42.46	74.90	43.36
6'....	77.81	41.55	76.35	42.49	74.85	43.39
8'....	77.77	41.58	76.30	42.53	74.80	43.42
10'....	77.72	41.61	76.25	42.56	74.75	43.45
12'....	77.67	41.65	76.20	42.59	74.70	43.47
14'....	77.62	41.68	76.15	42.62	74.65	43.50
16'....	77.57	41.71	76.10	42.65	74.60	43.53
18'....	77.52	41.74	76.05	42.68	74.55	43.56
20'....	77.48	41.77	76.00	42.71	74.49	43.59
22'....	77.42	41.81	75.95	42.74	74.44	43.62
24'....	77.38	41.84	75.90	42.77	74.39	43.65
26'....	77.33	41.87	75.85	42.80	74.34	43.67
28'....	77.28	41.90	75.80	42.83	74.29	43.70
30'....	77.23	41.93	75.75	42.86	74.24	43.73
32'....	77.18	41.97	75.70	42.89	74.19	43.76
34'....	77.13	42.00	75.65	42.92	74.14	43.79
36'....	77.09	42.03	75.60	42.95	74.09	43.82
38'....	77.04	42.06	75.55	42.98	74.04	43.84
40'....	76.99	42.09	75.50	43.01	73.99	43.87
42'....	76.94	42.12	75.45	43.04	73.93	43.90
44'....	76.89	42.15	75.40	43.07	73.88	43.93
46'....	76.84	42.19	75.35	43.10	73.83	43.95
48'....	76.79	42.22	75.30	43.13	73.78	43.98
50'....	76.74	42.25	75.25	43.16	73.73	44.01
52'....	76.69	42.28	75.20	43.18	73.68	44.04
54'....	76.64	42.31	75.15	43.21	73.63	44.07
56'....	76.59	42.34	75.10	43.24	73.58	44.09
58'....	76.55	42.37	75.05	43.27	73.52	44.12
60'....	76.50	42.40	75.00	43.30	73.47	44.15
c=.75	.66	.36	.65	.37	.65	.38
c=1.00	.88	.48	.87	.49	.86	.51
c=1.25	1.10	.60	1.09	.62	1.08	.64

NOTE BY THE EDITOR OF VAN NOSTRAND'S  
ENGINEERING MAGAZINE.

---

AFTER the foregoing essay had been published in the Magazine, a criticism of the formula, and of Mr. Winslow's estimate of its applicability, was contributed by R. S. Woodward, C. E., of the Naval Observatory, Washington. The article appeared in the June No. of the Magazine, vol. 30, page 473.

The object of the writer is to show: "1st, that although the formula for conjugate distances, as commonly understood, is inaccurate, yet, if properly interpreted, this formula is not only approximate but exact; and, moreover, applies equally without modification to any combination of lenses as well as to a single bi-convex lens; 2d, that the ordinary formula for the stadia instrument, if properly understood, is exact whatever may be the number, kind, or disposition of the lenses in the telescope so long as they are properly centered."

Although the criticism is of importance in its bearing upon the *optical* principles involved, it, in no wise affects the value of the reduction tables given above, nor the general principles governing stadia practice as set forth by Mr. Winslow.

.



**LOGARITHMIC SINES AND TANGENTS.**





# LOGARITHMIC SINES AND TANGENTS.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
<b>0</b>	<b>0</b>	— ∞	— ∞	+ ∞	10	<b>0</b>	<b>90</b>
	1	6,46 37	6,46 37	13,53 63	10,00 00	59	
	2	6,76 48	6,76 48	13,23 52	10,00 00	58	
	3	6,94 08	6,94 08	13,05 91	10,00 00	57	
	4	7,06 58	7,06 58	12,93 42	10,00 00	56	
	5	7,16 27	7,16 27	12,83 73	10,00 00	55	
	6	7,24 19	7,24 19	12,75 81	10,00 00	54	
	7	7,30 88	7,30 88	12,69 12	10,00 00	53	
	8	7,36 68	7,36 68	12,63 32	10,00 00	52	
	9	7,41 80	7,41 80	12,58 20	10,00 00	51	
<b>0</b>	<b>10</b>	7,46 37	7,46 37	12,53 63	10,00 00	<b>50</b>	<b>89</b>
	11	7,50 51	7,50 51	12,49 49	10,00 00	49	
	12	7,54 29	7,54 29	12,45 71	10,00 00	48	
	13	7,57 77	7,57 77	12,42 23	10,00 00	47	
	14	7,60 98	7,60 99	12,39 01	10,00 00	46	
	15	7,63 98	7,63 98	12,36 02	10,00 00	45	
	16	7,66 78	7,66 78	12,33 21	10,00 00	44	
	17	7,69 42	7,69 42	12,30 58	10,00 00	43	
	18	7,71 90	7,71 90	12,28 10	10,00 00	42	
	19	7,74 25	7,74 25	12,25 75	10,00 00	41	
<b>0</b>	<b>20</b>	7,76 47	7,76 48	12,23 52	10,00 00	<b>40</b>	<b>89</b>
	21	7,78 59	7,78 59	12,21 40	10,00 00	39	
	22	7,80 61	7,80 61	12,19 38	10,00 00	38	
	23	7,82 54	7,82 55	12,17 45	10,00 00	37	
	24	7,84 39	7,84 39	12,15 61	10,00 00	36	
	25	7,86 17	7,86 17	12,13 83	10,00 00	35	
	26	7,87 87	7,87 87	12,12 13	10,00 00	34	
	27	7,89 51	7,89 51	12,10 49	10,00 00	33	
	28	7,91 09	7,91 09	12,08 91	10,00 00	32	
	29	7,92 61	7,92 61	12,07 39	10,00 00	31	
<b>0</b>	<b>30</b>	7,94 08	7,94 09	12,05 91	10,00 00	<b>30</b>	<b>89</b>
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	$\angle$	$\alpha$
0	30	7,94 08	7,94 09	12,05 91	10,00 00	30	89
	31	7,95 51	7,95 51	12,04 49	10,00 00	29	
	32	7,96 89	7,96 89	12,03 11	10,00 00	28	
	33	7,98 22	7,98 22	12,01 77	10,00 00	27	
	34	7,99 52	7,99 52	12,00 48	10,00 00	26	
	35	8,00 78	8,00 78	11,99 22	10,00 00	25	
	36	8,02 00	8,02 00	11,98 00	10,00 00	24	
	37	8,03 19	8,03 19	11,96 81	10,00 00	23	
	38	8,04 35	8,04 35	11,95 65	10,00 00	22	
	39	8,05 48	8,05 48	11,94 52	10,00 00	21	
0	40	8,06 58	8,06 58	11,93 42	10,00 00	20	89
	41	8,07 65	8,07 65	11,92 35	10,00 00	19	
	42	8,08 70	8,08 70	11,91 30	10,00 00	18	
	43	8,09 72	8,09 72	11,90 28	10,00 00	17	
	44	8,10 72	8,10 72	11,89 28	10,00 00	16	
	45	8,11 69	8,11 70	11,88 30	10,00 00	15	
	46	8,12 65	8,12 65	11,87 35	10,00 00	14	
	47	8,13 58	8,13 58	11,86 41	10,00 00	13	
	48	8,14 49	8,14 50	11,85 50	10,00 00	12	
	49	8,15 39	8,15 39	11,84 60	10,00 00	11	
0	50	8,16 27	8,16 27	11,83 73	9,99 99	10	89
	51	8,17 13	8,17 13	11,82 87	9,99 99	9	
	52	8,17 97	8,17 98	11,82 02	9,99 99	8	
	53	8,18 80	8,18 80	11,81 20	9,99 99	7	
	54	8,19 61	8,19 62	11,80 38	9,99 99	6	
	55	8,20 41	8,20 41	11,79 59	9,99 99	5	
	56	8,21 19	8,21 19	11,78 80	9,99 99	4	
	57	8,21 96	8,21 96	11,78 04	9,99 99	3	
	58	8,22 71	8,22 72	11,77 28	9,99 99	2	
	59	8,23 46	8,23 46	11,76 54	9,99 99	1	
1	0	8,24 19	8,24 19	11,75 81	9,99 99	0	89
$\circ$	$'$	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
1	0	8,24 19	8,24 19	11,75 81	9,99 99	0	89
	1	8,24 90	8,24 91	11,75 09	9,99 99	59	
	2	8,25 61	8,25 62	11,74 38	9,99 99	58	
	3	8,26 30	8,26 31	11,73 69	9,99 99	57	
	4	8,26 99	8,27 00	11,73 00	9,99 99	56	
	5	8,27 66	8,27 67	11,72 33	9,99 99	55	
	6	8,28 32	8,28 33	11,71 01	9,99 99	54	
	7	8,28 98	8,28 99	11,71 01	9,99 99	53	
	8	8,29 62	8,29 63	11,70 37	9,99 99	52	
	9	8,30 25	8,30 26	11,69 74	9,99 99	51	
1	10	8,30 88	8,30 89	11,69 11	9,99 99	50	88
	11	8,31 49	8,31 50	11,68 49	9,99 99	49	
	12	8,32 10	8,32 11	11,67 89	9,99 99	48	
	13	8,32 70	8,32 71	11,67 29	9,99 99	47	
	14	8,33 29	8,33 30	11,66 70	9,99 99	46	
	15	8,33 87	8,33 89	11,66 11	9,99 99	45	
	16	8,34 45	8,34 46	11,65 54	9,99 99	44	
	17	8,35 02	8,35 03	11,64 97	9,99 99	43	
	18	8,35 58	8,35 59	11,64 41	9,99 99	42	
	19	8,36 13	8,36 14	11,63 86	9,99 99	41	
1	20	8,36 68	8,36 69	11,63 31	9,99 99	40	88
	21	8,37 22	8,37 23	11,62 77	9,99 99	39	
	22	8,37 75	8,37 76	11,62 24	9,99 99	38	
	23	8,38 28	8,38 29	11,61 71	9,99 99	37	
	24	8,38 80	8,38 81	11,61 19	9,99 99	36	
	25	8,39 31	8,39 32	11,60 68	9,99 99	35	
	26	8,39 82	8,39 83	11,60 17	9,99 99	34	
	27	8,40 32	8,40 33	11,59 67	9,99 99	33	
	28	8,40 82	8,40 83	11,59 17	9,99 99	32	
	29	8,41 31	8,41 32	11,58 68	9,99 98	31	
1	30	8,41 79	8,41 81	11,58 19	9,99 98	30	88
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
1	30	8,41 79	8,41 81	11,58 19	9,99 98	30	88
	31	8,42 27	8,42 29	11,57 71	9,99 98	29	
	32	8,42 75	8,42 76	11,57 24	9,99 98	28	
	33	8,43 22	8,43 23	11,56 77	9,99 98	27	
	34	8,43 68	8,43 70	11,56 30	9,99 98	26	
	35	8,44 14	8,44 16	11,55 84	9,99 98	25	
	36	8,44 59	8,44 61	11,55 39	9,99 98	24	
	37	8,45 04	8,45 06	11,54 94	9,99 98	23	
	38	8,45 49	8,45 51	11,54 49	9,99 98	22	
	39	8,45 93	8,45 95	11,54 05	9,99 98	21	
	40	8,46 37	8,46 38	11,53 61	9,99 98	20	88
	41	8,46 80	8,46 82	11,53 18	9,99 98	19	
	42	8,47 23	8,47 24	11,52 75	9,99 98	18	
	43	8,47 65	8,47 67	11,52 33	9,99 98	17	
	44	8,48 07	8,48 09	11,51 91	9,99 98	16	
	45	8,48 48	8,48 50	11,51 49	9,99 98	15	
	46	8,48 90	8,48 92	11,51 03	9,99 98	14	
	47	8,49 30	8,49 32	11,50 67	9,99 98	13	
	48	8,49 71	8,49 73	11,50 27	9,99 98	12	
	49	8,50 11	8,50 13	11,49 87	9,99 98	11	
1	50	8,50 50	8,50 53	11,49 47	9,99 98	10	88
	51	8,50 90	8,50 92	11,49 08	9,99 98	9	
	52	8,51 29	8,51 31	11,48 69	9,99 98	8	
	53	8,51 67	8,51 70	11,48 30	9,99 98	7	
	54	8,52 05	8,52 08	11,47 92	9,99 98	6	
	55	8,52 43	8,52 46	11,47 54	9,99 98	5	
	56	8,52 81	8,52 83	11,47 16	9,99 97	4	
	57	8,53 18	8,53 21	11,46 79	9,99 97	3	
	58	8,53 55	8,53 58	11,46 42	9,99 97	2	
	59	8,53 92	8,53 94	11,46 05	9,99 97	1	
	0	8,54 28	8,54 31	11,45 69	9,99 97	0	88
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
2	0	8,54 28	8,54 31	11,45 69	9,99 97	0	88
	1	8,54 64	8,54 67	11,45 33	9,99 97	59	
	2	8,55 00	8,55 03	11,44 97	9,99 97	58	
	3	8,55 35	8,55 38	11,44 62	9,99 97	57	
	4	8,55 70	8,55 73	11,44 27	9,99 97	56	
	5	8,56 05	8,56 08	11,43 92	9,99 97	55	
	6	8,56 40	8,56 43	11,43 57	9,99 97	54	
	7	8,56 74	8,56 77	11,43 23	9,99 97	53	
	8	8,57 08	8,57 11	11,42 89	9,99 97	52	
	9	8,57 42	8,57 45	11,42 55	9,99 97	51	
	10	8,57 76	8,57 79	11,42 21	9,99 97	50	87
	11	8,58 09	8,58 12	11,41 88	9,99 97	49	
	12	8,58 42	8,58 45	11,41 55	9,99 97	48	
	13	8,58 75	8,58 78	11,41 22	9,99 97	47	
	14	8,59 07	8,59 10	11,40 89	9,99 97	46	
	15	8,59 39	8,59 43	11,40 57	9,99 97	45	
	16	8,59 71	8,59 75	11,40 25	9,99 97	44	
	17	8,60 03	8,60 07	11,39 93	9,99 97	43	
	18	8,60 35	8,60 38	11,39 62	9,99 96	42	
	19	8,60 66	8,60 70	11,39 30	9,99 96	41	
2	20	8,60 97	8,61 01	11,38 99	9,99 96	40	87
	21	8,61 28	8,61 32	11,38 68	9,99 96	39	
	22	8,61 59	8,61 63	11,38 37	9,99 96	38	
	23	8,61 89	8,61 93	11,38 07	9,99 96	37	
	24	8,62 20	8,62 23	11,37 77	9,99 96	36	
	25	8,62 50	8,62 53	11,37 46	9,99 96	35	
	26	8,62 79	8,62 83	11,37 17	9,99 96	34	
	27	8,63 09	8,63 13	11,36 87	9,99 96	33	
	28	8,63 38	8,63 43	11,36 57	9,99 96	32	
	29	8,63 68	8,63 72	11,36 28	9,99 96	31	
	30	8,63 97	8,64 01	11,35 99	9,99 96	30	87
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	<i>r</i>	<i>s</i>
2	30	8,63 97	8,64 01	11,35 99	9,99 96	30	87
	31	8,64 26	8,64 30	11,35 70	9,99 96	29	
	32	8,64 54	8,64 58	11,35 41	9,99 96	28	
	33	8,64 83	8,64 87	11,35 13	9,99 96	27	
	34	8,65 11	8,65 15	11,34 85	9,99 96	26	
	35	8 65 39	8,65 43	11,34 56	9,99 96	25	
	36	8,65 67	8,65 71	11,34 28	9,99 95	24	
	37	8,65 95	8,65 99	11,34 01	9,99 95	23	
	38	8,66 22	8,66 27	11,33 73	9,99 95	22	
	39	8,66 50	8,66 54	11,33 46	9,99 95	21	
	40	8,66 77	8,66 82	11,33 18	9,99 95	20	
	41	8,67 04	8,67 09	11,32 91	9,99 95	19	
	42	8,67 31	8,67 36	11,32 64	9,99 95	18	
	43	8,67 57	8,67 62	11,32 38	9,99 95	17	
	44	8,67 84	8,67 89	11,32 11	9,99 95	16	
	45	8,68 10	8,68 15	11,31 85	9,99 95	15	
	46	8,68 37	8,68 42	11,31 58	9,99 95	14	
	47	8,68 63	8,68 68	11,31 32	9,99 95	13	
	48	8,68 89	8,68 94	11,31 06	9,99 95	12	
	49	8,69 14	8,69 20	11,30 80	9,99 95	11	
2	50	8,69 40	8,69 45	11,30 55	9,99 95	10	87
	51	8,69 65	8,69 71	11,30 29	9,99 95	9	
	52	8,69 91	8,69 96	11,30 04	9,99 95	8	
	53	8,70 16	8,70 21	11,29 79	9,99 94	7	
	54	8,70 41	8,70 46	11,29 53	9,99 94	6	
	55	8,70 66	8,70 71	11,29 29	9,99 94	5	
	56	8,70 90	8,70 96	11,29 04	9,99 94	4	
	57	8,71 15	8,71 21	11,28 79	9,99 94	3	
	58	8,71 39	8,71 45	11,28 55	9,99 94	2	
	59	8,71 64	8,71 70	11,28 30	9,99 94	1	
	0	8,71 88	8,71 94	11,28 06	9,99 94	0	
<i>o</i>	<i>r</i>	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
<b>3</b>	<b>0</b>	8,71 88	8,71 94	11,28 06	9,99 94	<b>0</b>	<b>87</b>
	1	8,72 12	8,72 18	11,27 82	9,99 94	59	
	2	8,72 36	8,72 42	11,27 58	9,99 94	58	
	3	8,72 60	8,72 66	11,27 34	9,99 94	57	
	4	8,72 83	8,72 90	11,27 10	9,99 94	56	
	5	8,73 07	8,73 13	11,26 87	9,99 94	55	
	6	8,73 30	8,73 37	11,26 63	9,99 94	54	
	7	8,73 53	8,73 60	11,26 40	9,99 94	53	
	8	8,73 77	8,73 83	11,26 17	9,99 93	52	
	9	8,74 00	8,74 06	11,25 94	9,99 93	51	
<b>3</b>	<b>10</b>	8,74 23	8,74 29	11,25 71	9,99 93	<b>50</b>	<b>86</b>
	11	8,74 45	8,74 52	11,25 48	9,99 93	49	
	12	8,74 68	8,74 75	11,25 25	9,99 93	48	
	13	8,74 91	8,74 97	11,25 03	9,99 93	47	
	14	8,75 13	8,75 20	11,24 80	9,99 93	46	
	15	8,75 35	8,75 42	11,24 58	9,99 93	45	
	16	8,75 57	8,75 64	11,24 35	9,99 93	44	
	17	8,75 79	8,75 87	11,24 13	9,99 93	43	
	18	8,76 01	8,76 09	11,23 91	9,99 93	42	
	19	8,76 23	8,76 31	11,23 69	9,99 93	41	
<b>3</b>	<b>20</b>	8,76 45	8,76 52	11,23 47	9,99 93	<b>40</b>	<b>86</b>
	21	8,76 67	8,76 74	11,23 26	9,99 93	39	
	22	8,76 88	8,76 96	11,23 04	9,99 92	38	
	23	8,77 10	8,77 17	11,22 83	9,99 92	37	
	24	8,77 31	8,77 39	11,22 61	9,99 92	36	
	25	8,77 52	8,77 60	11,22 40	9,99 92	35	
	26	8,77 73	8,77 81	11,22 19	9,99 92	34	
	27	8,77 94	8,78 02	11,21 98	9,99 92	33	
	28	8,78 15	8,78 23	11,21 77	9,99 92	32	
	29	8,78 36	8,78 44	11,21 56	9,99 92	31	
<b>3</b>	<b>30</b>	8,78 57	8,78 65	11,21 35	9,99 92	<b>30</b>	<b>86</b>
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
3	30	8.78 57	8.78 65	11.21 35	9.99 92	30	86
	31	8.78 77	8.78 85	11.21 14	9.99 92	29	
	32	8.78 98	8.79 06	11.20 94	9.99 92	28	
	33	8.79 18	8.79 27	11.20 73	9.99 92	27	
	34	8.79 39	8.79 47	11.20 53	9.99 92	26	
	35	8.79 59	8.79 67	11.20 33	9.99 91	25	
	36	8.79 79	8.79 87	11.20 12	9.99 91	24	
	37	8.79 99	8.80 08	11.19 92	9.99 91	23	
	38	8.80 19	8.80 28	11.19 72	9.99 91	22	
	39	8.80 39	8.80 48	11.19 52	9.99 91	21	
3	40	8.80 53	8.80 67	11.19 33	9.99 91	20	86
	41	8.80 78	8.80 87	11.19 13	9.99 91	19	
	42	8.80 98	8.81 07	11.18 93	9.99 91	18	
	43	8.81 17	8.81 26	11.18 74	9.99 91	17	
	44	8.81 37	8.81 46	11.18 54	9.99 91	16	
	45	8.81 56	8.81 65	11.18 35	9.99 91	15	
	46	8.81 75	8.81 85	11.18 15	9.99 91	14	
	47	8.81 94	8.82 04	11.17 96	9.99 90	13	
	48	8.82 13	8.82 23	11.17 77	9.99 90	12	
	49	8.82 32	8.82 42	11.17 58	9.99 90	11	
3	50	8.82 51	8.82 61	11.17 39	9.99 90	10	86
	51	8.82 70	8.82 80	11.17 20	9.99 90	9	
	52	8.82 89	8.82 99	11.17 01	9.99 90	8	
	53	8.83 07	8.83 17	11.16 82	9.99 90	7	
	54	8.83 26	8.83 36	11.16 64	9.99 90	6	
	55	8.83 45	8.83 55	11.16 45	9.99 90	5	
	56	8.83 63	8.83 73	11.16 27	9.99 90	4	
	57	8.83 81	8.83 92	11.16 08	9.99 90	3	
	58	8.84 00	8.84 10	11.15 90	9.99 90	2	
	59	8.84 18	8.84 28	11.15 72	9.99 89	1	
4	0	8.84 36	8.84 46	11.15 54	9.99 89	0	86
	°	'	log cos.	log cotg.	log tang.	log sin.	M. D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
4	0	8,84 36	8,84 46	11,15 54	9,99 89	0	86
	1	8,84 54	8,84 65	11,15 35	9,99 89	59	
	2	8,84 72	8,84 83	11,15 17	9,99 89	58	
	3	8,84 90	8,85 01	11,14 99	9,99 89	57	
	4	8,85 07	8,85 18	11,14 81	9,99 89	56	
	5	8,85 25	8,85 36	11,14 64	9,99 89	55	
	6	8,85 43	8,85 54	11,14 46	9,99 89	54	
	7	8,85 60	8,85 72	11,14 28	9,99 89	53	
	8	8,85 78	8,85 89	11,14 11	9,99 89	52	
	9	8,85 95	8,86 07	11,13 93	9,99 89	51	
4	10	8,86 13	8,86 24	11,13 76	9,99 88	50	85
	11	8,86 30	8,86 42	11,13 58	9,99 88	49	
	12	8,86 47	8,86 59	11,13 41	9,99 88	48	
	13	8,86 64	8,86 76	11,13 24	9,99 88	47	
	14	8,86 82	8,86 93	11,13 06	9,99 88	46	
	15	8,86 99	8,87 11	11,12 89	9,99 88	45	
	16	8,87 16	8,87 28	11,12 72	9,99 88	44	
	17	8,87 32	8,87 45	11,12 55	9,99 88	43	
	18	8,87 49	8,87 62	11,12 38	9,99 88	42	
	19	8,87 66	8,87 78	11,12 21	9,99 88	41	
4	20	8,87 83	8,87 95	11,12 05	9,99 88	40	85
	21	8,87 99	8,88 12	11,11 88	9,99 87	39	
	22	8,88 16	8,88 29	11,11 71	9,99 87	38	
	23	8,88 33	8,88 45	11,11 55	9,99 87	37	
	24	8,88 49	8,88 62	11,11 38	9,99 87	36	
	25	8,88 65	8,88 78	11,11 22	9,99 87	35	
	26	8,88 82	8,88 95	11,11 05	9,99 87	34	
	27	8,88 98	8,89 11	11,10 89	9,99 87	33	
	28	8,89 14	8,89 27	11,10 73	9,99 87	32	
	29	8,89 30	8,89 44	11,10 56	9,99 87	31	
4	30	8,89 46	8,89 60	11,10 40	9,99 87	30	85
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	<i>t</i>	<i>s</i>
4	30	8,89 46	8,89 60	11,10 40	9,99 87	30	85
	31	8,89 62	8,89 76	11,10 24	9,99 86	29	
	32	8,89 78	8,89 92	11,10 08	9,99 86	28	
	33	8,89 94	8,90 08	11,09 92	9,99 86	27	
	34	8,90 10	8,90 24	11,09 76	9,99 86	26	
	35	8,90 26	8,90 40	11,09 60	9,99 86	25	
	36	8,90 42	8,90 56	11,09 44	9,99 86	24	
	37	8,90 57	8,90 71	11,09 28	9,99 86	23	
	38	8,90 73	8,90 87	11,09 13	9,99 86	22	
	39	8,90 88	8,91 03	11,08 97	9,99 86	21	
	40	8,91 04	8,91 18	11,08 81	9,99 86	20	85
	41	8,91 19	8,91 34	11,08 66	9,99 85	19	
	42	8,91 35	8,91 49	11,08 50	9,99 85	18	
	43	8,91 50	8,91 65	11,08 35	9,99 85	17	
	44	8,91 65	8,91 80	11,08 20	9,99 85	16	
	45	8,91 81	8,91 96	11,08 04	9,99 85	15	
	46	8,91 96	8,92 11	11,07 89	9,99 85	14	
	47	8,92 11	8,92 26	11,07 74	9,99 85	13	
	48	8,92 26	8,92 41	11,07 59	9,99 85	12	
	49	8,92 41	8,92 56	11,07 43	9,99 85	11	
4	50	8,92 56	8,92 72	11,07 28	9,99 84	10	85
	51	8,92 71	8,92 87	11,07 13	9,99 84	9	
	52	8,92 86	8,93 02	11,06 98	9,99 84	8	
	53	8,93 01	8,93 16	11,06 83	9,99 84	7	
	54	8,93 15	8,93 31	11,06 69	9,99 84	6	
	55	8,93 30	8,93 46	11,06 54	9,99 84	5	
	56	8,93 45	8,93 61	11,06 39	9,99 84	4	
	57	8,93 59	8,93 76	11,06 24	9,99 84	3	
	58	8,93 74	8,93 90	11,06 10	9,99 84	2	
	59	8,93 88	8,94 05	11,05 95	9,99 84	1	
	0	8,94 03	8,94 19	11,05 80	9,99 83	0	85
<i>s</i>	<i>t</i>	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	"
5	0	8,94 03	8,94 19	11,05 80	9,99 83	0	85
	1	8,94 17	8,94 34	11,05 66	9,99 83	59	
	2	8,94 32	8,94 48	11,05 51	9,99 83	58	
	3	8,94 46	8,94 63	11,05 37	9,99 83	57	
	4	8,94 60	8,94 77	11,05 23	9,99 83	56	
	5	8,94 75	8,94 92	11,05 08	9,99 83	55	
	6	8,94 89	8,95 06	11,04 94	9,99 83	54	
	7	8,95 03	8,95 20	11,04 80	9,99 83	53	
	8	8,95 17	8,95 34	11,04 66	9,99 82	52	
	9	8,95 31	8,95 49	11,04 51	9,99 82	51	
5	10	8,95 45	8,95 63	11,04 37	9,99 82	50	84
	11	8,95 59	8,95 77	11,04 23	9,99 82	49	
	12	8,95 73	8,95 91	11,04 09	9,99 82	48	
	13	8,95 87	8,96 05	11,03 95	9,99 82	47	
	14	8,96 00	8,96 19	11,03 81	9,99 82	46	
	15	8,96 14	8,96 32	11,03 67	9,99 82	45	
	16	8,96 28	8,96 46	11,03 54	9,99 82	44	
	17	8,96 42	8,96 60	11,03 40	9,99 81	43	
	18	8,96 55	8,96 74	11,03 26	9,99 81	42	
	19	8,96 69	8,96 88	11,03 12	9,99 81	41	
5	20	8,96 82	8,97 01	11,02 99	9,99 81	40	84
	21	8,96 96	8,97 15	11,02 85	9,99 81	39	
	22	8,97 09	8,97 28	11,02 71	9,99 81	38	
	23	8,97 23	8,97 42	11,02 58	9,99 81	37	
	24	8,97 36	8,97 56	11,02 44	9,99 81	36	
	25	8,97 50	8,97 69	11,02 31	9,99 81	35	
	26	8,97 63	8,97 82	11,02 17	9,99 80	34	
	27	8,97 76	8,97 96	11,02 04	9,99 80	33	
	28	8,97 89	8,98 09	11,01 91	9,99 80	32	
	29	8,98 03	8,98 22	11,01 77	9,99 80	31	
5	30	8,98 16	8,98 36	11,01 64	9,99 80	30	84
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	$\frac{1}{2}$	$\frac{1}{4}$
5	30	8,98 16	8,98 36	11,01 64	9,99 80	30	84
	31	8,98 29	8,98 49	11,01 51	9,99 80	29	
	32	8,98 42	8,98 62	11,01 38	9,99 80	28	
	33	8,98 55	8,98 75	11,01 25	9,99 80	27	
	34	8,98 68	8,98 88	11,01 12	9,99 79	26	
	35	8,98 81	8,99 01	11,00 98	9,99 79	25	
	36	8,98 94	8,99 14	11,00 85	9,99 79	24	
	37	8,99 07	8,99 27	11,00 72	9,99 79	23	
	38	8,99 19	8,99 40	11,00 59	9,99 79	22	
	39	8,99 32	8,99 53	11,00 47	9,99 79	21	
	40	8,99 45	8,99 66	11,00 34	9,99 79	20	84
	41	8,99 58	8,99 79	11,00 21	9,99 79	19	
	42	8,99 70	8,99 92	11,00 08	9,99 78	18	
	43	8,99 83	9,00 05	10,99 95	9,99 78	17	
	44	8,99 96	9,00 17	10,99 83	9,99 78	16	
	45	9,00 08	9,00 30	10,99 70	9,99 78	15	
	46	9,00 21	9,00 43	10,99 57	9,99 78	14	
	47	9,00 33	9,00 55	10,99 45	9,99 78	13	
	48	9,00 46	9,00 68	10,99 32	9,99 78	12	
	49	9,00 58	9,00 80	10,99 19	9,99 78	11	
5	50	9,00 70	9,00 93	10,99 07	9,99 77	10	84
	51	9,00 83	9,01 05	10,98 94	9,99 77	9	
	52	9,00 95	9,01 18	10,98 82	9,99 77	8	
	53	9,01 07	9,01 30	10,98 70	9,99 77	7	
	54	9,01 20	9,01 43	10,98 57	9,99 77	6	
	55	9,01 32	9,01 55	10,98 45	9,99 77	5	
	56	9,01 44	9,01 67	10,98 33	9,99 77	4	
	57	9,01 56	9,01 80	10,98 20	9,99 76	3	
	58	9,01 68	9,01 92	10,98 08	9,99 76	2	
	59	9,01 80	9,02 04	10,97 96	9,99 76	1	
	60	9,01 92	9,02 16	10,97 84	9,99 76	0	84
$\frac{1}{2}$	$\frac{1}{4}$	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
6	0	9,01 92	9,02 16	10,97 84	9,99 76	0	84
	1	9,02 04	9,02 28	10,97 72	9,99 76	59	
	2	9,02 16	9,02 40	10,97 60	9,99 76	58	
	3	9,02 28	9,02 52	10,97 47	9,99 76	57	
	4	9,02 40	9,02 64	10,97 35	9,99 76	56	
	5	9,02 52	9,02 77	10,97 23	9,99 75	55	
	6	9,02 64	9,02 88	10,97 11	9,99 75	54	
	7	9,02 76	9,03 00	10,96 99	9,99 75	53	
	8	9,02 87	9,03 12	10,96 88	9,99 75	52	
	9	9,02 99	9,03 24	10,96 76	9,99 75	51	
6	10	9,03 11	9,03 36	10,96 64	9,99 75	50	83
	11	9,03 23	9,03 48	10,96 52	9,99 75	49	
	12	9,03 34	9,03 60	10,96 40	9,99 74	48	
	13	9,03 46	9,03 71	10,96 29	9,99 74	47	
	14	9,03 57	9,03 83	10,96 17	9,99 74	46	
	15	9,03 69	9,03 95	10,96 05	9,99 74	45	
	16	9,03 80	9,04 06	10,95 93	9,99 74	44	
	17	9,03 92	9,04 18	10,95 82	9,99 74	43	
	18	9,04 03	9,04 30	10,95 70	9,99 74	42	
	19	9,04 15	9,04 41	10,95 59	9,99 74	41	
6	20	9,04 26	9,04 53	10,95 47	9,99 73	40	83
	21	9,04 38	9,04 64	10,95 36	9,99 73	39	
	22	9,04 49	9,04 76	10,95 24	9,99 73	38	
	23	9,04 60	9,04 87	10,95 13	9,99 73	37	
	24	9,04 71	9,04 99	10,95 01	9,99 73	36	
	25	9,04 83	9,05 10	10,94 90	9,99 73	35	
	26	9,04 94	9,05 21	10,94 79	9,99 73	34	
	27	9,05 05	9,05 33	10,94 67	9,99 72	33	
	28	9,05 16	9,05 44	10,94 56	9,99 72	32	
	29	9,05 27	9,05 55	10,94 45	9,99 72	31	
6	30	9,05 39	9,05 67	10,94 33	9,99 72	30	83
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
6	30	9,05 39	9,05 67	10,94 33	9,99 72	30	83
	31	9,05 50	9,05 78	10,94 22	9,99 72	29	
	32	9,05 61	9,05 89	10,94 11	9,99 72	28	
	33	9,05 72	9,06 00	10,94 00	9,99 72	27	
	34	9,05 83	9,06 11	10,93 89	9,99 71	26	
	35	9,05 94	9,06 22	10,93 78	9,99 71	25	
	36	9,06 05	9,06 33	10,93 66	9,99 71	24	
	37	9,06 15	9,06 44	10,93 55	9,99 71	23	
	38	9,06 26	9,06 56	10,93 44	9,99 71	22	
	39	9,06 37	9,06 67	10,93 33	9,99 71	21	
	40	9,06 48	9,06 77	10,93 22	9,99 70	20	83
	41	9,06 59	9,06 88	10,93 11	9,99 70	19	
	42	9,06 70	9,06 99	10,93 01	9,99 70	18	
	43	9,06 80	9,07 10	10,92 90	9,99 70	17	
	44	9,06 91	9,07 21	10,92 79	9,99 70	16	
	45	9,07 02	9,07 32	10,92 68	9,99 70	15	
	46	9,07 12	9,07 43	10,92 57	9,99 70	14	
	47	9,07 23	9,07 54	10,92 46	9,99 69	13	
	48	9,07 34	9,07 64	10,92 36	9,99 69	12	
	49	9,07 44	9,07 75	10,92 25	9,99 69	11	
6	50	9,07 55	9,07 86	10,92 14	9,99 69	10	83
	51	9,07 65	9,07 96	10,92 04	9,99 69	9	
	52	9,07 76	9,08 07	10,91 93	9,99 69	8	
	53	9,07 86	9,08 18	10,91 82	9,99 69	7	
	54	9,07 97	9,08 28	10,91 72	9,99 68	6	
	55	9,08 07	9,08 39	10,91 61	9,99 68	5	
	56	9,08 18	9,08 49	10,91 50	9,99 68	4	
	57	9,08 28	9,08 60	10,91 40	9,99 68	3	
	58	9,08 38	9,08 70	10,91 29	9,99 68	2	
	59	9,08 49	9,08 81	10,91 19	9,99 68	1	
	60	9,08 59	9,08 91	10,91 09	9,99 67	0	83
7	0	9,08 59	9,08 91	10,91 09	9,99 67	0	83
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	$\angle$	$^{\circ}$
7	0	9,08 59	9,08 91	10,91 09	9,99 67	0	83
	1	9,08 69	9,09 02	10,90 98	9,99 67	59	
	2	9,08 79	9,09 12	10,90 88	9,99 67	58	
	3	9,08 90	9,09 23	10,90 77	9,99 67	57	
	4	9,09 00	9,09 33	10,90 67	9,99 67	56	
	5	9,09 10	9,09 43	10,90 57	9,99 67	55	
	6	9,09 20	9,09 54	10,90 46	9,99 67	54	
	7	9,09 30	9,09 64	10,90 36	9,99 66	53	
	8	9,09 40	9,09 74	10,90 26	9,99 66	52	
	9	9,09 51	9,09 84	10,90 15	9,99 66	51	
7	10	9,09 61	9,09 95	10,90 05	9,99 66	50	82
	11	9,09 71	9,10 05	10,89 95	9,99 66	49	
	12	9,09 81	9,10 15	10,89 85	9,99 66	48	
	13	9,09 91	9,10 25	10,89 75	9,99 65	47	
	14	9,10 01	9,10 35	10,89 65	9,99 65	46	
	15	9,10 11	9,10 45	10,89 55	9,99 65	45	
	16	9,10 20	9,10 55	10,89 44	9,99 65	44	
	17	9,10 30	9,10 66	10,89 34	9,99 65	43	
	18	9,10 40	9,10 76	10,89 24	9,99 65	42	
	19	9,10 50	9,10 86	10,89 14	9,99 64	41	
7	20	9,10 60	9,10 96	10,89 04	9,99 64	40	82
	21	9,10 70	9,11 06	10,88 94	9,99 64	39	
	22	9,10 79	9,11 15	10,88 84	9,99 64	38	
	23	9,10 89	9,11 25	10,88 75	9,99 64	37	
	24	9,10 99	9,11 35	10,88 65	9,99 64	36	
	25	9,11 09	9,11 45	10,88 55	9,99 63	35	
	26	9,11 18	9,11 55	10,88 45	9,99 63	34	
	27	9,11 28	9,11 65	10,88 35	9,99 63	33	
	28	9,11 38	9,11 75	10,88 25	9,99 63	32	
	29	9,11 47	9,11 84	10,88 15	9,99 63	31	
7	30	9,11 57	9,11 94	10,88 06	9,99*63	30	82
$^{\circ}$	$\angle$	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
7	30	9.11 57	9.11 94	10.88 06	9.99 63	30	82
	31	9.11 67	9.12 04	10.87 96	9.99 62	29	
	32	9.11 76	9.12 14	10.87 86	9.99 62	28	
	33	9.11 86	9.12 23	10.87 76	9.99 62	27	
	34	9.11 95	9.12 33	10.87 67	9.99 62	26	
	35	9.12 05	9.12 43	10.87 57	9.99 62	25	
	36	9.12 14	9.12 52	10.87 47	9.99 62	24	
	37	9.12 24	9.12 62	10.87 38	9.99 61	23	
	38	9.12 33	9.12 72	10.87 28	9.99 61	22	
	39	9.12 42	9.12 81	10.87 19	9.99 61	21	
7	40	9.12 52	9.12 91	10.87 09	9.99 61	20	82
	41	9.12 61	9.13 00	10.87 00	9.99 61	19	
	42	9.12 71	9.13 10	10.86 90	9.99 61	18	
	43	9.12 80	9.13 19	10.86 81	9.99 60	17	
	44	9.12 89	9.13 29	10.86 71	9.99 60	16	
	45	9.12 98	9.13 38	10.86 62	9.99 60	15	
	46	9.13 08	9.13 48	10.86 52	9.99 60	14	
	47	9.13 17	9.13 57	10.86 43	9.99 60	13	
	48	9.13 26	9.13 67	10.86 33	9.99 60	12	
	49	9.13 35	9.13 76	10.86 24	9.99 59	11	
7	50	9.13 45	9.13 85	10.86 15	9.99 59	10	82
	51	9.13 54	9.13 95	10.86 05	9.99 59	9	
	52	9.13 63	9.14 04	10.85 96	9.99 59	8	
	53	9.13 72	9.14 13	10.85 87	9.99 59	7	
	54	9.13 81	9.14 23	10.85 77	9.99 59	6	
	55	9.13 90	9.14 32	10.85 68	9.99 58	5	
	56	9.13 99	9.14 41	10.85 59	9.99 58	4	
	57	9.14 08	9.14 50	10.85 50	9.99 58	3	
	58	9.14 17	9.14 60	10.85 40	9.99 58	2	
	59	9.14 27	9.14 69	10.85 31	9.99 58	1	
8	0	9.14 36	9.14 78	10.85 22	9.99 57	0	82
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	•
8	0	9,14 36	9,14 78	10,85 22	9,99 57	0	82
	1	9,14 44	9,14 87	10,85 13	9,99 57	59	
	2	9,14 53	9,14 96	10,85 04	9,99 57	58	
	3	9,14 62	9,15 05	10,84 95	9,99 57	57	
	4	9,14 71	9,15 14	10,84 85	9,99 57	56	
	5	9,14 80	9,15 24	10,84 76	9,99 57	55	
	6	9,14 89	9,15 33	10,84 67	9,99 56	54	
	7	9,14 98	9,15 42	10,84 58	9,99 56	53	
	8	9,15 07	9,15 51	10,84 49	9,99 56	52	
	9	9,15 16	9,15 60	10,84 40	9,99 56	51	
8	10	9,15 24	9,15 69	10,84 31	9,99 56	50	81
	11	9,15 33	9,15 78	10,84 22	9,99 56	49	
	12	9,15 42	9,15 87	10,84 13	9,99 55	48	
	13	9,15 51	9,15 96	10,84 04	9,99 55	47	
	14	9,15 60	9,16 05	10,83 95	9,99 55	46	
	15	9,15 68	9,16 13	10,83 86	9,99 55	45	
	16	9,15 77	9,16 22	10,83 78	9,99 55	44	
	17	9,15 86	9,16 31	10,83 69	9,99 54	43	
	18	9,15 94	9,16 40	10,83 60	9,99 54	42	
	19	9,16 03	9,16 49	10,83 51	9,99 54	41	
8	20	9,16 12	9,16 58	10,83 42	9,99 54	40	81
	21	9,16 20	9,16 66	10,83 33	9,99 54	39	
	22	9,16 29	9,16 75	10,83 25	9,99 53	38	
	23	9,16 37	9,16 84	10,83 16	9,99 53	37	
	24	9,16 46	9,16 93	10,83 07	9,99 53	36	
	25	9,16 54	9,17 02	10,82 98	9,99 53	35	
	26	9,16 63	9,17 10	10,82 90	9,99 53	34	
	27	9,16 72	9,17 19	10,82 81	9,99 53	33	
	28	9,16 80	9,17 28	10,82 72	9,99 52	32	
	29	9,16 89	9,17 35	10,82 64	9,99 52	31	
8	30	9,16 97	9,17 45	10,82 55	9,99 52	30	81
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	•
8	30	9,16 97	9,17 45	10,82 55	9,99 52	30	81
	31	9,17 05	9,17 54	10,82 46	9,99 52	29	
	32	9,17 14	9,17 62	10,82 38	9,99 52	28	
	33	9,17 22	9,17 71	10,82 29	9,99 51	27	
	34	9,17 31	9,17 79	10,82 21	9,99 51	26	
	35	9,17 39	9,17 88	10,82 12	9,99 51	25	
	36	9,17 47	9,17 96	10,82 03	9,99 51	24	
	37	9,17 56	9,18 05	10,81 95	9,99 51	23	
	38	9,17 64	9,18 14	10,81 86	9,99 50	22	
	39	9,17 72	9,18 22	10,81 78	9,99 50	21	
8	40	9,17 81	9,18 31	10,81 67	9,99 50	20	81
	41	9,17 89	9,18 39	10,81 61	9,99 50	19	
	42	9,17 97	9,18 47	10,81 52	9,99 50	18	
	43	9,18 05	9,18 56	10,81 44	9,99 49	17	
	44	9,18 14	9,18 64	10,81 36	9,99 49	16	
	45	9,18 22	9,18 73	10,81 27	9,99 49	15	
	46	9,18 30	9,18 81	10,81 19	9,99 49	14	
	47	9,18 38	9,18 90	10,81 10	9,99 49	13	
	48	9,18 46	9,18 98	10,81 02	9,99 49	12	
	49	9,18 55	9,19 06	10,80 94	9,99 48	11	
8	50	9,18 63	9,19 15	10,80 85	9,99 48	10	81
	51	9,18 71	9,19 23	10,80 77	9,99 48	9	
	52	9,18 79	9,19 31	10,80 69	9,99 48	8	
	53	9,18 87	9,19 39	10,80 60	9,99 48	7	
	54	9,18 95	9,19 48	10,80 52	9,99 47	6	
	55	9,19 03	9,19 56	10,80 44	9,99 47	5	
	56	9,19 11	9,19 64	10,80 36	9,99 47	4	
	57	9,19 19	9,19 72	10,80 27	9,99 47	3	
	58	9,19 27	9,19 81	10,80 19	9,99 47	2	
	59	9,19 35	9,19 89	10,80 11	9,99 46	1	
9	0	9,19 43	9,19 97	10,80 03	9,99 46	0	81
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	"
9	0	9,19 43	9,19 97	10,80 03	9,99 46	0	81
	1	9,19 51	9,20 05	10,79 95	9,99 46	59	
	2	9,19 59	9,20 13	10,79 87	9,99 46	58	
	3	9,19 67	9,20 22	10,79 78	9,99 46	57	
	4	9,19 75	9,20 30	10,79 70	9,99 45	56	
	5	9,19 83	9,20 38	10,79 62	9,99 45	55	
	6	9,19 91	9,20 46	10,79 54	9,99 45	54	
	7	9,19 99	9,20 54	10,79 46	9,99 45	53	
	8	9,20 07	9,20 62	10,79 38	9,99 45	52	
	9	9,20 14	9,20 70	10,79 30	9,99 44	51	
	10	9,20 22	9,20 78	10,79 22	9,99 44	50	80
	11	9,20 30	9,20 86	10,79 14	9,99 44	49	
	12	9,20 38	9,20 94	10,79 06	9,99 44	48	
	13	9,20 46	9,21 02	10,78 98	9,99 44	47	
	14	9,20 53	9,21 10	10,78 90	9,99 43	46	
	15	9,20 61	9,21 18	10,78 82	9,99 43	45	
	16	9,20 69	9,21 26	10,78 74	9,99 43	44	
	17	9,20 77	9,21 34	10,78 66	9,99 43	43	
	18	9,20 84	9,21 42	10,78 58	9,99 42	42	
	19	9,20 92	9,21 50	10,78 50	9,99 42	41	
9	20	9,21 00	9,21 58	10,78 42	9,99 42	40	80
	21	9,21 08	9,21 66	10,78 34	9,99 42	39	
	22	9,21 15	9,21 74	10,78 26	9,99 42	38	
	23	9,21 23	9,21 81	10,78 19	9,99 41	37	
	24	9,21 31	9,21 89	10,78 11	9,99 41	36	
	25	9,21 38	9,21 97	10,78 03	9,99 41	35	
	26	9,21 46	9,22 05	10,77 95	9,99 41	34	
	27	9,21 53	9,22 13	10,77 87	9,99 41	33	
	28	9,21 61	9,22 20	10,77 79	9,99 40	32	
	29	9,21 68	9,22 28	10,77 72	9,99 40	31	
	30	9,21 76	9,22 36	10,77 64	9,99 40	30	80
"	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	•
9	30	9,21 76	9,22 36	10,77 64	9,99 40	80	80
	31	9,21 84	9,22 44	10,77 56	9,99 40	29	
	32	9,21 91	9,22 52	10,77 48	9,99 40	28	
	33	9,21 99	9,22 59	10,77 41	9,99 39	27	
	34	9,22 06	9,22 67	10,77 33	9,99 39	26	
	35	9,22 14	9,22 75	10,77 25	9,99 39	25	
	36	9,22 21	9,22 82	10,77 18	9,99 39	24	
	37	9,22 29	9,22 90	10,77 10	9,99 38	23	
	38	9,22 36	9,22 98	10,77 02	9,99 38	22	
	39	9,22 43	9,23 05	10,76 95	9,99 38	21	
9	40	9,22 51	9,23 13	10,76 87	9,99 38	20	80
	41	9,22 58	9,23 21	10,76 79	9,99 38	19	
	42	9,22 66	9,23 28	10,76 72	9,99 37	18	
	43	9,22 73	9,23 36	10,76 64	9,99 37	17	
	44	9,22 80	9,23 43	10,76 56	9,99 37	16	
	45	9,22 88	9,23 51	10,76 49	9,99 37	15	
	46	9,22 95	9,23 59	10,76 41	9,99 37	14	
	47	9,23 02	9,23 66	10,76 34	9,99 36	13	
	48	9,23 10	9,23 74	10,76 26	9,99 36	12	
	49	9,23 17	9,23 81	10,76 19	9,99 36	11	
9	50	9,23 24	9,23 89	10,76 11	9,99 36	10	80
	51	9,23 32	9,23 96	10,76 04	9,99 35	9	
	52	9,23 39	9,24 04	10,75 96	9,99 35	8	
	53	9,23 46	9,24 11	10,75 89	9,99 35	7	
	54	9,23 53	9,24 19	10,75 81	9,99 35	6	
	55	9,23 61	9,24 26	10,75 74	9,99 35	5	
	56	9,23 68	9,24 33	10,75 66	9,99 34	4	
	57	9,23 75	9,24 41	10,75 59	9,99 34	3	
	58	9,23 82	9,24 48	10,75 52	9,99 34	2	
	59	9,23 89	9,24 56	10,75 44	9,99 34	1	
10	0	9,23 97	9,24 63	10,75 37	9,99 33	0	80
•	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
10	0	9,23 97	9,24 63	10,75 37	9,99 33	0	80
	1	9,24 04	9,24 71	10,75 29	9,99 33	59	
	2	9,24 11	9,24 78	10,75 22	9,99 33	58	
	3	9,24 18	9,24 85	10,75 15	9,99 33	57	
	4	9,24 25	9,24 93	10,75 07	9,99 33	56	
	5	9,24 32	9,25 00	10,75 00	9,99 32	55	
	6	9,24 39	9,25 07	10,74 93	9,99 32	54	
	7	9,24 47	9,25 15	10,74 85	9,99 32	53	
	8	9,24 54	9,25 22	10,74 78	9,99 32	52	
	9	9,24 61	9,25 29	10,74 71	9,99 31	51	
10	10	9,24 68	9,25 36	10,74 63	9,99 31	50	79
	11	9,24 75	9,25 44	10,74 56	9,99 31	49	
	12	9,24 82	9,25 51	10,74 49	9,99 31	48	
	13	9,24 89	9,25 58	10,74 42	9,99 31	47	
	14	9,24 96	9,25 65	10,74 34	9,99 30	46	
	15	9,25 03	9,25 73	10,74 27	9,99 30	45	
	16	9,25 10	9,25 80	10,74 20	9,99 30	44	
	17	9,25 17	9,25 87	10,74 13	9,99 30	43	
	18	9,25 24	9,25 94	10,74 06	9,99 29	42	
	19	9,25 31	9,26 01	10,73 98	9,99 29	41	
10	20	9,25 38	9,26 09	10,73 91	9,99 29	40	79
	21	9,25 44	9,26 16	10,73 84	9,99 29	39	
	22	9,25 51	9,26 23	10,73 77	9,99 28	38	
	23	9,25 58	9,26 30	10,73 70	9,99 28	37	
	24	9,25 65	9,26 37	10,73 63	9,99 28	36	
	25	9,25 72	9,26 44	10,73 56	9,99 28	35	
	26	9,25 79	9,26 51	10,73 49	9,99 28	34	
	27	9,25 86	9,26 58	10,73 41	9,99 27	33	
	28	9,25 93	9,26 65	10,73 34	9,99 27	32	
	29	9,25 99	9,26 73	10,73 27	9,99 27	31	
10	30	9,26 06	9,26 80	10,73 20	9,99 27	30	79
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log csc.	log cos.		°
10	30	9.5128	9.5128	10.4872	9.9927	30	79
	31	9.5130	9.5130	10.4870	9.9926	20	
	32	9.5132	9.5132	10.4868	9.9926	25	
	33	9.5134	9.5134	10.4866	9.9926	27	
	34	9.5136	9.5136	10.4864	9.9926	28	
	35	9.5138	9.5138	10.4862	9.9925	29	
	36	9.5140	9.5140	10.4860	9.9925	30	
	37	9.5142	9.5142	10.4858	9.9924	31	
	38	9.5144	9.5144	10.4856	9.9924	32	
	39	9.5146	9.5146	10.4854	9.9923	33	
	40	9.5148	9.5148	10.4852	9.9923	34	
	41	9.5150	9.5150	10.4850	9.9922	35	
	42	9.5152	9.5152	10.4848	9.9922	36	
	43	9.5154	9.5154	10.4846	9.9921	37	
	44	9.5156	9.5156	10.4844	9.9921	38	
	45	9.5158	9.5158	10.4842	9.9920	39	
	46	9.5160	9.5160	10.4840	9.9920	40	
	47	9.5162	9.5162	10.4838	9.9919	41	
	48	9.5164	9.5164	10.4836	9.9918	42	
	49	9.5166	9.5166	10.4834	9.9918	43	
	50	9.5168	9.5168	10.4832	9.9917	44	
	51	9.5170	9.5170	10.4830	9.9917	45	
	52	9.5172	9.5172	10.4828	9.9916	46	
	53	9.5174	9.5174	10.4826	9.9916	47	
	54	9.5176	9.5176	10.4824	9.9915	48	
	55	9.5178	9.5178	10.4822	9.9915	49	
	56	9.5180	9.5180	10.4820	9.9914	50	
	57	9.5182	9.5182	10.4818	9.9914	51	
	58	9.5184	9.5184	10.4816	9.9913	52	
	59	9.5186	9.5186	10.4814	9.9913	53	
	60	9.5188	9.5188	10.4812	9.9912	54	
	61	9.5190	9.5190	10.4810	9.9912	55	
	62	9.5192	9.5192	10.4808	9.9911	56	
	63	9.5194	9.5194	10.4806	9.9911	57	
	64	9.5196	9.5196	10.4804	9.9910	58	
	65	9.5198	9.5198	10.4802	9.9910	59	
	66	9.5200	9.5200	10.4800	9.9909	60	
	67	9.5202	9.5202	10.4798	9.9909	61	
	68	9.5204	9.5204	10.4796	9.9908	62	
	69	9.5206	9.5206	10.4794	9.9908	63	
	70	9.5208	9.5208	10.4792	9.9907	64	
	71	9.5210	9.5210	10.4790	9.9907	65	
	72	9.5212	9.5212	10.4788	9.9906	66	
	73	9.5214	9.5214	10.4786	9.9906	67	
	74	9.5216	9.5216	10.4784	9.9905	68	
	75	9.5218	9.5218	10.4782	9.9905	69	
	76	9.5220	9.5220	10.4780	9.9904	70	
	77	9.5222	9.5222	10.4778	9.9904	71	
	78	9.5224	9.5224	10.4776	9.9903	72	
	79	9.5226	9.5226	10.4774	9.9903	73	
	80	9.5228	9.5228	10.4772	9.9902	74	
	81	9.5230	9.5230	10.4770	9.9902	75	
	82	9.5232	9.5232	10.4768	9.9901	76	
	83	9.5234	9.5234	10.4766	9.9901	77	
	84	9.5236	9.5236	10.4764	9.9900	78	
	85	9.5238	9.5238	10.4762	9.9900	79	
	86	9.5240	9.5240	10.4760	9.9899	80	
	87	9.5242	9.5242	10.4758	9.9899	81	
	88	9.5244	9.5244	10.4756	9.9898	82	
	89	9.5246	9.5246	10.4754	9.9898	83	
	90	9.5248	9.5248	10.4752	9.9897	84	
	91	9.5250	9.5250	10.4750	9.9897	85	
	92	9.5252	9.5252	10.4748	9.9896	86	
	93	9.5254	9.5254	10.4746	9.9896	87	
	94	9.5256	9.5256	10.4744	9.9895	88	
	95	9.5258	9.5258	10.4742	9.9895	89	
	96	9.5260	9.5260	10.4740	9.9894	90	
	97	9.5262	9.5262	10.4738	9.9894	91	
	98	9.5264	9.5264	10.4736	9.9893	92	
	99	9.5266	9.5266	10.4734	9.9893	93	
	00	9.5268	9.5268	10.4732	9.9892	94	
	01	9.5270	9.5270	10.4730	9.9892	95	
	02	9.5272	9.5272	10.4728	9.9891	96	
	03	9.5274	9.5274	10.4726	9.9891	97	
	04	9.5276	9.5276	10.4724	9.9890	98	
	05	9.5278	9.5278	10.4722	9.9890	99	
	06	9.5280	9.5280	10.4720	9.9889	00	
	07	9.5282	9.5282	10.4718	9.9889	01	
	08	9.5284	9.5284	10.4716	9.9888	02	
	09	9.5286	9.5286	10.4714	9.9888	03	
	10	9.5288	9.5288	10.4712	9.9887	04	
	11	9.5290	9.5290	10.4710	9.9887	05	
	12	9.5292	9.5292	10.4708	9.9886	06	
	13	9.5294	9.5294	10.4706	9.9886	07	
	14	9.5296	9.5296	10.4704	9.9885	08	
	15	9.5298	9.5298	10.4702	9.9885	09	
	16	9.5300	9.5300	10.4700	9.9884	10	
	17	9.5302	9.5302	10.4698	9.9884	11	
	18	9.5304	9.5304	10.4696	9.9883	12	
	19	9.5306	9.5306	10.4694	9.9883	13	
	20	9.5308	9.5308	10.4692	9.9882	14	
	21	9.5310	9.5310	10.4690	9.9882	15	
	22	9.5312	9.5312	10.4688	9.9881	16	
	23	9.5314	9.5314	10.4686	9.9881	17	
	24	9.5316	9.5316	10.4684	9.9880	18	
	25	9.5318	9.5318	10.4682	9.9880	19	
	26	9.5320	9.5320	10.4680	9.9879	20	
	27	9.5322	9.5322	10.4678	9.9879	21	
	28	9.5324	9.5324	10.4676	9.9878	22	
	29	9.5326	9.5326	10.4674	9.9878	23	
	30	9.5328	9.5328	10.4672	9.9877	24	
	31	9.5330	9.5330	10.4670	9.9877	25	
	32	9.5332	9.5332	10.4668	9.9876	26	
	33	9.5334	9.5334	10.4666	9.9876	27	
	34	9.5336	9.5336	10.4664	9.9875	28	
	35	9.5338	9.5338	10.4662	9.9875	29	
	36	9.5340	9.5340	10.4660	9.9874	30	
	37	9.5342	9.5342	10.4658	9.9874	31	
	38	9.5344	9.5344	10.4656	9.9873	32	
	39	9.5346	9.5346	10.4654	9.9873	33	
	40	9.5348	9.5348	10.4652	9.9872	34	
	41	9.5350	9.5350	10.4650	9.9872	35	
	42	9.5352	9.5352	10.4648	9.9871	36	
	43	9.5354	9.5354	10.4646	9.9871	37	
	44	9.5356	9.5356	10.4644	9.9870	38	
	45	9.5358	9.5358	10.4642	9.9870	39	
	46	9.5360	9.5360	10.4640	9.9869	40	
	47	9.5362	9.5362	10.4638	9.9869	41	
	48	9.5364	9.5364	10.4636	9.9868	42	
	49	9.5366	9.5366	10.4634	9.9868	43	
	50	9.5368	9.5368	10.4632	9.9867	44	
	51	9.5370	9.5370	10.4630	9.9867	45	
	52	9.5372	9.5372	10.4628	9.9866	46	
	53	9.5374	9.5374	10.4626	9.9866	47	
	54	9.5376	9.5376	10.4624	9.9865	48	
	55	9.5378	9.5378	10.4622	9.9865	49	
	56	9.5380	9.5380	10.4620	9.9864	50	
	57	9.5382	9.5382	10.4618	9.9864	51	
	58	9.5384	9.5384	10.4616	9.9863	52	
	59	9.5386	9.5386	10.4614	9.9863	53	
	60	9.5388	9.5388	10.4612	9.9862	54	
	61	9.5390	9.5390	10.4610	9.9862	55	
	62	9.5392	9.5392	10.4608	9.9861	56	
	63	9.5394	9.5394	10.4606	9.9861	57	
	64	9.5396	9.5396	10.4604	9.9860	58	
	65	9.5398	9.5398	10.4602	9.9860	59	
	66	9.5400	9.5400	10.4600	9.9859	60	
	67	9.5402	9.5402	10.4598	9.9859	61	
	68	9.5404	9.5404	10.4596	9.9858	62	
	69	9.5406	9.5406	10.4594	9.9858	63	
	70	9.5408	9.5408	10.4592	9.9857	64	
	71	9.5410	9.5410	10.4590	9.9857	65	
	72	9.5412	9.5412	10.4588	9.9856	66	
	73	9.5414	9.5414	10.4586	9.9856	67	
	74	9.5416	9.5416	10.4584	9.9855	68	
	75	9.5418	9.5418	10.4582	9.9855	69	
	76	9.5420	9.5420	10.4580	9.9854	70	
	77	9.5422	9.5422	10.4578	9.9854	71	
	78	9.5424	9.5424	10.4576	9.9853	72	
	79	9.5426	9.5426	10.4574	9.9853	73	
	80	9.5428	9.5428	10.4572	9.9852	74	
	81	9.5430	9.5430	10.4570	9.9852	75	
	82	9.5432	9.5432	10.4568	9.9851	76	
	83	9.5434	9.5434	10.4566	9.9851	77	
	84	9.5436	9.5436	10.4564	9.9850	78	
	85	9.5438	9.5438	10.4562	9.9850	79	
	86	9.5440	9.5440	10.4560	9.9849	80	
	87	9.5442	9.5442	10.4558	9.9849	81	
	88	9.5444	9.5444	10.4556	9.9848	82	
	89	9.5446	9.5446	10.4554	9.9848	83	
	90	9.5448	9.5448	10.4552	9.9847	84	
	91	9.5450	9.5450	10.4550	9.9847	85	
	92	9.5452	9.5452	10.4548	9.9846	86	
	93	9.5454	9.5454	10.4546	9.9846	87	
	94	9.5456	9.5456	10.4544	9.9845	88	
	95	9.5458	9.5458	10.4542	9.9845	89	
	96	9.5460	9.5460	10.4540	9.9844	90	
	97	9.5462	9.5				

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
11	0	9,28 06	9,28 86	10,71 13	9,99 19	0	79
	1	9,28 12	9,28 93	10,71 07	9,99 19	59	
	2	9,28 19	9,29 00	10,71 00	9,99 19	58	
	3	9,28 25	9,29 07	10,70 93	9,99 19	57	
	4	9,28 32	9,29 13	10,70 87	9,99 18	56	
	5	9,28 38	9,29 20	10,70 80	9,99 18	55	
	6	9,28 45	9,29 27	10,70 73	9,99 18	54	
	7	9,28 51	9,29 33	10,70 66	9,99 18	53	
	8	9,28 58	9,29 40	10,70 60	9,99 17	52	
	9	9,28 64	9,29 47	10,70 53	9,99 17	51	
11	10	9,28 70	9,29 53	10,70 46	9,99 17	50	78
	11	9,28 77	9,29 60	10,70 40	9,99 17	49	
	12	9,28 83	9,29 67	10,70 33	9,99 16	48	
	13	9,28 90	9,29 73	10,70 27	9,99 16	47	
	14	9,28 96	9,29 80	10,70 20	9,99 16	46	
	15	9,29 02	9,29 87	10,70 13	9,99 16	45	
	16	9,29 09	9,29 93	10,70 07	9,99 15	44	
	17	9,29 15	9,30 00	10,70 00	9,99 15	43	
	18	9,29 21	9,30 06	10,69 94	9,99 15	42	
	19	9,29 28	9,30 13	10,69 87	9,99 15	41	
11	20	9,29 34	9,30 19	10,69 80	9,99 14	40	78
	21	9,29 40	9,30 26	10,69 74	9,99 14	39	
	22	9,29 47	9,30 33	10,69 67	9,99 14	38	
	23	9,29 53	9,30 39	10,69 61	9,99 14	37	
	24	9,29 59	9,30 46	10,69 54	9,99 13	36	
	25	9,29 65	9,30 52	10,69 48	9,99 13	35	
	26	9,29 72	9,30 59	10,69 41	9,99 13	34	
	27	9,29 78	9,30 65	10,69 35	9,99 13	33	
	28	9,29 84	9,30 72	10,69 28	9,99 12	32	
	29	9,29 90	9,30 78	10,69 22	9,99 12	31	
11	30	9,29 97	9,30 85	10,69 15	9,99 12	30	78
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
11	30	9,29 97	9,30 85	10,69 15	9,99 12	30	71
	31	9,30 03	9,30 91	10,69 09	9,99 12	29	
	32	9,30 09	9,30 97	10,69 02	9,99 11	28	
	33	9,30 15	9,31 04	10,68 96	9,99 11	27	
	34	9,30 21	9,31 10	10,68 90	9,99 11	26	
	35	9,30 27	9,31 17	10,68 83	9,99 11	25	
	36	9,30 34	9,31 23	10,68 77	9,99 10	24	
	37	9,30 40	9,31 30	10,68 70	9,99 10	23	
	38	9,30 46	9,31 36	10,68 64	9,99 10	22	
	39	9,30 52	9,31 42	10,68 57	9,99 10	21	
11	40	9,30 58	9,31 49	10,68 51	9,99 09	20	78
	41	9,30 64	9,31 55	10,68 45	9,99 09	19	
	42	9,30 70	9,31 62	10,68 38	9,99 09	18	
	43	9,30 76	9,31 68	10,68 32	9,99 09	17	
	44	9,30 83	9,31 74	10,68 26	9,99 08	16	
	45	9,30 89	9,31 81	10,68 19	9,99 08	15	
	46	9,30 95	9,31 87	10,68 13	9,99 08	14	
	47	9,31 01	9,31 93	10,68 07	9,99 07	13	
	48	9,31 07	9,32 00	10,68 00	9,99 07	12	
	49	9,31 13	9,32 06	10,67 94	9,99 07	11	
11	50	9,31 19	9,32 12	10,67 88	9,99 07	10	78
	51	9,31 25	9,32 18	10,67 81	9,99 06	9	
	52	9,31 31	9,32 25	10,67 75	9,99 06	8	
	53	9,31 37	9,32 31	10,67 69	9,99 06	7	
	54	9,31 43	9,32 37	10,67 63	9,99 06	6	
	55	9,31 49	9,32 44	10,67 56	9,99 05	5	
	56	9,31 55	9,32 50	10,67 50	9,99 05	4	
	57	9,31 61	9,32 56	10,67 44	9,99 05	3	
	58	9,31 67	9,32 62	10,67 38	9,99 05	2	
	59	9,31 73	9,32 68	10,67 31	9,99 04	1	
12	0	9,31 79	9,32 75	10,67 25	9,99 04	0	78
	°	'	log cos.	log cotg.	log tang.	log sin.	M. D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
12	0	9,31 79	9,32 75	10,67 25	9,99 04	0	78
	1	9,31 85	9,32 81	10,67 19	9,99 04	59	
	2	9,31 91	9,32 87	10,67 13	9,99 03	58	
	3	9,31 97	9,32 93	10,67 07	9,99 03	57	
	4	9,32 02	9,32 99	10,67 00	9,99 03	56	
	5	9,32 08	9,33 06	10,66 94	9,99 03	55	
	6	9,32 14	9,33 12	10,66 88	9,99 02	54	
	7	9,32 20	9,33 18	10,66 82	9,99 02	53	
	8	9,32 26	9,33 24	10,66 76	9,99 02	52	
	9	9,32 32	9,33 30	10,66 70	9,99 02	51	
12	10	9,32 38	9,33 36	10,66 63	9,99 01	50	77
	11	9,32 44	9,33 43	10,66 57	9,99 01	49	
	12	9,32 49	9,33 49	10,66 51	9,99 01	48	
	13	9,32 55	9,33 55	10,66 45	9,99 00	47	
	14	9,32 61	9,33 61	10,66 39	9,99 00	46	
	15	9,32 67	9,33 67	10,66 33	9,99 00	45	
	16	9,32 73	9,33 73	10,66 27	9,99 00	44	
	17	9,32 79	9,33 79	10,66 21	9,98 99	43	
	18	9,32 84	9,33 85	10,66 15	9,98 99	42	
	19	9,32 90	9,33 91	10,66 09	9,98 99	41	
12	20	9,32 96	9,33 97	10,66 03	9,98 99	40	77
	21	9,33 02	9,34 03	10,65 97	9,98 98	39	
	22	9,33 07	9,34 09	10,65 90	9,98 98	38	
	23	9,33 13	9,34 15	10,65 84	9,98 98	37	
	24	9,33 19	9,34 21	10,65 78	9,98 97	36	
	25	9,33 25	9,34 28	10,65 72	9,98 97	35	
	26	9,33 30	9,34 34	10,65 66	9,98 97	34	
	27	9,33 36	9,34 40	10,65 60	9,98 97	33	
	28	9,33 42	9,34 46	10,65 54	9,98 96	32	
	29	9,33 48	9,34 52	10,65 48	9,98 96	31	
12	30	9,33 53	9,34 58	10,65 42	9,98 96	30	77
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
12	30	9.33 53	9.34 58	10.65 42	9.98 96	30	77
	31	9.33 59	9.34 63	10.65 36	9.98 95	29	
	32	9.33 65	9.34 69	10.65 30	9.98 95	28	
	33	9.33 70	9.34 75	10.65 24	9.98 95	27	
	34	9.33 76	9.34 81	10.65 19	9.98 95	26	
	35	9.33 82	9.34 87	10.65 13	9.98 94	25	
	36	9.33 87	9.34 93	10.65 07	9.98 94	24	
	37	9.33 93	9.34 99	10.65 01	9.98 94	23	
	38	9.33 99	9.35 05	10.64 95	9.98 94	22	
	39	9.34 04	9.35 11	10.64 89	9.98 93	21	
	40	9.34 10	9.35 17	10.64 83	9.98 93	20	77
	41	9.34 16	9.35 23	10.64 77	9.98 93	19	
	42	9.34 21	9.35 29	10.64 71	9.98 92	18	
	43	9.34 27	9.35 35	10.64 65	9.98 92	17	
	44	9.34 32	9.35 40	10.64 59	9.98 92	16	
	45	9.34 38	9.35 46	10.64 54	9.98 92	15	
12	46	9.34 44	9.35 52	10.64 48	9.98 91	14	
	47	9.34 49	9.35 58	10.64 42	9.98 91	13	
	48	9.34 55	9.35 64	10.64 36	9.98 91	12	
	49	9.34 60	9.35 70	10.64 30	9.98 90	11	
	50	9.34 66	9.35 76	10.64 24	9.98 90	10	77
	51	9.34 71	9.35 81	10.64 18	9.98 90	9	
	52	9.34 77	9.35 87	10.64 13	9.98 90	8	
	53	9.34 82	9.35 93	10.64 07	9.98 89	7	
	54	9.34 88	9.35 99	10.64 01	9.98 89	6	
	55	9.34 93	9.36 05	10.63 95	9.98 89	5	
	56	9.34 99	9.36 10	10.63 89	9.98 88	4	
	57	9.35 04	9.36 16	10.63 84	9.98 88	3	
	58	9.35 10	9.36 22	10.63 78	9.98 88	2	
	59	9.35 15	9.36 28	10.63 72	9.98 87	1	
13	0	9.35 21	9.36 34	10.63 66	9.98 87	0	77
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
13	0	9,35 21	9,36 34	10,63 66	9,98 87	0	77
	1	9,35 26	9,36 39	10,63 61	9,98 87	59	
	2	9,35 32	9,36 45	10,63 55	9,98 87	58	
	3	9,35 37	9,36 51	10,63 49	9,98 86	57	
	4	9,35 43	9,36 57	10,63 43	9,98 86	56	
	5	9,35 48	9,36 62	10,63 38	9,98 86	55	
	6	9,35 54	9,36 68	10,63 32	9,98 85	54	
	7	9,35 59	9,36 74	10,63 26	9,98 85	53	
	8	9,35 64	9,36 79	10,63 20	9,98 85	52	
	9	9,35 70	9,36 85	10,63 15	9,98 85	51	
13	10	9,35 75	9,36 91	10,63 09	9,98 84	50	76
	11	9,35 81	9,36 97	10,63 03	9,98 84	49	
	12	9,35 86	9,37 02	10,62 98	9,98 84	48	
	13	9,35 91	9,37 08	10,62 92	9,98 83	47	
	14	9,35 97	9,37 14	10,62 86	9,98 83	46	
	15	9,36 02	9,37 19	10,62 81	9,98 83	45	
	16	9,36 07	9,37 25	10,62 75	9,98 82	44	
	17	9,36 13	9,37 31	10,62 69	9,98 82	43	
	18	9,36 18	9,37 36	10,62 64	9,98 82	42	
	19	9,36 24	9,37 42	10,62 58	9,98 82	41	
13	20	9,36 29	9,37 48	10,62 52	9,98 81	40	76
	21	9,36 34	9,37 53	10,62 47	9,98 81	39	
	22	9,36 39	9,37 59	10,62 41	9,98 81	38	
	23	9,36 45	9,37 64	10,62 36	9,98 80	37	
	24	9,36 50	9,37 70	10,62 30	9,98 80	36	
	25	9,36 55	9,37 76	10,62 24	9,98 80	35	
	26	9,36 61	9,37 81	10,62 19	9,98 79	34	
	27	9,36 66	9,37 87	10,62 13	9,98 79	33	
	28	9,36 71	9,37 92	10,62 08	9,98 79	32	
	29	9,36 77	9,37 98	10,62 02	9,98 79	31	
13	30	9,36 82	9,38 03	10,61 96	9,98 78	30	76
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	/	°
13	30	9,36 82	9,38 03	10,61 96	9,98 78	30	76
	31	9,36 87	9,38 09	10,61 91	9,98 78	29	
	32	9,36 92	9,38 15	10,61 85	9,98 78	28	
	33	9,36 98	9,38 20	10,61 80	9,98 77	27	
	34	9,37 03	9,38 26	10,61 74	9,98 77	26	
	35	9,37 08	9,38 31	10,61 69	9,98 77	25	
	36	9,37 13	9,38 37	10,61 63	9,98 76	24	
	37	9,37 18	9,38 42	10,61 58	9,98 76	23	
	38	9,37 24	9,38 48	10,61 52	9,98 76	22	
	39	9,37 29	9,38 53	10,61 47	9,98 76	21	
13	40	9,37 34	9,38 59	10,61 41	9,98 75	20	76
	41	9,37 39	9,38 64	10,61 36	9,98 75	19	
	42	9,37 44	9,38 70	10,61 30	9,98 75	18	
	43	9,37 50	9,38 75	10,61 25	9,98 74	17	
	44	9,37 55	9,38 81	10,61 19	9,98 74	16	
	45	9,37 60	9,38 86	10,61 14	9,98 74	15	
	46	9,37 65	9,38 92	10,61 08	9,98 73	14	
	47	9,37 70	9,38 97	10,61 03	9,98 73	13	
	48	9,37 75	9,39 03	10,60 97	9,98 73	12	
	49	9,37 81	9,39 08	10,60 92	9,98 72	11	
13	50	9,37 86	9,39 14	10,60 86	9,98 72	10	76
	51	9,37 91	9,39 19	10,60 81	9,98 72	9	
	52	9,37 96	9,39 24	10,60 75	9,98 71	8	
	53	9,38 01	9,39 30	10,60 70	9,98 71	7	
	54	9,38 06	9,39 35	10,60 65	9,98 71	6	
	55	9,38 11	9,39 41	10,60 59	9,98 71	5	
	56	9,38 16	9,39 46	10,60 54	9,98 70	4	
	57	9,38 21	9,39 51	10,60 48	9,98 70	3	
	58	9,38 27	9,39 57	10,60 43	9,98 70	2	
	59	9,38 32	9,39 62	10,60 38	9,98 69	1	
14	0	9,38 37	9,39 68	10,60 32	9,98 69	0	76
°	/	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
14	0	9,38 37	9,39 68	10,60 32	9,98 69	0	76
	1	9,38 42	9,39 73	10,60 27	9,98 69	59	
	2	9,38 47	9,39 78	10,60 21	9,98 68	58	
	3	9,38 52	9,39 84	10,60 16	9,98 68	57	
	4	9,38 57	9,39 89	10,60 11	9,98 68	56	
	5	9,38 62	9,39 94	10,60 05	9,98 67	55	
	6	9,38 67	9,40 00	10,60 00	9,98 67	54	
	7	9,38 72	9,40 05	10,59 95	9,98 67	53	
	8	9,38 77	9,40 11	10,59 89	9,98 66	52	
	9	9,38 82	9,40 16	10,59 84	9,98 66	51	
14	10	9,38 87	9,40 21	10,59 79	9,98 66	50	75
	11	9,38 92	9,40 27	10,59 73	9,98 66	49	
	12	9,38 97	9,40 32	10,59 68	9,98 65	48	
	13	9,39 02	9,40 37	10,59 63	9,98 65	47	
	14	9,39 07	9,40 42	10,59 57	9,98 65	46	
	15	9,39 12	9,40 48	10,59 52	9,98 64	45	
	16	9,39 17	9,40 53	10,59 47	9,98 64	44	
	17	9,39 22	9,40 58	10,59 42	9,98 64	43	
	18	9,39 27	9,40 64	10,59 36	9,98 63	42	
	19	9,39 32	9,40 69	10,59 31	9,98 63	41	
14	20	9,39 37	9,40 74	10,59 26	9,98 63	40	75
	21	9,39 42	9,40 79	10,59 20	9,98 62	39	
	22	9,39 47	9,40 85	10,59 15	9,98 62	38	
	23	9,39 52	9,40 90	10,59 10	9,98 62	37	
	24	9,39 57	9,40 95	10,59 05	9,98 61	36	
	25	9,39 61	9,41 00	10,58 99	9,98 61	35	
	26	9,39 66	9,41 06	10,58 94	9,98 61	34	
	27	9,39 71	9,41 11	10,58 89	9,98 60	33	
	28	9,39 76	9,41 16	10,58 84	9,98 60	32	
	29	9,39 81	9,41 21	10,58 79	9,98 60	31	
14	30	9,39 86	9,41 27	10,58 73	9,98 59	30	75
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	<i>r</i>	<i>p</i>
14	30	9.33 86	9.41 27	10.58 73	9.98 59	30	75
	31	9.33 91	9.41 32	10.58 68	9.98 59	29	
	32	9.39 06	9.41 37	10.58 63	9.98 59	28	
	33	9.40 01	9.41 42	10.58 58	9.98 58	27	
	34	9.40 05	9.41 47	10.58 53	9.98 58	26	
	35	9.40 10	9.41 53	10.58 47	9.98 58	25	
	36	9.40 15	9.41 58	10.58 42	9.98 57	24	
	37	9.40 20	9.41 63	10.58 37	9.98 57	23	
	38	9.40 25	9.41 68	10.58 32	9.98 57	22	
	39	9.40 30	9.41 73	10.58 27	9.98 56	21	
	40	9.40 35	9.41 78	10.58 22	9.98 56	20	75
	41	9.40 39	9.41 84	10.58 16	9.98 56	19	
	42	9.40 44	9.41 89	10.58 11	9.98 55	18	
	43	9.40 49	9.41 94	10.58 06	9.98 55	17	
	44	9.40 54	9.41 99	10.58 01	9.98 55	16	
	45	9.40 59	9.42 04	10.57 96	9.98 54	15	
	46	9.40 63	9.42 09	10.57 91	9.98 54	14	
	47	9.40 68	9.42 14	10.57 86	9.98 54	13	
	48	9.40 73	9.42 19	10.57 80	9.98 53	12	
	49	9.40 78	9.42 25	10.57 75	9.98 53	11	
14	50	9.40 82	9.42 30	10.57 70	9.98 53	10	75
	51	9.40 87	9.42 35	10.57 65	9.98 52	9	
	52	9.40 92	9.42 40	10.57 60	9.98 52	8	
	53	9.40 97	9.42 45	10.57 55	9.98 52	7	
	54	9.41 02	9.42 50	10.57 50	9.98 51	6	
	55	9.41 06	9.42 55	10.57 45	9.98 51	5	
	56	9.41 11	9.42 60	10.57 40	9.98 51	4	
	57	9.41 16	9.42 65	10.57 35	9.98 50	3	
	58	9.41 20	9.42 70	10.57 30	9.98 50	2	
	59	9.41 25	9.42 75	10.57 24	9.98 50	1	
	0	9.41 30	9.42 80	10.57 19	9.98 49	0	75
15	0	9.41 30	9.42 80	10.57 19	9.98 49	0	75
<i>°</i>	<i>r</i>	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
15	0	9,41 30	9,42 80	10,57 19	9,98 49	0	75
	1	9,41 35	9,42 86	10,57 14	9,98 49	59	
	2	9,41 39	9,42 91	10,57 09	9,98 49	58	
	3	9,41 44	9,42 96	10,57 04	9,98 48	57	
	4	9,41 49	9,43 01	10,56 99	9,98 48	56	
	5	9,41 53	9,43 06	10,56 94	9,98 48	55	
	6	9,41 58	9,43 11	10,56 89	9,98 47	54	
	7	9,41 63	9,43 16	10,56 84	9,98 47	53	
	8	9,41 67	9,43 21	10,56 79	9,98 47	52	
	9	9,41 72	9,43 26	10,56 74	9,98 46	51	
15	10	9,41 77	9,43 31	10,56 69	9,98 46	50	74
	11	9,41 81	9,43 36	10,56 64	9,98 46	49	
	12	9,41 86	9,43 41	10,56 59	9,98 45	48	
	13	9,41 91	9,43 46	10,56 54	9,98 45	47	
	14	9,41 95	9,43 51	10,56 49	9,98 45	46	
	15	9,42 00	9,43 56	10,56 44	9,98 44	45	
	16	9,42 05	9,43 61	10,56 39	9,98 44	44	
	17	9,42 09	9,43 66	10,56 34	9,98 44	43	
	18	9,42 14	9,43 71	10,56 29	9,98 43	42	
	19	9,42 19	9,43 76	10,56 24	9,98 43	41	
15	20	9,42 23	9,43 81	10,56 19	9,98 43	40	74
	21	9,42 28	9,43 85	10,56 14	9,98 42	39	
	22	9,42 32	9,43 90	10,56 09	9,98 42	38	
	23	9,42 37	9,43 95	10,56 05	9,98 41	37	
	24	9,42 42	9,44 00	10,56 00	9,98 41	36	
	25	9,42 46	9,44 05	10,55 95	9,98 41	35	
	26	9,42 51	9,44 10	10,55 90	9,98 40	34	
	27	9,42 55	9,44 15	10,55 85	9,98 40	33	
	28	9,42 60	9,44 20	10,55 80	9,98 40	32	
	29	9,42 64	9,44 25	10,55 75	9,98 39	31	
15	30	9,42 69	9,44 30	10,55 70	9,98 39	30	74
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.		
<b>15</b>	<b>30</b>	9,42 69	9,44 30	10,55 70	9,98 39	<b>30</b>	<b>74</b>
	31	9,42 73	9,44 35	10,55 65	9,98 39	29	
	32	9,42 78	9,44 40	10,55 60	9,98 38	28	
	33	9,42 83	9,44 45	10,55 55	9,98 38	27	
	34	9,42 87	9,44 49	10,55 50	9,98 38	26	
	35	9,42 92	9,44 54	10,55 46	9,98 37	25	
	36	9,42 96	9,44 59	10,55 41	9,98 37	24	
	37	9,43 01	9,44 64	10,55 36	9,98 37	23	
	38	9,43 05	9,44 69	10,55 31	9,98 36	22	
	39	9,43 10	9,44 74	10,55 26	9,98 36	21	
<b>15</b>	<b>40</b>	9,43 14	9,44 79	10,55 21	9,98 36	<b>20</b>	<b>74</b>
	41	9,43 19	9,44 84	10,55 16	9,98 35	19	
	42	9,43 23	9,44 88	10,55 12	9,98 35	18	
	43	9,43 28	9,44 93	10,55 07	9,98 34	17	
	44	9,43 32	9,44 98	10,55 02	9,98 34	16	
	45	9,43 37	9,45 03	10,54 97	9,98 34	15	
	46	9,43 41	9,45 08	10,54 92	9,98 33	14	
	47	9,43 46	9,45 13	10,54 87	9,98 33	13	
	48	9,43 50	9,45 17	10,54 83	9,98 33	12	
	49	9,43 55	9,45 22	10,54 78	9,98 32	11	
<b>15</b>	<b>50</b>	9,43 59	9,45 27	10,54 73	9,98 32	<b>10</b>	<b>74</b>
	51	9,43 63	9,45 32	10,54 68	9,98 32	9	
	52	9,43 68	9,45 37	10,54 63	9,98 31	8	
	53	9,43 72	9,45 41	10,54 58	9,98 31	7	
	54	9,43 77	9,45 46	10,54 54	9,98 31	6	
	55	9,43 81	9,45 51	10,54 49	9,98 30	5	
	56	9,43 85	9,45 56	10,54 44	9,98 30	4	
	57	9,43 90	9,45 61	10,54 39	9,98 29	3	
	58	9,43 95	9,45 65	10,54 35	9,98 29	2	
	59	9,43 99	9,45 70	10,54 30	9,98 29	1	
<b>16</b>	<b>0</b>	9,44 03	9,45 75	10,54 25	9,98 28	<b>0</b>	<b>74</b>
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
16	0	9,44 03	9,45 75	10,54 25	9,98 28	0	74
	1	9,44 08	9,45 80	10,54 20	9,98 28	59	
	2	9,44 12	9,45 84	10,54 15	9,98 28	58	
	3	9,44 17	9,45 89	10,54 11	9,98 27	57	
	4	9,44 21	9,45 94	10,54 06	9,98 27	56	
	5	9,44 25	9,45 99	10,54 01	9,98 27	55	
	6	9,44 30	9,46 03	10,53 96	9,98 26	54	
	7	9,44 34	9,46 08	10,53 92	9,98 26	53	
	8	9,44 38	9,46 13	10,53 87	9,98 25	52	
	9	9,44 43	9,46 18	10,53 82	9,98 25	51	
16	10	9,44 47	9,46 22	10,53 78	9,98 25	50	73
	11	9,44 52	9,46 27	10,53 73	9,98 24	49	
	12	9,44 56	9,46 32	10,53 68	9,98 24	48	
	13	9,44 60	9,46 37	10,53 63	9,98 24	47	
	14	9,44 65	9,46 41	10,53 59	9,98 23	46	
	15	9,44 69	9,46 46	10,53 54	9,98 23	45	
	16	9,44 73	9,46 51	10,53 49	9,98 23	44	
	17	9,44 78	9,46 55	10,53 45	9,98 22	43	
	18	9,44 82	9,46 60	10,53 40	9,98 22	42	
	19	9,44 86	9,46 65	10,53 35	9,98 21	41	
16	20	9,44 90	9,46 69	10,53 31	9,98 21	40	73
	21	9,44 95	9,46 74	10,53 26	9,98 21	39	
	22	9,44 99	9,46 79	10,53 21	9,98 20	38	
	23	9,45 03	9,46 83	10,53 16	9,98 20	37	
	24	9,45 08	9,46 88	10,53 12	9,98 20	36	
	25	9,45 12	9,46 93	10,53 07	9,98 19	35	
	26	9,45 16	9,46 97	10,53 02	9,98 19	34	
	27	9,45 21	9,47 02	10,52 98	9,98 18	33	
	28	9,45 25	9,47 07	10,52 93	9,98 18	32	
	29	9,45 29	9,47 11	10,52 89	9,98 18	31	
16	30	9,45 33	9,47 16	10,52 84	9,98 17	30	73
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
16	30	9,45 33	9,47 16	10,52 84	9,98 17	30	73
	31	9,45 38	9,47 21	10,52 79	9,98 17	29	
	32	9,45 42	9,47 25	10,52 75	9,98 17	28	
	33	9,45 46	9,47 30	10,52 70	9,98 16	27	
	34	9,45 50	9,47 35	10,52 65	9,98 16	26	
	35	9,45 55	9,47 39	10,52 61	9,98 15	25	
	36	9,45 59	9,47 44	10,52 56	9,98 15	24	
	37	9,45 63	9,47 48	10,52 52	9,98 15	23	
	38	9,45 67	9,47 53	10,52 47	9,98 14	22	
	39	9,45 72	9,47 58	10,52 42	9,98 14	21	
16	40	9,45 76	9,47 62	10,52 38	9,98 14	20	73
	41	9,45 80	9,47 67	10,52 33	9,98 13	19	
	42	9,45 84	9,47 71	10,52 29	9,98 13	18	
	43	9,45 88	9,47 76	10,52 24	9,98 12	17	
	44	9,45 93	9,47 81	10,52 19	9,98 12	16	
	45	9,45 97	9,47 85	10,52 15	9,98 12	15	
	46	9,46 01	9,47 90	10,52 10	9,98 11	14	
	47	9,46 05	9,47 94	10,52 06	9,98 11	13	
	48	9,46 09	9,47 99	10,52 01	9,98 11	12	
	49	9,46 14	9,48 03	10,51 96	9,98 10	11	
16	50	9,46 18	9,48 08	10,51 92	9,98 10	10	73
	51	9,46 22	9,48 13	10,51 87	9,98 09	9	
	52	9,46 26	9,48 17	10,51 83	9,98 09	8	
	53	9,46 30	9,48 22	10,51 78	9,98 09	7	
	54	9,46 34	9,48 26	10,51 74	9,98 08	6	
	55	9,46 39	9,48 31	10,51 69	9,98 08	5	
	56	9,46 43	9,48 35	10,51 65	9,98 07	4	
	57	9,46 47	9,48 40	10,51 60	9,98 07	3	
	58	9,46 51	9,48 44	10,51 56	9,98 07	2	
	59	9,46 55	9,48 49	10,51 51	9,98 06	1	
17	0	9,46 59	9,48 53	10,51 47	9,98 06	0	73
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	°	'
17	0	9,46 59	9,48 53	10,51 47	9,98 06	0	73
	1	9,46 63	9,48 58	10,51 42	9,98 06	59	
	2	9,46 68	9,48 62	10,51 38	9,98 05	58	
	3	9,46 72	9,48 67	10,51 33	9,98 05	57	
	4	9,46 76	9,48 71	10,51 29	9,98 04	56	
	5	9,46 80	9,48 76	10,51 24	9,98 04	55	
	6	9,46 84	9,48 80	10,51 20	9,98 04	54	
	7	9,46 88	9,48 85	10,51 15	9,98 03	53	
	8	9,46 92	9,48 89	10,51 11	9,98 03	52	
	9	9,46 96	9,48 94	10,51 06	9,98 02	51	
17	10	9,47 00	9,48 98	10,51 02	9,98 02	50	72
	11	9,47 04	9,49 03	10,50 97	9,98 02	49	
	12	9,47 09	9,49 07	10,50 93	9,98 01	48	
	13	9,47 13	9,49 12	10,50 88	9,98 01	47	
	14	9,47 17	9,49 16	10,50 84	9,98 00	46	
	15	9,47 21	9,49 21	10,50 79	9,98 00	45	
	16	9,47 25	9,49 25	10,50 75	9,98 00	44	
	17	9,47 29	9,49 30	10,50 70	9,97 99	43	
	18	9,47 33	9,49 34	10,50 66	9,97 99	42	
	19	9,47 37	9,49 38	10,50 61	9,97 99	41	
17	20	9,47 41	9,49 43	10,50 57	9,97 98	40	72
	21	9,47 45	9,49 47	10,50 53	9,97 98	39	
	22	9,47 49	9,49 52	10,50 48	9,97 97	38	
	23	9,47 53	9,49 56	10,50 44	9,97 97	37	
	24	9,47 57	9,49 61	10,50 39	9,97 97	36	
	25	9,47 61	9,49 65	10,50 35	9,97 96	35	
	26	9,47 65	9,49 70	10,50 30	9,97 96	34	
	27	9,47 69	9,49 74	10,50 26	9,97 95	33	
	28	9,47 73	9,49 78	10,50 22	9,97 95	32	
	29	9,47 77	9,49 83	10,50 17	9,97 95	31	
17	30	9,47 81	9,49 87	10,50 13	9,97 94	30	72
	°	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
17	30	9.47 81	9.49 87	10.50 13	9.97 94	30	72
	31	9.47 85	9.49 92	10.50 08	9.97 94	29	
	32	9.47 89	9.49 96	10.50 04	9.97 93	28	
	33	9.47 93	9.50 00	10.50 00	9.97 93	27	
	34	9.47 97	9.50 05	10.49 95	9.97 93	26	
	35	9.48 01	9.50 09	10.49 91	9.97 92	25	
	36	9.48 05	9.50 14	10.49 86	9.97 92	24	
	37	9.48 09	9.50 18	10.49 82	9.97 91	23	
	38	9.48 13	9.50 22	10.49 78	9.97 91	22	
	39	9.48 17	9.50 27	10.49 73	9.97 91	21	
	40	9.48 21	9.50 31	10.49 69	9.97 90	20	72
	41	9.48 25	9.50 35	10.49 64	9.97 90	19	
	42	9.48 29	9.50 40	10.49 60	9.97 89	18	
	43	9.48 33	9.50 44	10.49 56	9.97 89	17	
	44	9.48 37	9.50 48	10.49 51	9.97 89	16	
	45	9.48 41	9.50 53	10.49 47	9.97 88	15	
	46	9.48 45	9.50 57	10.49 43	9.97 88	14	
	47	9.48 49	9.50 62	10.49 38	9.97 87	13	
	48	9.48 53	9.50 66	10.49 34	9.97 87	12	
	49	9.48 57	9.50 70	10.49 30	9.97 87	11	
17	50	9.48 61	9.50 75	10.49 25	9.97 86	10	72
	51	9.48 65	9.50 79	10.49 21	9.97 86	9	
	52	9.48 69	9.50 83	10.49 17	9.97 85	8	
	53	9.48 72	9.50 88	10.49 12	9.97 85	7	
	54	9.48 76	9.50 92	10.49 08	9.97 84	6	
	55	9.48 80	9.50 96	10.49 04	9.97 84	5	
	56	9.48 84	9.51 00	10.48 99	9.97 84	4	
	57	9.48 88	9.51 05	10.48 95	9.97 83	3	
	58	9.48 92	9.51 09	10.48 91	9.97 83	2	
	59	9.48 96	9.51 13	10.48 86	9.97 82	1	
	0	9.49 00	9.51 18	10.48 82	9.97 82	0	72
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
18	0	9,49 00	9,51 18	10,48 82	9,97 82	0	72
	1	9,49 04	9,51 22	10,48 78	9,97 82	59	
	2	9,49 08	9,51 26	10,48 74	9,97 81	58	
	3	9,49 11	9,51 31	10,48 69	9,97 81	57	
	4	9,49 15	9,51 35	10,48 65	9,97 80	56	
	5	9,49 19	9,51 39	10,48 61	9,97 80	55	
	6	9,49 23	9,51 43	10,48 56	9,97 80	54	
	7	9,49 27	9,51 48	10,48 52	9,97 79	53	
	8	9,49 31	9,51 52	10,48 48	9,97 79	52	
	9	9,49 35	9,51 56	10,48 44	9,97 78	51	
18	10	9,49 38	9,51 61	10,48 39	9,97 78	50	71
	11	9,49 42	9,51 65	10,48 35	9,97 77	49	
	12	9,49 46	9,51 69	10,48 31	9,97 77	48	
	13	9,49 50	9,51 73	10,48 27	9,97 77	47	
	14	9,49 54	9,51 78	10,48 22	9,97 76	46	
	15	9,49 58	9,51 82	10,48 18	9,97 76	45	
	16	9,49 61	9,51 86	10,48 14	9,97 75	44	
	17	9,49 65	9,51 90	10,48 10	9,97 75	43	
	18	9,49 69	9,51 95	10,48 05	9,97 75	42	
	19	9,49 73	9,51 99	10,48 01	9,97 74	41	
18	20	9,49 77	9,52 03	10,47 97	9,97 74	40	71
	21	9,49 81	9,52 07	10,47 93	9,97 73	39	
	22	9,49 84	9,52 11	10,47 88	9,97 73	38	
	23	9,49 88	9,52 16	10,47 84	9,97 72	37	
	24	9,49 92	9,52 20	10,47 80	9,97 72	36	
	25	9,49 96	9,52 24	10,47 76	9,97 72	35	
	26	9,50 00	9,52 28	10,47 72	9,97 71	34	
	27	9,50 03	9,52 33	10,47 67	9,97 71	33	
	28	9,50 07	9,52 37	10,47 63	9,97 70	32	
	29	9,50 11	9,52 41	10,47 59	9,97 70	31	
18	30	9,50 15	9,52 45	10,47 55	9,97 70	30	71
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.		°
18	30	9,50 15	9,52 45	10,47 55	9,97 70	30	71
	31	9,50 18	9,52 49	10,47 51	9,97 69	29	
	32	9,50 22	9,52 54	10,47 46	9,97 69	28	
	33	9,50 26	9,52 58	10,47 42	9,97 68	27	
	34	9,50 30	9,52 62	10,47 38	9,97 68	26	
	35	9,50 34	9,52 66	10,47 34	9,97 67	25	
	36	9,50 37	9,52 70	10,47 30	9,97 67	24	
	37	9,50 41	9,52 74	10,47 25	9,97 67	23	
	38	9,50 45	9,52 79	10,47 21	9,97 66	22	
	39	9,50 49	9,52 83	10,47 17	9,97 66	21	
18	40	9,50 52	9,52 87	10,47 13	9,97 65	20	71
	41	9,50 56	9,52 91	10,47 09	9,97 65	19	
	42	9,50 60	9,52 95	10,47 05	9,97 64	18	
	43	9,50 63	9,52 99	10,47 00	9,97 64	17	
	44	9,50 67	9,53 04	10,46 96	9,97 64	16	
	45	9,50 71	9,53 08	10,46 92	9,97 63	15	
	46	9,50 75	9,53 12	10,46 88	9,97 63	14	
	47	9,50 78	9,53 16	10,46 84	9,97 62	13	
	48	9,50 82	9,53 20	10,46 80	9,97 62	12	
	49	9,50 86	9,53 24	10,46 76	9,97 61	11	
18	50	9,50 90	9,53 28	10,46 71	9,97 61	10	71
	51	9,50 93	9,53 33	10,46 67	9,97 61	9	
	52	9,50 97	9,53 37	10,46 63	9,97 60	8	
	53	9,51 01	9,53 41	10,46 59	9,97 60	7	
	54	9,51 04	9,53 45	10,46 55	9,97 59	6	
	55	9,51 08	9,53 49	10,46 51	9,97 59	5	
	56	9,51 12	9,53 53	10,46 47	9,97 58	4	
	57	9,51 15	9,53 57	10,46 43	9,97 58	3	
	58	9,51 19	9,53 61	10,46 38	9,97 58	2	
	59	9,51 23	9,53 66	10,46 34	9,97 57	1	
19	0	9,51 26	9,53 70	10,46 30	9,97 57	0	71
	1						
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	<i>r</i>	<i>o</i>
19	0	9,51 26	9,53 70	10,46 30	9,97 57	0	71
	1	9,51 30	9,53 74	10,46 26	9,97 56	59	
	2	9,51 34	9,53 78	10,46 22	9,97 56	58	
	3	9,51 37	9,53 82	10,46 18	9,97 55	57	
	4	9,51 41	9,53 86	10,46 14	9,97 55	56	
	5	9,51 45	9,53 90	10,46 10	9,97 54	55	
	6	9,51 48	9,53 94	10,46 06	9,97 54	54	
	7	9,51 52	9,53 98	10,46 02	9,97 54	53	
	8	9,51 56	9,54 02	10,45 97	9,97 53	52	
	9	9,51 59	9,54 06	10,45 93	9,97 53	51	
19	10	9,51 63	9,54 11	10,45 89	9,97 52	50	70
	11	9,51 67	9,54 15	10,45 85	9,97 52	49	
	12	9,51 70	9,54 19	10,45 81	9,97 51	48	
	13	9,51 74	9,54 23	10,45 77	9,97 51	47	
	14	9,51 77	9,54 27	10,45 73	9,97 51	46	
	15	9,51 81	9,54 31	10,45 69	9,97 50	45	
	16	9,51 85	9,54 35	10,45 65	9,97 50	44	
	17	9,51 88	9,54 39	10,45 61	9,97 49	43	
	18	9,51 92	9,54 43	10,45 57	9,97 49	42	
	19	9,51 95	9,54 47	10,45 53	9,97 48	41	
19	20	9,51 99	9,54 51	10,45 49	9,97 48	40	70
	21	9,52 03	9,54 55	10,45 45	9,97 47	39	
	22	9,52 06	9,54 59	10,45 41	9,97 47	38	
	23	9,52 10	9,54 63	10,45 37	9,97 47	37	
	24	9,52 13	9,54 67	10,45 33	9,97 46	36	
	25	9,52 17	9,54 71	10,45 29	9,97 46	35	
	26	9,52 21	9,54 75	10,45 25	9,97 45	34	
	27	9,52 24	9,54 79	10,45 21	9,97 45	33	
	28	9,52 28	9,54 83	10,45 16	9,97 44	32	
	29	9,52 31	9,54 87	10,45 12	9,97 44	31	
19	30	9,52 35	9,54 91	10,45 08	9,97 43	30	70
<i>o</i>	<i>r</i>	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.	<i>r</i>	<i>a</i>
19	30	9,52 35	9,54 91	10,45 08	9,97 43	30	70
	31	9,52 38	9,54 95	10,45 04	9,97 43	29	
	32	9,52 42	9,54 99	10,45 00	9,97 43	28	
	33	9,52 46	9,55 03	10,44 96	9,97 42	27	
	34	9,52 49	9,55 07	10,44 92	9,97 42	26	
	35	9,52 53	9,55 11	10,44 88	9,97 41	25	
	36	9,52 56	9,55 15	10,44 84	9,97 41	24	
	37	9,52 60	9,55 19	10,44 80	9,97 40	23	
	38	9,52 63	9,55 23	10,44 76	9,97 40	22	
	39	9,52 67	9,55 27	10,44 72	9,97 39	21	
19	40	9,52 70	9,55 31	10,44 68	9,97 39	20	70
	41	9,52 74	9,55 35	10,44 64	9,97 38	19	
	42	9,52 77	9,55 39	10,44 60	9,97 38	18	
	43	9,52 81	9,55 43	10,44 57	9,97 38	17	
	44	9,52 85	9,55 47	10,44 53	9,97 37	16	
	45	9,52 88	9,55 51	10,44 49	9,97 37	15	
	46	9,52 92	9,55 55	10,44 45	9,97 36	14	
	47	9,52 95	9,55 59	10,44 41	9,97 36	13	
	48	9,52 99	9,55 63	10,44 37	9,97 35	12	
	49	9,53 02	9,55 67	10,44 33	9,97 35	11	
19	50	9,53 06	9,55 71	10,44 29	9,97 34	10	70
	51	9,53 09	9,55 75	10,44 25	9,97 34	9	
	52	9,53 13	9,55 79	10,44 21	9,97 33	8	
	53	9,53 16	9,55 83	10,44 17	9,97 33	7	
	54	9,53 20	9,55 87	10,44 13	9,97 33	6	
	55	9,53 23	9,55 91	10,44 09	9,97 32	5	
	56	9,53 27	9,55 95	10,44 05	9,97 32	4	
	57	9,53 30	9,55 99	10,44 01	9,97 31	3	
	58	9,53 34	9,56 03	10,43 97	9,97 31	2	
	59	9,53 37	9,56 07	10,43 93	9,97 30	1	
20	0	9,53 40	9,56 11	10,43 89	9,97 30	0	70
<i>a</i>	<i>r</i>	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
20	0	9,53 40	9,56 11	10,43 89	9,97 30	0	70
	1	9,53 44	9,56 15	10,43 85	9,97 29	59	
	2	9,53 47	9,56 18	10,43 81	9,97 29	58	
	3	9,53 51	9,56 22	10,43 78	9,97 28	57	
	4	9,53 54	9,56 26	10,43 74	9,97 28	56	
	5	9,53 58	9,56 30	10,43 70	9,97 28	55	
	6	9,53 61	9,56 34	10,43 66	9,97 27	54	
	7	9,53 65	9,56 38	10,43 62	9,97 27	53	
	8	9,53 68	9,56 42	10,43 58	9,97 26	52	
	9	9,53 72	9,56 46	10,43 54	9,97 26	51	
20	10	9,53 75	9,56 50	10,43 50	9,97 25	50	69
	11	9,53 78	9,56 54	10,43 46	9,97 25	49	
	12	9,53 82	9,56 58	10,43 42	9,97 24	48	
	13	9,53 85	9,56 61	10,43 38	9,97 24	47	
	14	9,53 89	9,56 65	10,43 35	9,97 23	46	
	15	9,53 92	9,56 69	10,43 31	9,97 23	45	
	16	9,53 96	9,56 73	10,43 27	9,97 22	44	
	17	9,53 99	9,56 77	10,43 23	9,97 22	43	
	18	9,54 02	9,56 81	10,43 19	9,97 21	42	
	19	9,54 06	9,56 85	10,43 15	9,97 21	41	
20	20	9,54 09	9,56 89	10,43 11	9,97 21	40	69
	21	9,54 13	9,56 93	10,43 07	9,97 20	39	
	22	9,54 16	9,56 96	10,43 03	9,97 20	38	
	23	9,54 19	9,57 00	10,43 00	9,97 19	37	
	24	9,54 23	9,57 04	10,42 96	9,97 19	36	
	25	9,54 26	9,57 08	10,42 92	9,97 18	35	
	26	9,54 30	9,57 12	10,42 88	9,97 18	34	
	27	9,54 33	9,57 16	10,42 84	9,97 17	33	
	28	9,54 36	9,57 20	10,42 80	9,97 17	32	
	29	9,54 40	9,57 23	10,42 76	9,97 16	31	
20	30	9,54 43	9,57 27	10,42 73	9,97 16	30	69
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
20	30	9,54 43	9,57 27	10,42 73	9,97 16	30	69
	31	9,54 47	9,57 31	10,42 69	9,97 15	29	
	32	9,54 50	9,57 35	10,42 65	9,97 15	28	
	33	9,54 53	9,57 39	10,42 61	9,97 14	27	
	34	9,54 57	9,57 43	10,42 57	9,97 14	26	
	35	9,54 60	9,57 47	10,42 53	9,97 13	25	
	36	9,54 63	9,57 50	10,42 50	9,97 13	24	
	37	9,54 67	9,57 54	10,42 46	9,97 13	23	
	38	9,54 70	9,57 58	10,42 42	9,97 12	22	
	39	9,54 73	9,57 62	10,42 38	9,97 12	21	
20	40	9,54 77	9,57 66	10,42 34	9,97 11	20	69
	41	9,54 80	9,57 70	10,42 30	9,97 11	19	
	42	9,54 84	9,57 73	10,42 27	9,97 10	18	
	43	9,54 87	9,57 77	10,42 23	9,97 10	17	
	44	9,54 90	9,57 81	10,42 19	9,97 09	16	
	45	9,54 94	9,57 85	10,42 15	9,97 09	15	
	46	9,54 97	9,57 89	10,42 11	9,97 08	14	
	47	9,55 00	9,57 92	10,42 07	9,97 08	13	
	48	9,55 04	9,57 96	10,42 04	9,97 07	12	
	49	9,55 07	9,58 00	10,42 00	9,97 07	11	
20	50	9,55 10	9,58 04	10,41 96	9,97 06	10	69
	51	9,55 14	9,58 08	10,41 92	9,97 06	9	
	52	9,55 17	9,58 11	10,41 88	9,97 05	8	
	53	9,55 20	9,58 15	10,41 85	9,97 05	7	
	54	9,55 23	9,58 19	10,41 81	9,97 04	6	
	55	9,55 27	9,58 23	10,41 77	9,97 04	5	
	56	9,55 30	9,58 27	10,41 73	9,97 03	4	
	57	9,55 33	9,58 30	10,41 70	9,97 03	3	
	58	9,55 37	9,58 34	10,41 66	9,97 02	2	
	59	9,55 40	9,58 38	10,41 62	9,97 02	1	
21	0	9,55 43	9,58 42	10,41 58	9,97 01	0	69
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
21	0	9,55 43	9,58 42	10,41 58	9,97 01	0	69
	1	9,55 47	9,58 45	10,41 54	9,97 01	59	
	2	9,55 50	9,58 49	10,41 51	9,97 00	58	
	3	9,55 53	9,58 53	10,41 47	9,97 00	57	
	4	9,55 56	9,58 57	10,41 43	9,97 00	56	
	5	9,55 60	9,58 61	10,41 39	9,96 99	55	
	6	9,55 63	9,58 64	10,41 36	9,96 99	54	
	7	9,55 66	9,58 68	10,41 32	9,96 98	53	
	8	9,55 69	9,58 72	10,41 28	9,96 98	52	
	9	9,55 73	9,58 76	10,41 24	9,96 97	51	
21	10	9,55 76	9,58 79	10,41 21	9,96 97	50	68
	11	9,55 79	9,58 83	10,41 17	9,96 96	49	
	12	9,55 83	9,58 87	10,41 13	9,96 96	48	
	13	9,55 86	9,58 91	10,41 09	9,96 95	47	
	14	9,55 89	9,58 94	10,41 06	9,96 95	46	
	15	9,55 92	9,58 98	10,41 02	9,96 94	45	
	16	9,55 96	9,59 02	10,40 98	9,96 94	44	
	17	9,55 99	9,59 06	10,40 94	9,96 93	43	
	18	9,56 02	9,59 09	10,40 91	9,96 93	42	
	19	9,56 05	9,59 13	10,40 87	9,96 92	41	
21	20	9,56 08	9,59 17	10,40 83	9,96 92	40	68
	21	9,56 12	9,59 20	10,40 79	9,96 91	39	
	22	9,56 15	9,59 24	10,40 76	9,96 91	38	
	23	9,56 18	9,59 28	10,40 72	9,96 90	37	
	24	9,56 21	9,59 32	10,40 68	9,96 90	36	
	25	9,56 25	9,59 35	10,40 65	9,96 89	35	
	26	9,56 28	9,59 39	10,40 61	9,96 89	34	
	27	9,56 31	9,59 43	10,40 57	9,96 88	33	
	28	9,56 34	9,59 47	10,40 53	9,96 88	32	
	29	9,56 37	9,59 50	10,40 50	9,96 87	31	
21	30	9,56 41	9,59 54	10,40 46	9,96 87	30	68
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
21	30	9,56 41	9,59 54	10,40 46	9,96 87	30	68
	31	9,56 44	9,59 58	10,40 42	9,96 86	29	
	32	9,56 47	9,59 61	10,40 39	9,96 86	28	
	33	9,56 50	9,59 65	10,40 35	9,96 85	27	
	34	9,56 54	9,59 69	10,40 31	9,96 85	26	
	35	9,56 57	9,59 72	10,40 27	9,96 84	25	
	36	9,56 60	9,59 76	10,40 24	9,96 84	24	
	37	9,56 63	9,59 80	10,40 20	9,96 83	23	
	38	9,56 66	9,59 83	10,40 16	9,96 83	22	
	39	9,56 69	9,59 87	10,40 13	9,96 82	21	
21	40	9,56 73	9,59 91	10,40 09	9,96 82	20	68
	41	9,56 76	9,59 95	10,40 05	9,96 81	19	
	42	9,56 79	9,59 98	10,40 02	9,96 81	18	
	43	9,56 82	9,60 02	10,39 98	9,96 80	17	
	44	9,56 85	9,60 06	10,39 94	9,96 80	16	
	45	9,56 89	9,60 09	10,39 91	9,96 79	15	
	46	9,56 92	9,60 13	10,39 87	9,96 79	14	
	47	9,56 95	9,60 17	10,39 83	9,96 78	13	
	48	9,56 98	9,60 20	10,39 80	9,96 78	12	
	49	9,57 01	9,60 24	10,39 76	9,96 77	11	
21	50	9,57 04	9,60 28	10,39 72	9,96 77	10	68
	51	9,57 07	9,60 31	10,39 69	9,96 76	9	
	52	9,57 11	9,60 35	10,39 65	9,96 76	8	
	53	9,57 14	9,60 39	10,39 61	9,96 75	7	
	54	9,57 17	9,60 42	10,39 58	9,96 75	6	
	55	9,57 20	9,60 46	10,39 54	9,96 74	5	
	56	9,57 23	9,60 49	10,39 50	9,96 74	4	
	57	9,57 26	9,60 53	10,39 47	9,96 73	3	
	58	9,57 29	9,60 57	10,39 43	9,96 73	2	
	59	9,57 33	9,60 60	10,39 39	9,96 72	1	
22	0	9,57 36	9,60 64	10,39 36	9,96 72	0	68
	°	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
22	0	9,57 36	9,60 64	10,39 36	9,96 72	0	68
	1	9,57 39	9,60 68	10,39 32	9,96 71	59	
	2	9,57 42	9,60 71	10,39 29	9,96 71	58	
	3	9,57 45	9,60 75	10,39 25	9,96 70	57	
	4	9,57 48	9,60 79	10,39 21	9,96 70	56	
	5	9,57 51	9,60 82	10,39 18	9,96 69	55	
	6	9,57 54	9,60 86	10,39 14	9,96 69	54	
	7	9,57 58	9,60 89	10,39 10	9,96 68	53	
	8	9,57 61	9,60 93	10,39 07	9,96 68	52	
	9	9,57 64	9,60 97	10,39 03	9,96 67	51	
22	10	9,57 67	9,61 00	10,39 00	9,96 66	50	67
	11	9,57 70	9,61 04	10,38 96	9,96 66	49	
	12	9,57 73	9,61 08	10,38 92	9,96 65	48	
	13	9,57 76	9,61 11	10,38 89	9,96 65	47	
	14	9,57 79	9,61 15	10,38 85	9,96 64	46	
	15	9,57 82	9,61 18	10,38 82	9,96 64	45	
	16	9,57 85	9,61 22	10,38 78	9,96 63	44	
	17	9,57 88	9,61 26	10,38 74	9,96 63	43	
	18	9,57 92	9,61 29	10,38 71	9,96 62	42	
	19	9,57 95	9,61 33	10,38 67	9,96 62	41	
22	20	9,57 98	9,61 36	10,38 64	9,96 61	40	67
	21	9,58 01	9,61 40	10,38 60	9,96 61	39	
	22	9,58 04	9,61 44	10,38 56	9,96 60	38	
	23	9,58 07	9,61 47	10,38 53	9,96 60	37	
	24	9,58 10	9,61 51	10,38 49	9,96 59	36	
	25	9,58 13	9,61 54	10,38 46	9,96 59	35	
	26	9,58 16	9,61 58	10,38 42	9,96 58	34	
	27	9,58 19	9,61 61	10,38 38	9,96 58	33	
	28	9,58 22	9,61 65	10,38 35	9,96 57	32	
	29	9,58 25	9,61 69	10,38 31	9,96 57	31	
22	30	9,58 28	9,61 72	10,38 28	9,96 56	30	67
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	°	'	°
22	30	9.58 28	9.61 72	10.38 28	9.96 56	30	67	
	31	9.58 31	9.61 76	10.38 24	9.96 56	29		
	32	9.58 34	9.61 79	10.38 21	9.96 55	28		
	33	9.58 37	9.61 83	10.38 17	9.96 55	27		
	34	9.58 41	9.61 86	10.38 13	9.96 54	26		
	35	9.58 44	9.61 90	10.38 10	9.96 53	25		
	36	9.58 47	9.61 94	10.38 06	9.96 53	24		
	37	9.58 50	9.61 97	10.38 03	9.96 52	23		
	38	9.58 53	9.62 01	10.37 99	9.96 52	22		
	39	9.58 56	9.62 04	10.37 96	9.96 51	21		
	40	9.58 59	9.62 08	10.37 92	9.96 51	20	67	
	41	9.58 62	9.62 11	10.37 89	9.96 50	19		
	42	9.58 65	9.62 15	10.37 85	9.96 50	18		
	43	9.58 68	9.62 18	10.37 81	9.96 49	17		
	44	9.58 71	9.62 22	10.37 78	9.96 49	16		
	45	9.58 74	9.62 26	10.37 74	9.96 48	15		
	46	9.58 77	9.62 29	10.37 71	9.96 48	14		
	47	9.58 80	9.62 33	10.37 67	9.96 47	13		
	48	9.58 83	9.62 36	10.37 64	9.96 47	12		
	49	9.58 86	9.62 40	10.37 60	9.96 46	11		
22	50	9.58 89	9.62 43	10.37 57	9.96 46	10	67	
	51	9.58 92	9.62 47	10.37 53	9.96 45	9		
	52	9.58 95	9.62 50	10.37 50	9.96 44	8		
	53	9.58 98	9.62 54	10.37 46	9.96 44	7		
	54	9.59 01	9.62 57	10.37 43	9.96 43	6		
	55	9.59 04	9.62 61	10.37 39	9.96 43	5		
	56	9.59 07	9.62 64	10.37 35	9.96 42	4		
	57	9.59 10	9.62 68	10.37 32	9.96 42	3		
	58	9.59 13	9.62 71	10.37 28	9.96 41	2		
	59	9.59 16	9.62 75	10.37 25	9.96 41	1		
	0	9.59 19	9.62 78	10.37 21	9.96 40	0	67	
		log cos.	log cotg.	log tang.	log sin.	M.	D.	

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
<b>23</b>	<b>0</b>	9,59 19	9,62 78	10,37 21	9,96 40	<b>0</b>	<b>67</b>
	1	9,59 22	9,62 82	10,37 18	9,96 40	59	
	2	9,59 25	9,62 85	10,37 14	9,96 39	58	
	3	9,59 28	9,62 89	10,37 11	9,96 39	57	
	4	9,59 31	9,62 93	10,37 07	9,96 38	56	
	5	9,59 34	9,62 96	10,37 04	9,96 38	55	
	6	9,59 37	9,63 00	10,37 00	9,96 37	54	
	7	9,59 40	9,63 03	10,36 97	9,96 36	53	
	8	9,59 42	9,63 07	10,36 93	9,96 36	52	
	9	9,59 45	9,63 10	10,36 90	9,96 35	51	
	<b>10</b>	9,59 48	9,63 13	10,36 86	9,96 35	<b>50</b>	
	11	9,59 51	9,63 17	10,36 83	9,96 34	49	
	12	9,59 54	9,63 20	10,36 79	9,96 34	48	
	13	9,59 57	9,63 24	10,36 76	9,96 33	47	
	14	9,59 60	9,63 27	10,36 72	9,96 33	46	
	15	9,59 63	9,63 31	10,36 69	9,96 32	45	
	16	9,59 66	9,63 34	10,36 65	9,96 32	44	
	17	9,59 69	9,63 38	10,36 62	9,96 31	43	
	18	9,59 72	9,63 41	10,36 59	9,96 30	42	
	19	9,59 75	9,63 45	10,36 55	9,96 30	41	
<b>23</b>	<b>20</b>	9,59 78	9,63 48	10,36 52	9,96 29	<b>40</b>	<b>66</b>
	21	9,59 81	9,63 52	10,36 48	9,96 29	39	
	22	9,59 84	9,63 55	10,36 45	9,96 28	38	
	23	9,59 87	9,63 59	10,36 41	9,96 28	37	
	24	9,59 89	9,63 62	10,36 38	9,96 27	36	
	25	9,59 92	9,63 66	10,36 34	9,96 27	35	
	26	9,59 95	9,63 69	10,36 31	9,96 26	34	
	27	9,59 98	9,63 73	10,36 27	9,96 26	33	
	28	9,60 01	9,63 76	10,36 24	9,96 25	32	
	29	9,60 04	9,63 80	10,36 20	9,96 24	31	
	<b>30</b>	9,60 07	9,63 83	10,36 17	9,96 24	<b>30</b>	
	<b>30</b>	9,60 07	9,63 83	10,36 17	9,96 24	<b>30</b>	
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.	'	"
<b>23</b>	<b>30</b>	9,60 07	9,63 83	10,36 17	9,96 24	<b>30</b>	<b>66</b>
	31	9,60 10	9,63 86	10,36 13	9,96 23	29	
	32	9,60 13	9,63 90	10,36 10	9,96 23	28	
	33	9,60 16	9,63 93	10,36 07	9,96 22	27	
	34	9,60 19	9,63 97	10,36 03	9,96 22	26	
	35	9,60 21	9,64 00	10,36 00	9,96 21	25	
	36	9,60 24	9,64 04	10,35 96	9,96 21	24	
	37	9,60 27	9,64 07	10,35 93	9,96 20	23	
	38	9,60 30	9,64 11	10,35 89	9,96 20	22	
	39	9,60 33	9,64 14	10,35 86	9,96 19	21	
<b>23</b>	<b>40</b>	9,60 36	9,64 17	10,35 82	9,96 18	<b>20</b>	<b>66</b>
	41	9,60 39	9,64 21	10,35 79	9,96 18	19	
	42	9,60 42	9,64 24	10,35 76	9,96 17	18	
	43	9,60 45	9,64 28	10,35 72	9,96 17	17	
	44	9,60 47	9,64 31	10,35 69	9,96 16	16	
	45	9,60 50	9,64 35	10,35 65	9,96 16	15	
	46	9,60 53	9,64 38	10,35 62	9,96 15	14	
	47	9,60 56	9,64 41	10,35 58	9,96 15	13	
	48	9,60 59	9,64 45	10,35 55	9,96 14	12	
	49	9,60 62	9,64 48	10,35 52	9,96 13	11	
<b>23</b>	<b>50</b>	9,60 65	9,64 52	10,35 48	9,96 13	<b>10</b>	<b>66</b>
	51	9,60 67	9,64 55	10,35 45	9,96 12	9	
	52	9,60 70	9,64 59	10,35 41	9,96 12	8	
	53	9,60 73	9,64 62	10,35 38	9,96 11	7	
	54	9,60 76	9,64 65	10,35 35	9,96 11	6	
	55	9,60 79	9,64 69	10,35 31	9,96 10	5	
	56	9,60 82	9,64 72	10,35 28	9,96 09	4	
	57	9,60 85	9,64 76	10,35 24	9,96 09	3	
	58	9,60 87	9,64 79	10,35 21	9,96 08	2	
	59	9,60 90	9,64 82	10,35 18	9,96 08	1	
<b>24</b>	<b>0</b>	9,60 93	9,64 86	10,35 14	9,96 07	<b>0</b>	<b>66</b>
"	"	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
24	0	9,60 93	9,64 86	10,35 14	9,96 07	0	66
	1	9,60 96	9,64 89	10,35 11	9,96 07	59	
	2	9,60 99	9,64 93	10,35 07	9,96 06	58	
	3	9,61 02	9,64 96	10,35 04	9,96 06	57	
	4	9,61 04	9,64 99	10,35 01	9,96 05	56	
	5	9,61 07	9,65 03	10,34 97	9,96 04	55	
	6	9,61 10	9,65 06	10,34 94	9,96 04	54	
	7	9,61 13	9,65 10	10,34 90	9,96 03	53	
	8	9,61 16	9,65 13	10,34 87	9,96 03	52	
	9	9,61 19	9,65 16	10,34 84	9,96 02	51	
24	10	9,61 21	9,65 20	10,34 80	9,96 02	50	65
	11	9,61 24	9,65 23	10,34 77	9,96 01	49	
	12	9,61 27	9,65 26	10,34 73	9,96 00	48	
	13	9,61 30	9,65 30	10,34 70	9,96 00	47	
	14	9,61 33	9,65 33	10,34 67	9,95 99	46	
	15	9,61 35	9,65 37	10,34 63	9,95 99	45	
	16	9,61 38	9,65 40	10,34 60	9,95 98	44	
	17	9,61 41	9,65 43	10,34 57	9,95 98	43	
	18	9,61 44	9,65 47	10,34 53	9,95 97	42	
	19	9,61 47	9,65 50	10,34 50	9,95 96	41	
24	20	9,61 49	9,65 53	10,34 46	9,95 96	40	65
	21	9,61 52	9,65 57	10,34 43	9,95 95	39	
	22	9,61 55	9,65 60	10,34 40	9,95 95	38	
	23	9,61 58	9,65 64	10,34 36	9,95 94	37	
	24	9,61 61	9,65 67	10,34 33	9,95 94	36	
	25	9,61 63	9,65 70	10,34 30	9,95 93	35	
	26	9,61 66	9,65 74	10,34 26	9,95 92	34	
	27	9,61 69	9,65 77	10,34 23	9,95 92	33	
	28	9,61 72	9,65 80	10,34 20	9,95 91	32	
	29	9,61 74	9,65 84	10,34 16	9,95 91	31	
24	30	9,61 77	9,65 87	10,34 13	9,95 90	30	65
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	cont.
24	30	9,61 77	9,65 87	10,34 13	9,95 90	30	6
	31	9,61 80	9,65 90	10,34 10	9,95 90	29	
	32	9,61 83	9,65 94	10,34 06	9,95 89	28	
	33	9,61 86	9,65 97	10,34 03	9,95 88	27	
	34	9,61 88	9,66 00	10,34 00	9,95 88	26	
	35	9,61 91	9,66 04	10,33 96	9,95 87	25	
	36	9,61 94	9,66 07	10,33 93	9,95 87	24	
	37	9,61 97	9,66 10	10,33 90	9,95 86	23	
	38	9,61 99	9,66 14	10,33 86	9,95 86	22	
	39	9,62 02	9,66 17	10,33 83	9,95 85	21	
24	40	9,62 05	9,66 20	10,33 80	9,95 84	20	6
	41	9,62 08	9,66 24	10,33 76	9,95 84	19	
	42	9,62 10	9,66 27	10,33 73	9,95 83	18	
	43	9,62 13	9,66 30	10,33 70	9,95 83	17	
	44	9,62 16	9,66 34	10,33 66	9,95 82	16	
	45	9,62 19	9,66 37	10,33 63	9,95 81	15	
	46	9,62 21	9,66 40	10,33 60	9,95 81	14	
	47	9,62 24	9,66 44	10,33 56	9,95 80	13	
	48	9,62 27	9,66 47	10,33 53	9,95 80	12	
	49	9,62 30	9,66 50	10,33 50	9,95 79	11	
24	50	9,62 32	9,66 54	10,33 46	9,95 79	10	6
	51	9,62 35	9,66 57	10,33 43	9,95 78	9	
	52	9,62 38	9,66 60	10,33 40	9,95 77	8	
	53	9,62 40	9,66 64	10,33 36	9,95 77	7	
	54	9,62 43	9,66 67	10,33 33	9,95 76	6	
	55	9,62 46	9,66 70	10,33 30	9,95 76	5	
	56	9,62 49	9,66 73	10,33 26	9,95 75	4	
	57	9,62 51	9,66 77	10,33 23	9,95 74	3	
	58	9,62 54	9,66 80	10,33 20	9,95 74	2	
	59	9,62 57	9,66 83	10,33 17	9,95 73	1	
25	0	9,62 59	9,66 87	10,33 13	9,95 73	0	6
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
25	0	9,62 59	9,66 87	10,33 13	9,95 73	0	65
	1	9,62 62	9,66 90	10,33 10	9,95 72	59	
	2	9,62 65	9,66 93	10,33 07	9,95 72	58	
	3	9,62 68	9,66 97	10,33 03	9,95 71	57	
	4	9,62 70	9,67 00	10,33 00	9,95 70	56	
	5	9,62 73	9,67 03	10,32 97	9,95 70	55	
	6	9,62 76	9,67 06	10,32 93	9,95 69	54	
	7	9,62 78	9,67 10	10,32 90	9,95 69	53	
	8	9,62 81	9,67 13	10,32 87	9,95 68	52	
	9	9,62 84	9,67 16	10,32 84	9,95 67	51	
25	10	9,62 86	9,67 20	10,32 80	9,95 67	50	64
	11	9,62 89	9,67 23	10,32 77	9,95 66	49	
	12	9,62 92	9,67 26	10,32 74	9,95 66	48	
	13	9,62 94	9,67 29	10,32 70	9,95 65	47	
	14	9,62 97	9,67 33	10,32 67	9,95 64	46	
	15	9,63 00	9,67 36	10,32 64	9,95 64	45	
	16	9,63 03	9,67 39	10,32 61	9,95 63	44	
	17	9,63 05	9,67 43	10,32 57	9,95 63	43	
	18	9,63 08	9,67 46	10,32 54	9,95 62	42	
	19	9,63 11	9,67 49	10,32 51	9,95 61	41	
25	20	9,63 13	9,67 52	10,32 48	9,95 61	40	64
	21	9,63 16	9,67 56	10,32 44	9,95 60	39	
	22	9,63 19	9,67 59	10,32 41	9,95 60	38	
	23	9,63 21	9,67 62	10,32 38	9,95 59	37	
	24	9,63 24	9,67 65	10,32 35	9,95 58	36	
	25	9,63 27	9,67 69	10,32 31	9,95 58	35	
	26	9,63 29	9,67 72	10,32 28	9,95 57	34	
	27	9,63 32	9,67 75	10,32 25	9,95 57	33	
	28	9,63 34	9,67 78	10,32 21	9,95 56	32	
	29	9,63 37	9,67 82	10,32 18	9,95 55	31	
25	30	9,63 40	9,67 85	10,32 15	9,95 55	30	64
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	°	'
<b>25</b>	<b>30</b>	9,63 40	9,67 85	10,32 15	9,95 55	<b>30</b>	<b>64</b>
	31	9,63 42	9,67 88	10,32 12	9,95 54	29	
	32	9,63 45	9,67 91	10,32 08	9,95 54	28	
	33	9,63 48	9,67 95	10,32 05	9,95 53	27	
	34	9,63 50	9,67 98	10,32 02	9,95 52	26	
	35	9,63 53	9,68 01	10,31 99	9,95 52	25	
	36	9,63 56	9,68 04	10,31 96	9,95 51	24	
	37	9,63 58	9,68 08	10,31 92	9,95 51	23	
	38	9,63 61	9,68 11	10,31 89	9,95 50	22	
	39	9,63 64	9,68 14	10,31 86	9,95 49	21	
<b>25</b>	<b>40</b>	9,63 66	9,68 17	10,31 83	9,95 49	<b>20</b>	<b>64</b>
	41	9,63 69	9,68 21	10,31 79	9,95 48	19	
	42	9,63 71	9,68 24	10,31 76	9,95 48	18	
	43	9,63 74	9,68 27	10,31 73	9,95 47	17	
	44	9,63 77	9,68 30	10,31 70	9,95 46	16	
	45	9,63 79	9,68 34	10,31 66	9,95 46	15	
	46	9,63 82	9,68 37	10,31 63	9,95 45	14	
	47	9,63 85	9,68 40	10,31 60	9,95 45	13	
	48	9,63 87	9,68 43	10,31 57	9,95 44	12	
	49	9,63 90	9,68 46	10,31 53	9,95 43	11	
<b>25</b>	<b>50</b>	9,63 92	9,68 50	10,31 50	9,95 43	<b>10</b>	<b>64</b>
	51	9,63 95	9,68 53	10,31 47	9,95 42	9	
	52	9,63 98	9,68 56	10,31 44	9,95 41	8	
	53	9,64 00	9,68 59	10,31 41	9,95 41	7	
	54	9,64 03	9,68 63	10,31 37	9,95 40	6	
	55	9,64 05	9,68 66	10,31 34	9,95 40	5	
	56	9,64 08	9,68 69	10,31 31	9,95 39	4	
	57	9,64 11	9,68 72	10,31 28	9,95 38	3	
	58	9,64 13	9,68 75	10,31 25	9,95 38	2	
	59	9,64 16	9,68 79	10,31 21	9,95 37	1	
<b>26</b>	<b>0</b>	9,64 18	9,68 82	10,31 18	9,95 37	<b>0</b>	<b>64</b>
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
26	0	9,64 18	9,68 82	10,31 18	9,95 37	0	64
	1	9,64 21	9,68 85	10,31 15	9,95 36	59	
	2	9,64 24	9,68 88	10,31 12	9,95 35	58	
	3	9,64 26	9,68 91	10,31 09	9,95 35	57	
	4	9,64 29	9,68 95	10,31 05	9,95 34	56	
	5	9,64 31	9,68 98	10,31 02	9,95 33	55	
	6	9,64 34	9,69 01	10,30 99	9,95 33	54	
	7	9,64 36	9,69 04	10,30 96	9,95 32	53	
	8	9,64 39	9,69 07	10,30 93	9,95 32	52	
	9	9,64 42	9,69 11	10,30 89	9,95 31	51	
26	10	9,64 44	9,69 14	10,30 86	9,95 30	50	63
	11	9,64 47	9,69 17	10,30 83	9,95 30	49	
	12	9,64 49	9,69 20	10,30 80	9,95 29	48	
	13	9,64 52	9,69 23	10,30 77	9,95 29	47	
	14	9,64 54	9,69 27	10,30 73	9,95 28	46	
	15	9,64 57	9,69 30	10,30 70	9,95 27	45	
	16	9,64 60	9,69 33	10,30 67	9,95 27	44	
	17	9,64 62	9,69 36	10,30 64	9,95 26	43	
	18	9,64 65	9,69 39	10,30 61	9,95 25	42	
	19	9,64 67	9,69 42	10,30 57	9,95 25	41	
26	20	9,64 70	9,69 46	10,30 54	9,95 24	40	63
	21	9,64 72	9,69 49	10,30 51	9,95 24	39	
	22	9,64 75	9,69 52	10,30 48	9,95 23	38	
	23	9,64 77	9,69 55	10,30 45	9,95 22	37	
	24	9,64 80	9,69 58	10,30 42	9,95 22	36	
	25	9,64 83	9,69 61	10,30 38	9,95 21	35	
	26	9,64 85	9,69 65	10,30 35	9,95 20	34	
	27	9,64 88	9,69 68	10,30 32	9,95 20	33	
	28	9,64 90	9,69 71	10,30 29	9,95 19	32	
	29	9,64 93	9,69 74	10,30 26	9,95 18	31	
26	30	9,64 95	9,69 77	10,30 23	9,95 18	30	63
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.		
26	30	9,64 95	9,69 77	10,30 23	9,95 18	30	63
	31	9,64 98	9,69 80	10,30 19	9,95 17	29	
	32	9,65 00	9,69 84	10,30 16	9,95 17	28	
	33	9,65 03	9,69 87	10,30 13	9,95 16	27	
	34	9,65 05	9,69 90	10,30 10	9,95 15	26	
	35	9,65 08	9,69 93	10,30 07	9,95 15	25	
	36	9,65 10	9,69 96	10,30 04	9,95 14	24	
	37	9,65 13	9,69 99	10,30 00	9,95 13	23	
	38	9,65 15	9,70 03	10,29 97	9,95 13	22	
	39	9,65 18	9,70 06	10,29 94	9,95 12	21	
26	40	9,65 20	9,70 09	10,29 91	9,95 12	20	63
	41	9,65 23	9,70 12	10,29 88	9,95 11	19	
	42	9,65 25	9,70 15	10,29 85	9,95 10	18	
	43	9,65 28	9,70 18	10,29 82	9,95 10	17	
	44	9,65 31	9,70 21	10,29 78	9,95 09	16	
	45	9,65 33	9,70 25	10,29 75	9,95 08	15	
	46	9,65 36	9,70 28	10,29 72	9,95 08	14	
	47	9,65 38	9,70 31	10,29 69	9,95 07	13	
	48	9,65 41	9,70 34	10,29 66	9,95 06	12	
	49	9,65 43	9,70 37	10,29 63	9,95 06	11	
26	50	9,65 46	9,70 40	10,29 60	9,95 05	10	63
	51	9,65 48	9,70 43	10,29 56	9,95 05	9	
	52	9,65 51	9,70 47	10,29 53	9,95 04	8	
	53	9,65 53	9,70 50	10,29 50	9,95 03	7	
	54	9,65 56	9,70 53	10,29 47	9,95 03	6	
	55	9,65 58	9,70 56	10,29 44	9,95 02	5	
	56	9,65 60	9,70 59	10,29 41	9,95 01	4	
	57	9,65 63	9,70 62	10,29 38	9,95 01	3	
	58	9,65 65	9,70 65	10,29 35	9,95 00	2	
	59	9,65 68	9,70 68	10,29 31	9,94 99	1	
27	0	9,65 70	9,70 72	10,29 28	9,94 99	0	63
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
27	0	9,65 70	9,70 72	10,29 28	9,94 99	0	63
	1	9,65 73	9,70 75	10,29 25	9,94 98	59	
	2	9,65 75	9,70 78	10,29 22	9,94 97	58	
	3	9,65 78	9,70 81	10,29 19	9,94 97	57	
	4	9,65 80	9,70 84	10,29 16	9,94 96	56	
	5	9,65 83	9,70 87	10,29 13	9,94 96	55	
	6	9,65 85	9,70 90	10,29 10	9,94 95	54	
	7	9,65 88	9,70 93	10,29 06	9,94 94	53	
	8	9,65 90	9,70 97	10,29 03	9,94 94	52	
	9	9,65 93	9,71 00	10,29 00	9,94 93	51	
27	10	9,65 95	9,71 03	10,28 97	9,94 92	50	62
	11	9,65 98	9,71 06	10,28 94	9,94 92	49	
	12	9,66 00	9,71 09	10,28 91	9,94 91	48	
	13	9,66 02	9,71 12	10,28 88	9,94 90	47	
	14	9,66 05	9,71 15	10,28 85	9,94 90	46	
	15	9,66 07	9,71 18	10,28 82	9,94 89	45	
	16	9,66 10	9,71 21	10,28 78	9,94 88	44	
	17	9,66 12	9,71 25	10,28 75	9,94 88	43	
	18	9,66 15	9,71 28	10,28 72	9,94 87	42	
	19	9,66 17	9,71 31	10,28 69	9,94 86	41	
27	20	9,66 20	9,71 34	10,28 66	9,94 86	40	62
	21	9,66 22	9,71 37	10,28 63	9,94 85	39	
	22	9,66 25	9,71 40	10,28 60	9,94 84	38	
	23	9,66 27	9,71 43	10,28 57	9,94 84	37	
	24	9,66 29	9,71 46	10,28 54	9,94 83	36	
	25	9,66 32	9,71 49	10,28 51	9,94 83	35	
	26	9,66 34	9,71 52	10,28 48	9,94 82	34	
	27	9,66 37	9,71 55	10,28 44	9,94 81	33	
	28	9,66 39	9,71 59	10,28 41	9,94 81	32	
	29	9,66 42	9,71 62	10,28 38	9,94 80	31	
27	30	9,66 44	9,71 65	10,28 35	9,94 79	30	62
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
27	30	9,66 44	9,71 65	10,28 35	9,94 79	30	6'
	31	9,66 46	9,71 68	10,28 32	9,94 79	29	
	32	9,66 49	9,71 71	10,28 29	9,94 78	28	
	33	9,66 51	9,71 74	10,28 26	9,94 77	27	
	34	9,66 54	9,71 77	10,28 23	9,94 77	26	
	35	9,66 56	9,71 80	10,28 20	9,94 76	25	
	36	9,66 59	9,71 83	10,28 17	9,94 75	24	
	37	9,66 61	9,71 86	10,28 14	9,94 75	23	
	38	9,66 63	9,71 89	10,28 11	9,94 74	22	
	39	9,66 66	9,71 92	10,28 07	9,94 73	21	
27	40	9,66 68	9,71 95	10,28 04	9,94 73	20	6'
	41	9,66 71	9,71 99	10,28 01	9,94 72	19	
	42	9,66 73	9,72 02	10,27 98	9,94 71	18	
	43	9,66 75	9,72 05	10,27 95	9,94 71	17	
	44	9,66 78	9,72 08	10,27 92	9,94 70	16	
	45	9,66 80	9,72 11	10,27 89	9,94 69	15	
	46	9,66 83	9,72 14	10,27 86	9,94 69	14	
	47	9,66 85	9,72 17	10,27 83	9,94 68	13	
	48	9,66 87	9,72 20	10,27 80	9,94 67	12	
	49	9,66 90	9,72 23	10,27 77	9,94 67	11	
27	50	9,66 92	9,72 26	10,27 74	9,94 66	10	6'
	51	9,66 95	9,72 29	10,27 71	9,94 65	9	
	52	9,66 97	9,72 32	10,27 68	9,94 65	8	
	53	9,66 99	9,72 35	10,27 65	9,94 64	7	
	54	9,67 02	9,72 38	10,27 62	9,94 63	6	
	55	9,67 04	9,72 41	10,27 58	9,94 63	5	
	56	9,67 07	9,72 44	10,27 55	9,94 62	4	
	57	9,67 09	9,72 48	10,27 52	9,94 61	3	
	58	9,67 11	9,72 51	10,27 49	9,94 61	2	
	59	9,67 14	9,72 54	10,27 46	9,94 60	1	
28	0	9,67 16	9,72 57	10,27 43	9,94 59	0	6'
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D

D.	M.	log sin.	log tang.	log cotg.	log cos.	<i>r</i>	<i>o</i>
28	0	9,67 16	9,72 57	10,27 43	9,94 59	0	62
	1	9,67 18	9,72 60	10,27 40	9,94 59	59	
	2	9,67 21	9,72 63	10,27 37	9,94 58	58	
	3	9,67 23	9,72 66	10,27 34	9,94 57	57	
	4	9,67 26	9,72 69	10,27 31	9,94 57	56	
	5	9,67 28	9,72 72	10,27 28	9,94 56	55	
	6	9,67 30	9,72 75	10,27 25	9,94 55	54	
	7	9,67 33	9,72 78	10,27 22	9,94 55	53	
	8	9,67 35	9,72 81	10,27 19	9,94 54	52	
	9	9,67 37	9,72 84	10,27 16	9,94 53	51	
28	10	9,67 40	9,72 87	10,27 13	9,94 53	50	61
	11	9,67 42	9,72 90	10,27 10	9,94 52	49	
	12	9,67 44	9,72 93	10,27 07	9,94 51	48	
	13	9,67 47	9,72 96	10,27 04	9,94 51	47	
	14	9,67 49	9,72 99	10,27 01	9,94 50	46	
	15	9,67 51	9,73 02	10,26 98	9,94 49	45	
	16	9,67 54	9,73 05	10,26 95	9,94 48	44	
	17	9,67 56	9,73 08	10,26 92	9,94 48	43	
	18	9,67 59	9,73 11	10,26 89	9,94 47	42	
	19	9,67 61	9,73 14	10,26 86	9,94 46	41	
28	20	9,67 63	9,73 17	10,26 82	9,94 46	40	61
	21	9,67 66	9,73 20	10,26 79	9,94 45	39	
	22	9,67 68	9,73 23	10,26 76	9,94 44	38	
	23	9,67 70	9,73 26	10,26 73	9,94 44	37	
	24	9,67 73	9,73 29	10,26 70	9,94 43	36	
	25	9,67 75	9,73 33	10,26 67	9,94 42	35	
	26	9,67 77	9,73 36	10,26 64	9,94 42	34	
	27	9,67 80	9,73 39	10,26 61	9,94 41	33	
	28	9,67 82	9,73 42	10,26 58	9,94 40	32	
	29	9,67 84	9,73 45	10,26 55	9,94 40	31	
28	30	9,67 87	9,73 48	10,26 52	9,94 39	30	61
<i>o</i>	<i>r</i>	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.		
28	30	9,67 87	9,73 48	10,26 52	9,94 39	30	61
	31	9,67 89	9,73 51	10,26 49	9,94 38	29	
	32	9,67 91	9,73 54	10,26 46	9,94 38	28	
	33	9,67 94	9,73 57	10,26 43	9,94 37	27	
	34	9,67 96	9,73 60	10,26 40	9,94 36	26	
	35	9,67 98	9,73 63	10,26 37	9,94 35	25	
	36	9,68 01	9,73 66	10,26 34	9,94 35	24	
	37	9,68 03	9,73 69	10,26 31	9,94 34	23	
	38	9,68 05	9,73 72	10,26 28	9,94 33	22	
	39	9,68 07	9,73 75	10,26 25	9,94 33	21	
28	40	9,68 10	9,73 78	10,26 22	9,94 32	20	61
	41	9,68 12	9,73 81	10,26 19	9,94 31	19	
	42	9,68 14	9,73 84	10,26 16	9,94 31	18	
	43	9,68 17	9,73 87	10,26 13	9,94 30	17	
	44	9,68 19	9,73 90	10,26 10	9,94 29	16	
	45	9,68 21	9,73 93	10,26 07	9,94 29	15	
	46	9,68 24	9,73 96	10,26 04	9,94 28	14	
	47	9,68 26	9,73 99	10,26 01	9,94 27	13	
	48	9,68 28	9,74 02	10,25 98	9,94 27	12	
	49	9,68 30	9,74 05	10,25 95	9,94 26	11	
28	50	9,68 33	9,74 08	10,25 92	9,94 25	10	61
	51	9,68 35	9,74 11	10,25 89	9,94 24	9	
	52	9,68 37	9,74 14	10,25 86	9,94 24	8	
	53	9,68 40	9,74 17	10,25 83	9,94 23	7	
	54	9,68 42	9,74 20	10,25 80	9,94 22	6	
	55	9,68 44	9,74 23	10,25 77	9,94 22	5	
	56	9,68 47	9,74 26	10,25 74	9,94 21	4	
	57	9,68 49	9,74 29	10,25 71	9,94 20	3	
	58	9,68 51	9,74 32	10,25 68	9,94 20	2	
	59	9,68 53	9,74 34	10,25 65	9,94 19	1	
29	0	9,68 56	9,74 37	10,25 62	9,94 18	0	6
		log cos.	log cotg.	log tang.	log sin.	M.	I

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
29	0	9,68 56	9,74 37	10,25 62	9,94 18	0	61
	1	9,68 58	9,74 40	10,25 59	9,94 17	59	
	2	9,68 60	9,74 43	10,25 56	9,94 17	58	
	3	9,68 62	9,74 46	10,25 53	9,94 16	57	
	4	9,68 65	9,74 49	10,25 51	9,94 15	56	
	5	9,68 67	9,74 52	10,25 48	9,94 15	55	
	6	9,68 69	9,74 55	10,25 45	9,94 14	54	
	7	9,68 72	9,74 58	10,25 42	9,94 13	53	
	8	9,68 74	9,74 61	10,25 39	9,94 13	52	
	9	9,68 76	9,74 64	10,25 36	9,94 12	51	
29	10	9,68 78	9,74 67	10,25 33	9,94 11	50	60
	11	9,68 81	9,74 70	10,25 30	9,94 10	49	
	12	9,68 83	9,74 73	10,25 27	9,94 10	48	
	13	9,68 85	9,74 76	10,25 24	9,94 09	47	
	14	9,68 87	9,74 79	10,25 21	9,94 08	46	
	15	9,68 90	9,74 82	10,25 18	9,94 08	45	
	16	9,68 92	9,74 85	10,25 15	9,94 07	44	
	17	9,68 94	9,74 88	10,25 12	9,94 06	43	
	18	9,68 96	9,74 91	10,25 09	9,94 05	42	
	19	9,68 99	9,74 94	10,25 06	9,94 05	41	
29	20	9,69 01	9,74 97	10,25 03	9,94 04	40	60
	21	9,69 03	9,75 00	10,25 00	9,94 03	39	
	22	9,69 05	9,75 03	10,24 97	9,94 03	38	
	23	9,69 08	9,75 06	10,24 94	9,94 02	37	
	24	9,69 10	9,75 09	10,24 91	9,94 01	36	
	25	9,69 12	9,75 12	10,24 88	9,94 00	35	
	26	9,69 14	9,75 15	10,24 85	9,94 00	34	
	27	9,69 17	9,75 18	10,24 82	9,93 99	33	
	28	9,69 19	9,75 20	10,24 79	9,93 98	32	
	29	9,69 21	9,75 23	10,24 76	9,93 98	31	
29	30	9,69 23	9,75 26	10,24 74	9,93 97	30	60
	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	°	'
29	30	9,69 23	9,75 26	10,24 74	9,93 97	30	64
	31	9,69 26	9,75 29	10,24 71	9,93 96	29	
	32	9,69 28	9,75 32	10,24 68	9,93 95	28	
	33	9,69 30	9,75 35	10,24 65	9,93 95	27	
	34	9,69 32	9,75 38	10,24 62	9,93 94	26	
	35	9,69 34	9,75 41	10,24 59	9,93 93	25	
	36	9,69 37	9,75 44	10,24 56	9,93 93	24	
	37	9,69 39	9,75 47	10,24 53	9,93 92	23	
	38	9,69 41	9,75 50	10,24 50	9,93 91	22	
	39	9,69 43	9,75 53	10,24 47	9,93 90	21	
29	40	9,69 46	9,75 56	10,24 44	9,93 90	20	64
	41	9,69 48	9,75 59	10,24 41	9,93 89	19	
	42	9,69 50	9,75 62	10,24 38	9,93 88	18	
	43	9,69 52	9,75 65	10,24 35	9,93 88	17	
	44	9,69 54	9,75 68	10,24 32	9,93 87	16	
	45	9,69 57	9,75 70	10,24 29	9,93 86	15	
	46	9,69 59	9,75 73	10,24 26	9,93 85	14	
	47	9,69 61	9,75 76	10,24 24	9,93 85	13	
	48	9,69 63	9,75 79	10,24 21	9,93 84	12	
	49	9,69 65	9,75 82	10,24 18	9,93 83	11	
29	50	9,69 68	9,75 85	10,24 15	9,93 83	10	64
	51	9,69 70	9,75 88	10,24 12	9,93 82	9	
	52	9,69 72	9,75 91	10,24 09	9,93 81	8	
	53	9,69 74	9,75 94	10,24 06	9,93 80	7	
	54	9,69 76	9,75 97	10,24 03	9,93 80	6	
	55	9,69 79	9,76 00	10,24 00	9,93 79	5	
	56	9,69 81	9,76 03	10,23 97	9,93 78	4	
	57	9,69 83	9,76 06	10,23 94	9,93 77	3	
	58	9,69 85	9,76 09	10,23 91	9,93 77	2	
	59	9,69 87	9,76 11	10,23 88	9,93 76	1	
30	0	9,69 90	9,76 14	10,23 86	9,93 75	0	64
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D

D.	M.	log sin.	log tang.	log cotg.	log cos.		°
30	0	9,69 90	9,76 14	10,23 86	9,93 75	0	60
	1	9,69 92	9,76 17	10,23 83	9,93 75	59	
	2	9,69 94	9,76 20	10,23 80	9,93 74	58	
	3	9,69 96	9,76 23	10,23 77	9,93 73	57	
	4	9,69 98	9,76 26	10,23 74	9,93 72	56	
	5	9,70 01	9,76 29	10,23 71	9,93 72	55	
	6	9,70 03	9,76 32	10,23 68	9,93 71	54	
	7	9,70 05	9,76 35	10,23 65	9,93 70	53	
	8	9,70 07	9,76 38	10,23 62	9,93 69	52	
	9	9,70 09	9,76 41	10,23 59	9,93 69	51	
30	10	9,70 11	9,76 43	10,23 56	9,93 68	50	59
	11	9,70 14	9,76 46	10,23 54	9,93 67	49	
	12	9,70 16	9,76 49	10,23 51	9,93 66	48	
	13	9,70 18	9,76 52	10,23 48	9,93 66	47	
	14	9,70 20	9,76 55	10,23 45	9,93 65	46	
	15	9,70 22	9,76 58	10,23 42	9,93 64	45	
	16	9,70 24	9,76 61	10,23 39	9,93 64	44	
	17	9,70 27	9,76 64	10,23 36	9,93 63	43	
	18	9,70 29	9,76 67	10,23 33	9,93 62	42	
	19	9,70 31	9,76 70	10,23 30	9,93 61	41	
30	20	9,70 33	9,76 72	10,23 27	9,93 61	40	59
	21	9,70 35	9,76 75	10,23 25	9,93 60	39	
	22	9,70 37	9,76 78	10,23 22	9,93 59	38	
	23	9,70 40	9,76 81	10,23 19	9,93 58	37	
	24	9,70 42	9,76 84	10,23 16	9,93 58	36	
	25	9,70 44	9,76 87	10,23 13	9,93 57	35	
	26	9,70 46	9,76 90	10,23 10	9,93 56	34	
	27	9,70 48	9,76 93	10,23 07	9,93 55	33	
	28	9,70 50	9,76 96	10,23 04	9,93 55	32	
	29	9,70 52	9,76 99	10,23 01	9,93 54	31	
30	30	9,70 55	9,77 01	10,22 98	9,93 53	30	59
	°	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.		
30	30	9,70 55	9,77 01	10,22 98	9,93 53	30	59
	31	9,70 57	9,77 04	10,22 96	9,93 52	29	
	32	9,70 59	9,77 07	10,22 93	9,93 52	28	
	33	9,70 61	9,77 10	10,22 90	9,93 51	27	
	34	9,70 63	9,77 13	10,22 87	9,93 50	26	
	35	9,70 65	9,77 16	10,22 84	9,93 49	25	
	36	9,70 67	9,77 19	10,22 81	9,93 49	24	
	37	9,70 70	9,77 22	10,22 78	9,93 48	23	
	38	9,70 72	9,77 25	10,22 75	9,93 47	22	
	39	9,70 74	9,77 27	10,22 73	9,93 46	21	
30	40	9,70 76	9,77 30	10,22 70	9,93 46	20	59
	41	9,70 78	9,77 33	10,22 67	9,93 45	19	
	42	9,70 80	9,77 36	10,22 64	9,93 44	18	
	43	9,70 82	9,77 39	10,22 61	9,93 43	17	
	44	9,70 85	9,77 42	10,22 58	9,93 43	16	
	45	9,70 87	9,77 45	10,22 55	9,93 42	15	
	46	9,70 89	9,77 48	10,22 52	9,93 41	14	
	47	9,70 91	9,77 50	10,22 49	9,93 40	13	
	48	9,70 93	9,77 53	10,22 47	9,93 40	12	
	49	9,70 95	9,77 56	10,22 44	9,93 39	11	
30	50	9,70 97	9,77 59	10,22 41	9,93 38	10	59
	51	9,70 99	9,77 62	10,22 38	9,93 37	9	
	52	9,71 01	9,77 65	10,22 35	9,93 37	8	
	53	9,71 04	9,77 68	10,22 32	9,93 36	7	
	54	9,71 06	9,77 71	10,22 29	9,93 35	6	
	55	9,71 08	9,77 73	10,22 27	9,93 34	5	
	56	9,71 10	9,77 76	10,22 24	9,93 34	4	
	57	9,71 12	9,77 79	10,22 21	9,93 33	3	
	58	9,71 14	9,77 82	10,22 18	9,93 32	2	
	59	9,71 16	9,77 85	10,22 15	9,93 31	1	
31	0	9,71 18	9,77 88	10,22 12	9,93 31	0	59
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
31	0	9,71 18	9,77 88	10,22 12	9,93 31	0	59
	1	9,71 20	9,77 91	10,22 09	9,93 30		59
	2	9,71 23	9,77 93	10,22 06	9,93 29		58
	3	9,71 25	9,77 96	10,22 04	9,93 28		57
	4	9,71 27	9,77 99	10,22 01	9,93 28		56
	5	9,71 29	9,78 02	10,21 98	9,93 27		55
	6	9,71 31	9,78 05	10,21 95	9,93 26		54
	7	9,71 33	9,78 08	10,21 92	9,93 25		53
	8	9,71 35	9,78 11	10,21 89	9,93 25		52
	9	9,71 37	9,78 13	10,21 86	9,93 24		51
31	10	9,71 39	9,78 16	10,21 84	9,93 23	50	58
	11	9,71 41	9,78 19	10,21 81	9,93 22		49
	12	9,71 43	9,78 22	10,21 78	9,93 21		48
	13	9,71 46	9,78 25	10,21 75	9,93 21		47
	14	9,71 48	9,78 28	10,21 72	9,93 20		46
	15	9,71 50	9,78 31	10,21 69	9,93 19		45
	16	9,71 52	9,78 33	10,21 67	9,93 18		44
	17	9,71 54	9,78 36	10,21 64	9,93 18		43
	18	9,71 56	9,78 39	10,21 61	9,93 17		42
	19	9,71 58	9,78 42	10,21 58	9,93 16		41
31	20	9,71 60	9,78 45	10,21 55	9,93 15	40	58
	21	9,71 62	9,78 48	10,21 52	9,93 15		39
	22	9,71 64	9,78 50	10,21 49	9,93 14		38
	23	9,71 66	9,78 53	10,21 47	9,93 13		37
	24	9,71 68	9,78 56	10,21 44	9,93 12		36
	25	9,71 70	9,78 59	10,21 41	9,93 11		35
	26	9,71 73	9,78 62	10,21 38	9,93 11		34
	27	9,71 75	9,78 65	10,21 35	9,93 10		33
	28	9,71 77	9,78 67	10,21 32	9,93 09		32
	29	9,71 79	9,78 70	10,21 30	9,93 08		31
31	30	9,71 81	9,78 73	10,21 27	9,93 08	30	58
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.	°	'
31	30	9,71 81	9,78 73	10,21 27	9,93 08	30	51
	31	9,71 83	9,78 76	10,21 24	9,93 07		29
	32	9,71 85	9,78 79	10,21 21	9,93 06		28
	33	9,71 87	9,78 82	10,21 18	9,93 05		27
	34	9,71 89	9,78 84	10,21 15	9,93 05		26
	35	9,71 91	9,78 87	10,21 13	9,93 04		25
	36	9,71 93	9,78 90	10,21 10	9,93 03		24
	37	9,71 95	9,78 93	10,21 07	9,93 02		23
	38	9,71 97	9,78 96	10,21 04	9,93 01		22
	39	9,71 99	9,78 99	10,21 01	9,93 01		21
31	40	9,72 01	9,79 01	10,20 98	9,93 00	20	58
	41	9,72 03	9,79 04	10,20 96	9,92 99		19
	42	9,72 05	9,79 07	10,20 93	9,92 98		18
	43	9,72 07	9,79 10	10,20 90	9,92 98		17
	44	9,72 10	9,79 13	10,20 87	9,92 97		16
	45	9,72 12	9,79 16	10,20 84	9,92 96		15
	46	9,72 14	9,79 18	10,20 81	9,92 95		14
	47	9,72 16	9,79 21	10,20 79	9,92 94		13
	48	9,72 18	9,79 24	10,20 76	9,92 94		12
	49	9,72 20	9,79 27	10,20 73	9,92 93		11
31	50	9,72 22	9,79 30	10,20 70	9,92 92	10	58
	51	9,72 24	9,79 33	10,20 67	9,92 91		9
	52	9,72 26	9,79 35	10,20 65	9,92 90		8
	53	9,72 28	9,79 38	10,20 63	9,92 90		7
	54	9,72 30	9,79 41	10,20 59	9,92 89		6
	55	9,72 32	9,79 44	10,20 56	9,92 88		5
	56	9,72 34	9,79 47	10,20 53	9,92 87		4
	57	9,72 36	9,79 49	10,20 50	9,92 87		3
	58	9,72 38	9,79 52	10,20 48	9,92 86		2
	59	9,72 40	9,79 55	10,20 45	9,92 85		1
32	0	9,72 42	9,79 58	10,20 42	9,92 84	0	51
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
32	0	9,72 42	9,79 58	10,20 42	9,92 84	0	58
	1	9,72 44	9,79 61	10,20 39	9,92 83	59	
	2	9,72 46	9,79 63	10,20 36	9,92 83	58	
	3	9,72 48	9,79 66	10,20 34	9,92 82	57	
	4	9,72 50	9,79 69	10,20 31	9,92 81	56	
	5	9,72 52	9,79 72	10,20 28	9,92 80	55	
	6	9,72 54	9,79 75	10,20 25	9,92 79	54	
	7	9,72 56	9,79 78	10,20 22	9,92 79	53	
	8	9,72 58	9,79 80	10,20 20	9,92 78	52	
	9	9,72 60	9,79 83	10,20 17	9,92 77	51	
32	10	9,72 62	9,79 85	10,20 14	9,92 76	50	57
	11	9,72 64	9,79 89	10,20 11	9,92 75	49	
	12	9,72 66	9,79 92	10,20 08	9,92 75	48	
	13	9,72 68	9,79 94	10,20 06	9,92 74	47	
	14	9,72 70	9,79 97	10,20 03	9,92 73	46	
	15	9,72 72	9,80 00	10,20 00	9,92 72	45	
	16	9,72 74	9,80 03	10,19 97	9,92 71	44	
	17	9,72 75	9,80 06	10,19 94	9,92 71	43	
	18	9,72 78	9,80 08	10,19 92	9,92 70	42	
	19	9,72 80	9,80 11	10,19 89	9,92 69	41	
32	20	9,72 82	9,80 14	10,19 86	9,92 68	40	57
	21	9,72 84	9,80 17	10,19 83	9,92 67	39	
	22	9,72 86	9,80 19	10,19 80	9,92 67	38	
	23	9,72 88	9,80 22	10,19 78	9,92 66	37	
	24	9,72 90	9,80 25	10,19 75	9,92 65	36	
	25	9,72 92	9,80 28	10,19 72	9,92 64	35	
	26	9,72 94	9,80 31	10,19 69	9,92 63	34	
	27	9,72 96	9,80 33	10,19 66	9,92 63	33	
	28	9,72 98	9,80 36	10,19 64	9,92 62	32	
	29	9,73 00	9,80 39	10,19 61	9,92 61	31	
32	30	9,73 02	9,80 42	10,19 58	9,92 60	30	57
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.		
32	30	9.73 02	9.80 42	10.19 58	9.92 60	30	57
	31	9.73 04	9.80 45	10.19 55	9.92 59	29	
	32	9.73 06	9.80 47	10.19 53	9.92 59	28	
	33	9.73 08	9.80 50	10.19 50	9.92 58	27	
	34	9.73 10	9.80 53	10.19 47	9.92 57	26	
	35	9.73 12	9.80 56	10.19 44	9.92 56	25	
	36	9.73 14	9.80 59	10.19 41	9.92 55	24	
	37	9.73 16	9.80 61	10.19 39	9.92 55	23	
	38	9.73 18	9.80 64	10.19 36	9.92 54	22	
	39	9.73 20	9.80 67	10.19 33	9.92 53	21	
32	40	9.73 22	9.80 70	10.19 30	9.92 52	20	57
	41	9.73 24	9.80 72	10.19 27	9.92 51	19	
	42	9.73 26	9.80 75	10.19 25	9.92 51	18	
	43	9.73 28	9.80 78	10.19 22	9.92 50	17	
	44	9.73 30	9.80 81	10.19 19	9.92 49	16	
	45	9.73 32	9.80 84	10.19 17	9.92 48	15	
	46	9.73 34	9.80 86	10.19 14	9.92 47	14	
	47	9.73 36	9.80 89	10.19 11	9.92 46	13	
	48	9.73 38	9.80 92	10.19 08	9.92 46	12	
	49	9.73 40	9.80 95	10.19 05	9.92 45	11	
32	50	9.73 42	9.80 97	10.19 02	9.92 44	10	57
	51	9.73 43	9.81 00	10.19 00	9.92 43	9	
	52	9.73 45	9.81 03	10.18 97	9.92 42	8	
	53	9.73 47	9.81 06	10.18 94	9.92 42	7	
	54	9.73 49	9.81 09	10.18 91	9.92 41	6	
	55	9.73 51	9.81 11	10.18 88	9.92 40	5	
	56	9.73 53	9.81 14	10.18 86	9.92 39	4	
	57	9.73 55	9.81 17	10.18 83	9.92 38	3	
	58	9.73 57	9.81 20	10.18 80	9.92 37	2	
	59	9.73 59	9.81 22	10.18 77	9.92 37	1	
33	0	9.73 61	9.81 25	10.18 75	9.92 36	0	57
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.		
33	0	9.73 61	9.81 25	10.18 75	9.92 36	0	57
	1	9.73 63	9.81 28	10.18 72	9.92 35	50	
	2	9.73 65	9.81 31	10.18 69	9.92 34	58	
	3	9.73 67	9.81 33	10.18 66	9.92 33	57	
	4	9.73 69	9.81 36	10.18 64	9.92 33	56	
	5	9.73 71	9.81 39	10.18 61	9.92 32	55	
	6	9.73 73	9.81 42	10.18 58	9.92 31	54	
	7	9.73 75	9.81 44	10.18 55	9.92 30	53	
	8	9.73 77	9.81 47	10.18 53	9.92 29	52	
	9	9.73 78	9.81 50	10.18 50	9.92 28	51	
33	10	9.73 80	9.81 53	10.18 47	9.92 28	50	56
	11	9.73 82	9.81 56	10.18 44	9.92 27	49	
	12	9.73 84	9.81 58	10.18 42	9.92 26	48	
	13	9.73 86	9.81 61	10.18 39	9.92 25	47	
	14	9.73 88	9.81 64	10.18 36	9.92 24	46	
	15	9.73 90	9.81 67	10.18 33	9.92 23	45	
	16	9.73 92	9.81 69	10.18 31	9.92 23	44	
	17	9.73 94	9.81 72	10.18 28	9.92 22	43	
	18	9.73 96	9.81 75	10.18 25	9.92 21	42	
	19	9.73 98	9.81 78	10.18 22	9.92 20	41	
33	20	9.74 00	9.81 80	10.18 20	9.92 19	40	56
	21	9.74 02	9.81 83	10.18 17	9.92 19	39	
	22	9.74 04	9.81 86	10.18 14	9.92 18	38	
	23	9.74 05	9.81 89	10.18 11	9.92 17	37	
	24	9.74 07	9.81 91	10.18 09	9.92 16	36	
	25	9.74 09	9.81 94	10.18 06	9.92 15	35	
	26	9.74 11	9.81 97	10.18 03	9.92 14	34	
	27	9.74 13	9.82 00	10.18 00	9.92 14	33	
	28	9.74 15	9.82 02	10.17 98	9.92 13	32	
	29	9.74 17	9.82 05	10.17 95	9.92 12	31	
33	30	9.74 19	9.82 08	10.17 92	9.92 11	30	56
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.		
33	30	9,74 19	9,82 08	10,17 92	9,92 11	30	2
	31	9,74 21	9,82 11	10,17 89	9,92 10	29	
	32	9,74 23	9,82 13	10,17 87	9,92 09	28	
	33	9,74 25	9,82 16	10,17 84	9,92 09	27	
	34	9,74 26	9,82 19	10,17 81	9,92 08	26	
	35	9,74 28	9,82 21	10,17 78	9,92 07	25	
	36	9,74 30	9,82 24	10,17 76	9,92 06	24	
	37	9,74 32	9,82 27	10,17 73	9,92 05	23	
	38	9,74 34	9,82 30	10,17 70	9,92 04	22	
	39	9,74 36	9,82 32	10,17 67	9,92 03	21	
33	40	9,74 38	9,82 35	10,17 65	9,92 03	20	4
	41	9,74 40	9,82 38	10,17 62	9,92 02	19	
	42	9,74 42	9,82 41	10,17 59	9,92 01	18	
	43	9,74 44	9,82 43	10,17 56	9,92 00	17	
	44	9,74 45	9,82 46	10,17 54	9,91 99	16	
	45	9,74 47	9,82 49	10,17 51	9,91 98	15	
	46	9,74 49	9,82 52	10,17 48	9,91 98	14	
	47	9,74 51	9,82 54	10,17 46	9,91 97	13	
	48	9,74 53	9,82 57	10,17 43	9,91 96	12	
	49	9,74 55	9,82 60	10,17 40	9,91 95	11	
33	50	9,74 57	9,82 63	10,17 37	9,91 94	10	5
	51	9,74 59	9,82 65	10,17 35	9,91 93	9	
	52	9,74 61	9,82 68	10,17 32	9,91 92	8	
	53	9,74 62	9,82 71	10,17 29	9,91 92	7	
	54	9,74 64	9,82 73	10,17 26	9,91 91	6	
	55	9,74 66	9,82 76	10,17 24	9,91 90	5	
	56	9,74 68	9,82 79	10,17 21	9,91 89	4	
	57	9,74 70	9,82 82	10,17 18	9,91 88	3	
	58	9,74 72	9,82 84	10,17 16	9,91 87	2	
	59	9,74 74	9,82 87	10,17 13	9,91 87	1	
34	0	9,74 76	9,82 90	10,17 10	9,91 86	0	5
"	"	log cos.	log cotg.	log tang.	log sin.	M.	I

D.	M.	log sin.	log tang.	log cotg.	log cos.		
34	0	9,74 76	9,82 90	10,17 10	9,91 86	0	56
	1	9,74 77	9,82 93	10,17 07	9,91 85	59	
	2	9,74 79	9,82 95	10,17 05	9,91 84	58	
	3	9,74 81	9,82 98	10,17 02	9,91 83	57	
	4	9,74 83	9,83 01	10,16 99	9,91 82	56	
	5	9,74 85	9,83 03	10,16 96	9,91 81	55	
	6	9,74 87	9,83 06	10,16 94	9,91 81	54	
	7	9,74 89	9,83 09	10,16 91	9,91 80	53	
	8	9,74 91	9,83 12	10,16 88	9,91 79	52	
	9	9,74 92	9,83 14	10,16 86	9,91 78	51	
34	10	9,74 94	9,83 17	10,16 83	9,91 77	50	55
	11	9,74 96	9,83 20	10,16 80	9,91 76	49	
	12	9,74 98	9,83 22	10,16 77	9,91 75	48	
	13	9,75 00	9,83 25	10,16 75	9,91 75	47	
	14	9,75 02	9,83 28	10,16 72	9,91 74	46	
	15	9,75 04	9,83 31	10,16 69	9,91 73	45	
	16	9,75 05	9,83 33	10,16 67	9,91 72	44	
	17	9,75 07	9,83 36	10,16 64	9,91 71	43	
	18	9,75 09	9,83 39	10,16 61	9,91 70	42	
	19	9,75 11	9,83 41	10,16 58	9,91 69	41	
34	20	9,75 13	9,83 44	10,16 56	9,91 69	40	55
	21	9,75 15	9,83 47	10,16 53	9,91 68	39	
	22	9,75 16	9,83 50	10,16 50	9,91 67	38	
	23	9,75 18	9,83 52	10,16 48	9,91 66	37	
	24	9,75 20	9,83 55	10,16 45	9,91 65	36	
	25	9,75 22	9,83 58	10,16 42	9,91 64	35	
	26	9,75 24	9,83 60	10,16 39	9,91 63	34	
	27	9,75 26	9,83 63	10,16 37	9,91 62	33	
	28	9,75 28	9,83 66	10,16 34	9,91 62	32	
	29	9,75 29	9,83 69	10,16 31	9,91 61	31	
34	30	9,75 31	9,83 71	10,16 29	9,91 60	30	55
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
34	30	9,75 31	9,83 71	10,16 29	9,91 60	30	55
	31	9,75 33	9,83 74	10,16 26	9,91 59	29	
	32	9,75 35	9,83 77	10,16 23	9,91 58	28	
	33	9,75 37	9,83 79	10,16 20	9,91 57	27	
	34	9,75 39	9,83 82	10,16 18	9,91 56	26	
	35	9,75 40	9,83 85	10,16 15	9,91 56	25	
	36	9,75 42	9,83 88	10,16 12	9,91 55	24	
	37	9,75 44	9,83 90	10,16 10	9,91 54	23	
	38	9,75 46	9,83 93	10,16 07	9,91 53	22	
	39	9,75 48	9,83 96	10,16 04	9,91 52	21	
34	40	9,75 50	9,83 98	10,16 02	9,91 51	20	55
	41	9,75 51	9,84 01	10,15 99	9,91 50	19	
	42	9,75 53	9,84 04	10,15 96	9,91 49	18	
	43	9,75 55	9,84 06	10,15 93	9,91 49	17	
	44	9,75 57	9,84 09	10,15 91	9,91 48	16	
	45	9,75 59	9,84 12	10,15 88	9,91 47	15	
	46	9,75 60	9,84 15	10,15 85	9,91 46	14	
	47	9,75 62	9,84 17	10,15 83	9,91 45	13	
	48	9,75 64	9,84 20	10,15 80	9,91 44	12	
	49	9,75 66	9,84 23	10,15 77	9,91 43	11	
34	50	9,75 68	9,84 25	10,15 75	9,91 42	10	55
	51	9,75 70	9,84 28	10,15 72	9,91 42	9	
	52	9,75 71	9,84 31	10,15 69	9,91 41	8	
	53	9,75 73	9,84 33	10,15 67	9,91 40	7	
	54	9,75 75	9,84 36	10,15 64	9,91 39	6	
	55	9,75 77	9,84 39	10,15 61	9,91 38	5	
	56	9,75 79	9,84 41	10,15 58	9,91 37	4	
	57	9,75 80	9,84 44	10,15 56	9,91 36	3	
	58	9,75 82	9,84 47	10,15 53	9,91 35	2	
	59	9,75 84	9,84 50	10,15 50	9,91 34	1	
35	0	9,75 86	9,84 52	10,15 48	9,91 34	0	55
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	<i>t</i>	<i>a</i>
<b>35</b>	<b>0</b>	9,75 86	9,84 52	10,15 48	9,91 34	<b>0</b>	<b>55</b>
	1	9,75 88	9,84 55	10,15 45	9,91 33	59	
	2	9,75 89	9,84 58	10,15 42	9,91 32	58	
	3	9,75 91	9,84 60	10,15 40	9,91 31	57	
	4	9,75 93	9,84 63	10,15 37	9,91 30	56	
	5	9,75 95	9,84 66	10,15 34	9,91 29	55	
	6	9,75 97	9,84 68	10,15 32	9,91 28	54	
	7	9,75 98	9,84 71	10,15 29	9,91 27	53	
	8	9,76 00	9,84 74	10,15 26	9,91 27	52	
	9	9,76 02	9,84 76	10,15 24	9,91 26	51	
<b>35</b>	<b>10</b>	9,76 04	9,84 79	10,15 21	9,91 25	<b>50</b>	<b>54</b>
	11	9,76 06	9,84 82	10,15 18	9,91 24	49	
	12	9,76 07	9,84 84	10,15 15	9,91 23	48	
	13	9,76 09	9,84 87	10,15 13	9,91 22	47	
	14	9,76 11	9,84 90	10,15 10	9,91 21	46	
	15	9,76 13	9,84 92	10,15 07	9,91 20	45	
	16	9,76 15	9,84 95	10,15 05	9,91 19	44	
	17	9,76 16	9,84 98	10,15 02	9,91 18	43	
	18	9,76 18	9,85 01	10,14 99	9,91 18	42	
	19	9,76 20	9,85 03	10,14 97	9,91 17	41	
<b>35</b>	<b>20</b>	9,76 22	9,85 06	10,14 94	9,91 16	<b>40</b>	<b>54</b>
	21	9,76 24	9,85 09	10,14 91	9,91 15	39	
	22	9,76 25	9,85 11	10,14 89	9,91 14	38	
	23	9,76 27	9,85 14	10,14 86	9,91 13	37	
	24	9,76 29	9,85 17	10,14 83	9,91 12	36	
	25	9,76 31	9,85 19	10,14 81	9,91 11	35	
	26	9,76 32	9,85 22	10,14 78	9,91 10	34	
	27	9,76 34	9,85 25	10,14 75	9,91 10	33	
	28	9,76 36	9,85 27	10,14 73	9,91 09	32	
	29	9,76 38	9,85 30	10,14 70	9,91 08	31	
<b>35</b>	<b>30</b>	9,76 39	9,85 33	10,14 67	9,91 07	<b>30</b>	<b>54</b>
<i>a</i>	<i>t</i>	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
35	30	9,76 39	9,85 33	10,14 67	9,91 07	30	54
	31	9,76 41	9,85 35	10,14 65	9,91 06	29	
	32	9,76 43	9,85 38	10,14 62	9,91 05	28	
	33	9,76 45	9,85 41	10,14 59	9,91 04	27	
	34	9,76 47	9,85 43	10,14 57	9,91 03	26	
	35	9,76 48	9,85 46	10,14 54	9,91 02	25	
	36	9,76 50	9,85 49	10,14 51	9,91 01	24	
	37	9,76 52	9,85 51	10,14 49	9,91 00	23	
	38	9,76 54	9,85 54	10,14 46	9,91 00	22	
	39	9,76 55	9,85 57	10,14 43	9,90 99	21	
35	40	9,76 57	9,85 59	10,14 41	9,90 98	20	54
	41	9,76 59	9,85 62	10,14 38	9,90 97	19	
	42	9,76 61	9,85 65	10,14 35	9,90 96	18	
	43	9,76 62	9,85 67	10,14 33	9,90 95	17	
	44	9,76 64	9,85 70	10,14 30	9,90 94	16	
	45	9,76 66	9,85 73	10,14 27	9,90 93	15	
	46	9,76 68	9,85 75	10,14 25	9,90 92	14	
	47	9,76 69	9,85 78	10,14 22	9,90 91	13	
	48	9,76 71	9,85 81	10,14 19	9,90 91	12	
	49	9,76 73	9,85 83	10,14 17	9,90 90	11	
35	50	9,76 75	9,85 86	10,14 14	9,90 89	10	54
	51	9,76 76	9,85 89	10,14 11	9,90 88	9	
	52	9,76 78	9,85 91	10,14 09	9,90 87	8	
	53	9,76 80	9,85 94	10,14 06	9,90 86	7	
	54	9,76 82	9,85 97	10,14 03	9,90 85	6	
	55	9,76 83	9,85 99	10,14 01	9,90 84	5	
	56	9,76 85	9,86 02	10,13 93	9,90 83	4	
	57	9,76 87	9,86 05	10,13 95	9,90 82	3	
	58	9,76 89	9,86 07	10,13 93	9,90 81	2	
	59	9,76 90	9,86 10	10,13 90	9,90 80	1	
36	0	9,76 92	9,86 13	10,13 87	9,90 80	0	54
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
36	0	9,76 92	9,86 13	10,13 87	9,90 80	0	54
	1	9,76 94	9,86 15	10,13 85	9,90 79	59	
	2	9,76 96	9,86 18	10,13 82	9,90 78	58	
	3	9,76 97	9,86 21	10,13 79	9,90 77	57	
	4	9,76 99	9,86 23	10,13 77	9,90 76	56	
	5	9,77 01	9,86 26	10,13 74	9,90 75	55	
	6	9,77 03	9,86 28	10,13 71	9,90 74	54	
	7	9,77 04	9,86 31	10,13 69	9,90 73	53	
	8	9,77 06	9,86 34	10,13 66	9,90 72	52	
	9	9,77 08	9,86 36	10,13 63	9,90 71	51	
36	10	9,77 09	9,86 39	10,13 61	9,90 70	50	53
	11	9,77 11	9,86 42	10,13 58	9,90 69	49	
	12	9,77 13	9,86 44	10,13 55	9,90 68	48	
	13	9,77 15	9,86 47	10,13 53	9,90 68	47	
	14	9,77 16	9,86 50	10,13 50	9,90 67	46	
	15	9,77 18	9,86 52	10,13 48	9,90 66	45	
	16	9,77 20	9,86 55	10,13 45	9,90 65	44	
	17	9,77 22	9,86 58	10,13 42	9,90 64	43	
	18	9,77 23	9,86 60	10,13 40	9,90 63	42	
	19	9,77 25	9,86 63	10,13 37	9,90 62	41	
36	20	9,77 27	9,86 66	10,13 34	9,90 61	40	53
	21	9,77 28	9,86 68	10,13 32	9,90 60	39	
	22	9,77 30	9,86 71	10,13 29	9,90 59	38	
	23	9,77 32	9,86 74	10,13 26	9,90 58	37	
	24	9,77 34	9,86 76	10,13 24	9,90 57	36	
	25	9,77 35	9,86 79	10,13 21	9,90 56	35	
	26	9,77 37	9,86 81	10,13 18	9,90 55	34	
	27	9,77 39	9,86 84	10,13 16	9,90 55	33	
	28	9,77 40	9,86 87	10,13 13	9,90 54	32	
	29	9,77 42	9,86 89	10,13 11	9,90 53	31	
36	30	9,77 44	9,86 92	10,13 08	9,90 52	30	53
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
86	80	9.77 44	9.86 92	10.13 08	9.90 52	80	58
	31	9.77 46	9.86 95	10.13 05	9.90 51	29	
	32	9.77 47	9.86 97	10.13 03	9.90 50	28	
	33	9.77 49	9.87 00	10.13 00	9.90 49	27	
	34	9.77 51	9.87 03	10.12 97	9.90 48	26	
	35	9.77 52	9.87 05	10.12 95	9.90 47	25	
	36	9.77 54	9.87 08	10.12 92	9.90 46	24	
	37	9.77 56	9.87 11	10.12 89	9.90 45	23	
	38	9.77 57	9.87 13	10.12 87	9.90 44	22	
	39	9.77 59	9.87 16	10.12 84	9.90 43	21	
86	40	9.77 61	9.87 18	10.12 81	9.90 42	20	58
	41	9.77 63	9.87 21	10.12 79	9.90 41	19	
	42	9.77 64	9.87 24	10.12 76	9.90 40	18	
	43	9.77 66	9.87 26	10.12 74	9.90 40	17	
	44	9.77 68	9.87 29	10.12 71	9.90 39	16	
	45	9.77 69	9.87 32	10.12 68	9.90 38	15	
	46	9.77 71	9.87 34	10.12 66	9.90 37	14	
	47	9.77 73	9.87 37	10.12 63	9.90 36	13	
	48	9.77 74	9.87 40	10.12 60	9.90 35	12	
	49	9.77 76	9.87 42	10.12 58	9.90 34	11	
86	50	9.77 78	9.87 45	10.12 55	9.90 33	10	58
	51	9.77 79	9.87 47	10.12 52	9.90 32	9	
	52	9.77 81	9.87 50	10.12 50	9.90 31	8	
	53	9.77 83	9.87 53	10.12 47	9.90 30	7	
	54	9.77 85	9.87 55	10.12 45	9.90 29	6	
	55	9.77 86	9.87 58	10.12 42	9.90 28	5	
	56	9.77 88	9.87 61	10.12 39	9.90 27	4	
	57	9.77 90	9.87 63	10.12 37	9.90 26	3	
	58	9.77 91	9.87 66	10.12 34	9.90 25	2	
	59	9.77 93	9.87 68	10.12 31	9.90 24	1	
87	0	9.77 95	9.87 71	10.12 29	9.90 23	0	58
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

1.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
7	0	9,77 95	9,87 71	10,12 29	9,90 23	0	53
	1	9,77 96	9,87 74	10,12 26	9,90 22	59	
	2	9,77 98	9,87 76	10,12 24	9,90 22	58	
	3	9,78 00	9,87 79	10,12 21	9,90 21	57	
	4	9,78 01	9,87 82	10,12 18	9,90 20	56	
	5	9,78 03	9,87 84	10,12 16	9,90 19	55	
	6	9,78 05	9,87 87	10,12 13	9,90 18	54	
	7	9,78 06	9,87 89	10,12 10	9,90 17	53	
	8	9,78 08	9,87 92	10,12 08	9,90 16	52	
	9	9,78 10	9,87 95	10,12 05	9,90 15	51	
7	10	9,78 11	9,87 97	10,12 03	9,90 14	50	52
	11	9,78 13	9,88 00	10,12 00	9,90 13	49	
	12	9,78 15	9,88 03	10,11 97	9,90 12	48	
	13	9,78 16	9,88 05	10,11 95	9,90 11	47	
	14	9,78 18	9,88 08	10,11 92	9,90 10	46	
	15	9,78 20	9,88 10	10,11 89	9,90 09	45	
	16	9,78 21	9,88 13	10,11 87	9,90 08	44	
	17	9,78 23	9,88 16	10,11 84	9,90 07	43	
	18	9,78 25	9,88 18	10,11 82	9,90 06	42	
	19	9,78 26	9,88 21	10,11 79	9,90 05	41	
7	20	9,78 28	9,88 24	10,11 76	9,90 04	40	52
	21	9,78 30	9,88 26	10,11 74	9,90 03	39	
	22	9,78 31	9,88 29	10,11 71	9,90 02	38	
	23	9,78 33	9,88 31	10,11 68	9,90 01	37	
	24	9,78 35	9,88 34	10,11 66	9,90 00	36	
	25	9,78 36	9,88 37	10,11 63	9,89 99	35	
	26	9,78 38	9,88 39	10,11 61	9,89 98	34	
	27	9,78 39	9,88 42	10,11 58	9,89 98	33	
	28	9,78 41	9,88 45	10,11 55	9,89 97	32	
	29	9,78 43	9,88 47	10,11 53	9,89 96	31	
17	30	9,78 44	9,88 50	10,11 50	9,89 95	30	52
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
<b>37</b>	<b>30</b>	9,78 44	9,88 50	10,11 50	9,89 95	<b>30</b>	<b>52</b>
	31	9,78 46	9,88 52	10,11 48	9,89 94	29	
	32	9,78 48	9,88 55	10,11 45	9,89 93	28	
	33	9,78 49	9,88 58	10,11 42	9,89 92	27	
	34	9,78 51	9,88 60	10,11 40	9,89 91	26	
	35	9,78 53	9,88 63	10,11 37	9,89 90	25	
	36	9,78 54	9,88 65	10,11 34	9,89 89	24	
	37	9,78 56	9,88 68	10,11 32	9,89 88	23	
	38	9,78 58	9,88 71	10,11 29	9,89 87	22	
	39	9,78 59	9,88 73	10,11 27	9,89 86	21	
<b>37</b>	<b>40</b>	9,78 61	9,88 76	10,11 24	9,89 85	<b>20</b>	<b>52</b>
	41	9,78 62	9,88 79	10,11 21	9,89 84	19	
	42	9,78 64	9,88 81	10,11 19	9,89 83	18	
	43	9,78 66	9,88 84	10,11 16	9,89 82	17	
	44	9,78 67	9,88 86	10,11 14	9,89 81	16	
	45	9,78 69	9,88 89	10,11 11	9,89 80	15	
	46	9,78 71	9,88 92	10,11 08	9,89 79	14	
	47	9,78 72	9,88 94	10,11 06	9,89 78	13	
	48	9,78 74	9,88 97	10,11 03	9,89 77	12	
	49	9,78 76	9,88 99	10,11 01	9,89 76	11	
<b>37</b>	<b>50</b>	9,78 77	9,89 02	10,10 98	9,89 75	<b>10</b>	<b>52</b>
	51	9,78 79	9,89 05	10,10 95	9,89 74	9	
	52	9,78 80	9,89 07	10,10 93	9,89 73	8	
	53	9,78 82	9,89 10	10,10 90	9,89 72	7	
	54	9,78 84	9,89 12	10,10 87	9,89 71	6	
	55	9,78 85	9,89 15	10,10 85	9,89 70	5	
	56	9,78 87	9,89 18	10,10 82	9,89 69	4	
	57	9,78 89	9,89 20	10,10 80	9,89 68	3	
	58	9,78 90	9,89 23	10,10 77	9,89 67	2	
	59	9,78 92	9,89 25	10,10 74	9,89 66	1	
<b>38</b>	<b>0</b>	9,78 93	9,89 28	10,10 72	9,89 65	<b>0</b>	<b>52</b>
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
38	0	9,78 93	9,89 28	10,10 72	9,89 65	0	52
	1	9,78 95	9,89 31	10,10 69	9,89 64	59	
	2	9,78 97	9,89 33	10,10 67	9,89 63	58	
	3	9,78 98	9,89 36	10,10 64	9,89 62	57	
	4	9,79 00	9,89 38	10,10 61	9,89 61	56	
	5	9,79 01	9,89 41	10,10 59	9,89 60	55	
	6	9,79 03	9,89 44	10,10 56	9,89 59	54	
	7	9,79 05	9,89 46	10,10 54	9,89 58	53	
	8	9,79 06	9,89 49	10,10 51	9,89 57	52	
	9	9,79 08	9,89 51	10,10 48	9,89 56	51	
38	10	9,79 09	9,89 54	10,10 46	9,89 55	50	51
	11	9,79 11	9,89 57	10,10 43	9,89 54	49	
	12	9,79 13	9,89 59	10,10 41	9,89 53	48	
	13	9,79 14	9,89 62	10,10 38	9,89 52	47	
	14	9,79 16	9,89 64	10,10 35	9,89 51	46	
	15	9,79 18	9,89 67	10,10 33	9,89 50	45	
	16	9,79 19	9,89 70	10,10 30	9,89 49	44	
	17	9,79 21	9,89 72	10,10 28	9,89 48	43	
	18	9,79 22	9,89 75	10,10 25	9,89 47	42	
	19	9,79 24	9,89 77	10,10 22	9,89 46	41	
38	20	9,79 26	9,89 80	10,10 20	9,89 45	40	51
	21	9,79 27	9,89 83	10,10 17	9,89 44	39	
	22	9,79 29	9,89 85	10,10 15	9,89 43	38	
	23	9,79 30	9,89 88	10,10 12	9,89 42	37	
	24	9,79 32	9,89 90	10,10 09	9,89 41	36	
	25	9,79 33	9,89 93	10,10 07	9,89 40	35	
	26	9,79 35	9,89 96	10,10 04	9,89 39	34	
	27	9,79 37	9,89 98	10,10 02	9,89 38	33	
	28	9,79 38	9,90 01	10,09 99	9,89 37	32	
	29	9,79 40	9,90 03	10,09 96	9,89 36	31	
38	30	9,79 41	9,90 06	10,09 94	9,89 35	30	51
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
38	30	9,79 41	9,90 06	10,09 94	9,89 35	30	51
	31	9,79 43	9,90 09	10,09 91	9,89 34	29	
	32	9,79 45	9,90 11	10,09 89	9,89 33	28	
	33	9,79 46	9,90 14	10,09 85	9,89 32	27	
	34	9,79 48	9,90 16	10,09 84	9,89 31	26	
	35	9,79 49	9,90 19	10,09 81	9,89 30	25	
	36	9,79 51	9,90 22	10,09 78	9,89 29	24	
	37	9,79 53	9,90 24	10,09 76	9,89 28	23	
	38	9,79 54	9,90 27	10,09 73	9,89 27	22	
	39	9,79 56	9,90 29	10,09 71	9,89 26	21	
38	40	9,79 57	9,90 32	10,09 68	9,89 25	20	51
	41	9,79 59	9,90 35	10,09 65	9,89 24	19	
	42	9,79 60	9,90 37	10,09 63	9,89 23	18	
	43	9,79 62	9,90 40	10,09 60	9,89 22	17	
	44	9,79 64	9,90 42	10,09 58	9,89 21	16	
	45	9,79 65	9,90 45	10,09 55	9,89 20	15	
	46	9,79 67	9,90 47	10,09 52	9,89 19	14	
	47	9,79 68	9,90 50	10,09 50	9,89 18	13	
	48	9,79 70	9,90 53	10,09 47	9,89 17	12	
	49	9,79 71	9,90 55	10,09 45	9,89 16	11	
38	50	9,79 73	9,90 58	10,09 42	9,89 15	10	51
	51	9,79 75	9,90 60	10,09 40	9,89 14	9	
	52	9,79 76	9,90 63	10,09 37	9,89 13	8	
	53	9,79 78	9,90 66	10,09 34	9,89 12	7	
	54	9,79 79	9,90 68	10,09 32	9,89 11	6	
	55	9,79 81	9,90 71	10,09 29	9,89 10	5	
	56	9,79 82	9,90 73	10,09 27	9,89 09	4	
	57	9,79 84	9,90 75	10,09 24	9,89 08	3	
	58	9,79 86	9,90 78	10,09 21	9,89 07	2	
	59	9,79 87	9,90 81	10,09 19	9,89 06	1	
39	0	9,79 89	9,90 84	10,09 16	9,89 05	0	51
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
39	0	9,79 89	9,90 84	10,09 16	9,89 05	0	51
	1	9,79 90	9,90 86	10,09 14	9,89 04	59	
	2	9,79 92	9,90 89	10,09 11	9,89 03	58	
	3	9,79 93	9,90 91	10,09 09	9,89 02	57	
	4	9,79 95	9,90 94	10,09 06	9,89 01	56	
	5	9,79 96	9,90 97	10,09 03	9,89 00	55	
	6	9,79 98	9,90 99	10,09 01	9,88 99	54	
	7	9,80 00	9,91 02	10,08 98	9,88 98	53	
	8	9,80 01	9,91 04	10,08 96	9,88 97	52	
	9	9,80 03	9,91 07	10,08 93	9,88 96	51	
39	10	9,80 04	9,91 09	10,08 90	9,88 95	50	50
	11	9,80 06	9,91 12	10,08 88	9,88 94	49	
	12	9,80 07	9,91 15	10,08 85	9,88 93	48	
	13	9,80 09	9,91 17	10,08 83	9,88 92	47	
	14	9,80 10	9,91 20	10,08 80	9,88 91	46	
	15	9,80 12	9,91 22	10,08 78	9,88 90	45	
	16	9,80 14	9,91 25	10,08 75	9,88 89	44	
	17	9,80 15	9,91 28	10,08 72	9,88 87	43	
	18	9,80 17	9,91 30	10,08 70	9,88 86	42	
	19	9,80 18	9,91 33	10,08 67	9,88 85	41	
39	20	9,80 20	9,91 35	10,08 65	9,88 84	40	50
	21	9,80 21	9,91 38	10,08 62	9,88 83	39	
	22	9,80 23	9,91 40	10,08 60	9,88 82	38	
	23	9,80 24	9,91 43	10,08 57	9,88 81	37	
	24	9,80 26	9,91 46	10,08 54	9,88 80	36	
	25	9,80 27	9,91 48	10,08 52	9,88 79	35	
	26	9,80 29	9,91 51	10,08 49	9,88 78	34	
	27	9,80 30	9,91 53	10,08 47	9,88 77	33	
	28	9,80 32	9,91 56	10,08 44	9,88 76	32	
	29	9,80 34	9,91 58	10,08 41	9,88 75	31	
39	30	9,80 35	9,91 61	10,08 39	9,88 74	30	50
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.		°
39	30	9,80 35	9,91 61	10,08 39	9,88 74	30	50
	31	9,80 37	9,91 64	10,08 36	9,88 73	29	
	32	9,80 38	9,91 66	10,08 34	9,88 72	28	
	33	9,80 40	9,91 69	10,08 31	9,88 71	27	
	34	9,80 41	9,91 71	10,08 29	9,88 70	26	
	35	9,80 43	9,91 74	10,08 26	9,88 69	25	
	36	9,80 44	9,91 76	10,08 23	9,88 68	24	
	37	9,80 46	9,91 79	10,08 21	9,88 67	23	
	38	9,80 47	9,91 82	10,08 18	9,88 66	22	
	39	9,80 49	9,91 84	10,08 16	9,88 65	21	
39	40	9,80 50	9,91 87	10,08 13	9,88 64	20	50
	41	9,80 52	9,91 89	10,08 11	9,88 63	19	
	42	9,80 53	9,91 92	10,08 08	9,88 61	18	
	43	9,80 55	9,91 94	10,08 05	9,88 60	17	
	44	9,80 56	9,91 97	10,08 03	9,88 59	16	
	45	9,80 58	9,92 00	10,08 00	9,88 58	15	
	46	9,80 59	9,92 02	10,07 98	9,88 57	14	
	47	9,80 61	9,92 05	10,07 95	9,88 56	13	
	48	9,80 62	9,92 07	10,07 93	9,88 55	12	
	49	9,80 64	9,92 10	10,07 90	9,88 54	11	
39	50	9,80 66	9,92 12	10,07 87	9,88 53	10	50
	51	9,80 67	9,92 15	10,07 85	9,88 52	9	
	52	9,80 69	9,92 18	10,07 82	9,88 51	8	
	53	9,80 70	9,92 20	10,07 80	9,88 50	7	
	54	9,80 72	9,92 23	10,07 77	9,88 49	6	
	55	9,80 73	9,92 25	10,07 75	9,88 48	5	
	56	9,80 75	9,92 28	10,07 72	9,88 47	4	
	57	9,80 76	9,92 30	10,07 70	9,88 46	3	
	58	9,80 78	9,92 33	10,07 67	9,88 45	2	
	59	9,80 79	9,92 36	10,07 64	9,88 44	1	
40	0	9,80 81	9,92 38	10,07 62	9,88 42	0	50
		log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	°	'
40	0	9,80 81	9,92 38	10,07 62	9,88 42	0	50
	1	9,80 82	9,92 41	10,07 59	9,88 41		59
	2	9,80 84	9,92 43	10,07 57	9,88 40		58
	3	9,80 85	9,92 46	10,07 54	9,88 39		57
	4	9,80 87	9,92 48	10,07 52	9,88 38		56
	5	9,80 88	9,92 51	10,07 49	9,88 37		55
	6	9,80 90	9,92 53	10,07 46	9,88 36		54
	7	9,80 91	9,92 56	10,07 44	9,88 35		53
	8	9,80 93	9,92 59	10,07 41	9,88 34		52
	9	9,80 94	9,92 61	10,07 39	9,88 33		51
40	10	9,80 96	9,92 64	10,07 36	9,88 32	50	49
	11	9,80 97	9,92 66	10,07 34	9,88 31		49
	12	9,80 99	9,92 69	10,07 31	9,88 30		48
	13	9,81 00	9,92 71	10,07 28	9,88 29		47
	14	9,81 02	9,92 74	10,07 26	9,88 28		46
	15	9,81 03	9,92 77	10,07 23	9,88 27		45
	16	9,81 05	9,92 79	10,07 21	9,88 25		44
	17	9,81 06	9,92 82	10,07 18	9,88 24		43
	18	9,81 08	9,92 84	10,07 16	9,88 23		42
	19	9,81 09	9,92 87	10,07 13	9,88 22		41
40	20	9,81 11	9,92 89	10,07 11	9,88 21	40	49
	21	9,81 12	9,92 92	10,07 08	9,88 20		39
	22	9,81 14	9,92 94	10,07 05	9,88 19		38
	23	9,81 15	9,92 97	10,07 03	9,88 18		37
	24	9,81 17	9,93 00	10,07 00	9,88 17		36
	25	9,81 18	9,93 02	10,06 98	9,88 16		35
	26	9,81 19	9,93 05	10,06 95	9,88 15		34
	27	9,81 21	9,93 07	10,06 93	9,88 14		33
	28	9,81 22	9,93 10	10,06 90	9,88 13		32
	29	9,81 24	9,93 12	10,06 88	9,88 11		31
40	30	9,81 25	9,93 15	10,06 85	9,88 10	30	49
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.		°
40	30	9,81 25	9,93 15	10,06 85	9,88 10	30	49
	31	9,81 27	9,93 17	10,06 82	9,88 09	29	
	32	9,81 28	9,93 20	10,06 80	9,88 08	28	
	33	9,81 30	9,93 23	10,06 77	9,88 07	27	
	34	9,81 31	9,93 25	10,06 75	9,88 06	26	
	35	9,81 33	9,93 28	10,06 72	9,88 05	25	
	36	9,81 34	9,93 30	10,06 70	9,88 04	24	
	37	9,81 36	9,93 33	10,06 67	9,88 03	23	
	38	9,81 37	9,93 35	10,06 65	9,88 02	22	
	39	9,81 39	9,93 38	10,06 62	9,88 01	21	
40	40	9,81 40	9,93 41	10,06 59	9,88 00	20	49
	41	9,81 42	9,93 43	10,06 57	9,87 98	19	
	42	9,81 43	9,93 46	10,06 54	9,87 97	18	
	43	9,81 45	9,93 48	10,06 52	9,87 96	17	
	44	9,81 46	9,93 51	10,06 49	9,87 95	16	
	45	9,81 47	9,93 53	10,06 47	9,87 94	15	
	46	9,81 49	9,93 56	10,06 44	9,87 93	14	
	47	9,81 50	9,93 58	10,06 42	9,87 92	13	
	48	9,81 52	9,93 61	10,06 39	9,87 91	12	
	49	9,81 53	9,93 64	10,06 36	9,87 90	11	
40	50	9,81 55	9,93 66	10,06 34	9,87 89	10	49
	51	9,81 56	9,93 69	10,06 31	9,87 88	9	
	52	9,81 53	9,93 71	10,06 29	9,87 87	8	
	53	9,81 59	9,93 74	10,06 26	9,87 85	7	
	54	9,81 61	9,93 75	10,06 24	9,87 84	6	
	55	9,81 62	9,93 77	10,06 21	9,87 83	5	
	56	9,81 64	9,93 81	10,06 19	9,87 82	4	
	57	9,81 65	9,93 84	10,06 16	9,87 81	3	
	58	9,81 66	9,93 86	10,06 13	9,87 80	2	
	59	9,81 68	9,93 89	10,06 11	9,87 79	1	
41	0	9,81 69	9,93 92	10,06 08	9,87 78	0	49
°	′	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
<b>41</b>	<b>0</b>	9,81 69	9,93 92	10,06 08	9,87 78	<b>0</b>	<b>49</b>
	<b>1</b>	9,81 71	9,93 94	10,06 06	9,87 77	59	
	<b>2</b>	9,81 72	9,93 97	10,06 03	9,87 76	58	
	<b>3</b>	9,81 74	9,93 99	10,06 01	9,87 74	57	
	<b>4</b>	9,81 75	9,94 02	10,05 93	9,87 73	56	
	<b>5</b>	9,81 77	9,94 04	10,05 96	9,87 72	55	
	<b>6</b>	9,81 78	9,94 07	10,05 93	9,87 71	54	
	<b>7</b>	9,81 80	9,94 09	10,05 90	9,87 70	53	
	<b>8</b>	9,81 81	9,94 12	10,05 88	9,87 69	52	
	<b>9</b>	9,81 82	9,94 15	10,05 85	9,87 68	51	
<b>41</b>	<b>10</b>	9,81 84	9,94 17	10,05 83	9,87 67	<b>50</b>	<b>48</b>
	<b>11</b>	9,81 85	9,94 20	10,05 80	9,87 66	49	
	<b>12</b>	9,81 87	9,94 22	10,05 73	9,87 65	48	
	<b>13</b>	9,81 88	9,94 25	10,05 75	9,87 63	47	
	<b>14</b>	9,81 90	9,94 27	10,05 73	9,87 62	46	
	<b>15</b>	9,81 91	9,94 30	10,05 70	9,87 61	45	
	<b>16</b>	9,81 93	9,94 32	10,05 63	9,87 60	44	
	<b>17</b>	9,81 94	9,94 35	10,05 65	9,87 59	43	
	<b>18</b>	9,81 95	9,94 37	10,05 62	9,87 58	42	
	<b>19</b>	9,81 97	9,94 40	10,05 60	9,87 57	41	
<b>41</b>	<b>20</b>	9,81 98	9,94 43	10,05 57	9,87 56	<b>40</b>	<b>48</b>
	<b>21</b>	9,82 00	9,94 45	10,05 55	9,87 55	39	
	<b>22</b>	9,82 01	9,94 48	10,05 52	9,87 53	38	
	<b>23</b>	9,82 03	9,94 50	10,05 50	9,87 52	37	
	<b>24</b>	9,82 04	9,94 53	10,05 47	9,87 51	36	
	<b>25</b>	9,82 05	9,94 55	10,05 45	9,87 50	35	
	<b>26</b>	9,82 07	9,94 58	10,05 42	9,87 49	34	
	<b>27</b>	9,82 08	9,94 60	10,05 40	9,87 48	33	
	<b>28</b>	9,82 10	9,94 63	10,05 37	9,87 47	32	
	<b>29</b>	9,82 11	9,94 65	10,05 34	9,87 46	31	
<b>41</b>	<b>30</b>	9,82 13	9,94 68	10,05 32	9,87 45	<b>30</b>	<b>48</b>
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
41	30	9,82 13	9,94 68	10,05 32	9,87 45	30	48
	31	9,82 14	9,94 71	10,05 29	9,87 43	29	
	32	9,82 15	9,94 73	10,05 27	9,87 42	28	
	33	9,82 17	9,94 76	10,05 24	9,87 41	27	
	34	9,82 18	9,94 78	10,05 22	9,87 40	26	
	35	9,82 20	9,94 81	10,05 19	9,87 39	25	
	36	9,82 21	9,94 83	10,05 17	9,87 38	24	
	37	9,82 23	9,94 86	10,05 14	9,87 37	23	
	38	9,82 24	9,94 88	10,05 12	9,87 36	22	
	39	9,82 25	9,94 91	10,05 09	9,87 34	21	
41	40	9,82 27	9,94 93	10,05 06	9,87 33	20	48
	41	9,82 28	9,94 96	10,05 04	9,87 32	19	
	42	9,82 30	9,94 99	10,05 01	9,87 31	18	
	43	9,82 31	9,95 01	10,04 99	9,87 30	17	
	44	9,82 33	9,95 04	10,04 96	9,87 29	16	
	45	9,82 34	9,95 06	10,04 94	9,87 28	15	
	46	9,82 35	9,95 09	10,04 91	9,87 27	14	
	47	9,82 37	9,95 11	10,04 89	9,87 25	13	
	48	9,82 38	9,95 14	10,04 86	9,87 24	12	
	49	9,82 40	9,95 16	10,04 84	9,87 23	11	
41	50	9,82 41	9,95 19	10,04 81	9,87 22	10	48
	51	9,82 42	9,95 21	10,04 78	9,87 21	9	
	52	9,82 44	9,95 24	10,04 76	9,87 20	8	
	53	9,82 45	9,95 27	10,04 73	9,87 19	7	
	54	9,82 47	9,95 29	10,04 71	9,87 17	6	
	55	9,82 48	9,95 32	10,04 68	9,87 16	5	
	56	9,82 49	9,95 34	10,04 66	9,87 15	4	
	57	9,82 51	9,95 37	10,04 63	9,87 14	3	
	58	9,82 52	9,95 39	10,04 61	9,87 13	2	
	59	9,82 54	9,95 42	10,04 58	9,87 12	1	
42	0	9,82 55	9,95 44	10,04 56	9,87 11	0	48
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
<b>42</b>	<b>0</b>	9,82 55	9,95 44	10,04 56	9,87 11	<b>0</b>	<b>48</b>
	1	9,82 56	9,95 47	10,04 53	9,87 10	59	
	2	9,82 58	9,95 49	10,04 50	9,87 08	58	
	3	9,82 59	9,95 52	10,04 48	9,87 07	57	
	4	9,82 61	9,95 54	10,04 45	9,87 06	56	
	5	9,82 62	9,95 57	10,04 43	9,87 05	55	
	6	9,82 63	9,95 60	10,04 40	9,87 04	54	
	7	9,82 65	9,95 62	10,04 38	9,87 03	53	
	8	9,82 66	9,95 65	10,04 35	9,87 02	52	
	9	9,82 68	9,95 67	10,04 33	9,87 00	51	
<b>42</b>	<b>10</b>	9,82 69	9,95 70	10,04 30	9,86 99	<b>50</b>	<b>47</b>
	11	9,82 70	9,95 72	10,04 28	9,86 98	49	
	12	9,82 72	9,95 75	10,04 25	9,86 97	48	
	13	9,82 73	9,95 77	10,04 23	9,86 96	47	
	14	9,82 75	9,95 80	10,04 20	9,86 95	46	
	15	9,82 76	9,95 82	10,04 17	9,86 94	45	
	16	9,82 77	9,95 85	10,04 15	9,86 92	44	
	17	9,82 79	9,95 87	10,04 12	9,86 91	43	
	18	9,82 80	9,95 90	10,04 10	9,86 90	42	
	19	9,82 82	9,95 93	10,04 07	9,86 89	41	
<b>42</b>	<b>20</b>	9,82 83	9,95 95	10,04 05	9,86 88	<b>40</b>	<b>47</b>
	21	9,82 84	9,95 98	10,04 02	9,86 87	39	
	22	9,82 86	9,96 00	10,04 00	9,86 85	38	
	23	9,82 87	9,96 03	10,03 97	9,86 84	37	
	24	9,82 88	9,96 05	10,03 95	9,86 83	36	
	25	9,82 90	9,96 08	10,03 92	9,86 82	35	
	26	9,82 91	9,96 10	10,03 90	9,86 81	34	
	27	9,82 93	9,96 13	10,03 87	9,86 80	33	
	28	9,82 94	9,96 15	10,03 84	9,86 79	32	
	29	9,82 95	9,96 18	10,03 82	9,86 77	31	
<b>42</b>	<b>30</b>	9,82 97	9,96 20	10,03 79	9,86 76	<b>30</b>	<b>47</b>
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
42	30	9,82 97	9,96 20	10,03 79	9,86 76	30	47
	31	9,82 98	9,96 23	10,03 77	9,86 75	29	
	32	9,83 00	9,96 26	10,03 74	9,86 74	28	
	33	9,83 01	9,96 28	10,03 72	9,86 73	27	
	34	9,83 02	9,96 31	10,03 69	9,86 72	26	
	35	9,83 04	9,96 33	10,03 67	9,86 70	25	
	36	9,83 05	9,96 36	10,03 64	9,86 69	24	
	37	9,83 06	9,96 38	10,03 62	9,86 68	23	
	38	9,83 08	9,96 41	10,03 59	9,86 67	22	
	39	9,83 09	9,96 43	10,03 57	9,86 66	21	
42	40	9,83 11	9,96 46	10,03 54	9,86 65	20	47
	41	9,83 12	9,96 48	10,03 52	9,86 63	19	
	42	9,83 13	9,96 51	10,03 49	9,86 62	18	
	43	9,83 15	9,96 53	10,03 46	9,86 61	17	
	44	9,83 16	9,96 56	10,03 44	9,86 60	16	
	45	9,83 17	9,96 59	10,03 41	9,86 59	15	
	46	9,83 19	9,96 61	10,03 39	9,86 58	14	
	47	9,83 20	9,96 64	10,03 36	9,86 56	13	
	48	9,83 21	9,96 66	10,03 34	9,86 55	12	
	49	9,83 23	9,96 69	10,03 31	9,86 54	11	
42	50	9,83 24	9,96 71	10,03 29	9,86 53	10	47
	51	9,83 26	9,96 74	10,03 26	9,86 52	9	
	52	9,83 27	9,96 76	10,03 24	9,86 51	8	
	53	9,83 28	9,96 79	10,03 21	9,86 49	7	
	54	9,83 30	9,96 81	10,03 19	9,86 48	6	
	55	9,83 31	9,96 84	10,03 16	9,86 47	5	
	56	9,83 32	9,96 86	10,03 14	9,86 46	4	
	57	9,83 34	9,96 89	10,03 11	9,86 45	3	
	58	9,83 35	9,96 91	10,03 08	9,86 44	2	
	59	9,83 36	9,96 94	10,03 06	9,86 42	1	
43	0	9,83 38	9,96 97	10,03 03	9,86 41	0	47
a	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
<b>43</b>	<b>0</b>	9,83 38	9,96 97	10,03 03	9,86 41	<b>0</b>	<b>47</b>
	1	9,83 39	9,96 99	10,03 01	9,86 40	59	
	2	9,83 40	9,97 02	10,02 98	9,86 39	58	
	3	9,83 42	9,97 04	10,02 96	9,86 38	57	
	4	9,83 43	9,97 07	10,02 93	9,86 37	56	
	5	9,83 45	9,97 09	10,02 91	9,86 35	55	
	6	9,83 46	9,97 12	10,02 88	9,86 34	54	
	7	9,83 47	9,97 14	10,02 86	9,86 33	53	
	8	9,83 49	9,97 17	10,02 83	9,86 32	52	
	9	9,83 50	9,97 19	10,02 81	9,86 31	51	
<b>43</b>	<b>10</b>	9,83 51	9,97 22	10,02 78	9,86 29	<b>50</b>	<b>46</b>
	11	9,83 53	9,97 24	10,02 76	9,86 28	49	
	12	9,83 54	9,97 27	10,02 73	9,86 27	48	
	13	9,83 55	9,97 29	10,02 70	9,86 26	47	
	14	9,83 57	9,97 32	10,02 68	9,86 25	46	
	15	9,83 58	9,97 34	10,02 65	9,86 23	45	
	16	9,83 59	9,97 37	10,02 63	9,86 22	44	
	17	9,83 61	9,97 40	10,02 60	9,86 21	43	
	18	9,83 62	9,97 42	10,02 58	9,86 20	42	
	19	9,83 63	9,97 45	10,02 55	9,86 19	41	
<b>43</b>	<b>20</b>	9,83 65	9,97 47	10,02 53	9,86 18	<b>40</b>	<b>46</b>
	21	9,83 66	9,97 50	10,02 50	9,86 16	39	
	22	9,83 67	9,97 52	10,02 48	9,86 15	38	
	23	9,83 69	9,97 55	10,02 45	9,86 14	37	
	24	9,83 70	9,97 57	10,02 43	9,86 13	36	
	25	9,83 71	9,97 60	10,02 40	9,86 12	35	
	26	9,83 73	9,97 62	10,02 38	9,86 10	34	
	27	9,83 74	9,97 65	10,02 35	9,86 09	33	
	28	9,83 75	9,97 67	10,02 33	9,86 08	32	
	29	9,83 77	9,97 70	10,02 30	9,86 07	31	
<b>43</b>	<b>30</b>	9,83 78	9,97 72	10,02 27	9,86 06	<b>30</b>	<b>46</b>
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.



D.	M.	log sin.	log tang.	log cotg.	log cos.	°	'
<b>43</b>	<b>30</b>	9,83 73	9,97 72	10,02 27	9,86 06	<b>30</b>	<b>46</b>
	31	9,83 79	9,97 75	10,02 25	9,86 04	29	
	32	9,83 81	9,97 78	10,02 22	9,86 03	28	
	33	9,83 82	9,97 80	10,02 20	9,86 02	27	
	34	9,83 83	9,97 83	10,02 17	9,86 01	26	
	35	9,83 85	9,97 85	10,02 15	9,86 00	25	
	36	9,83 86	9,97 88	10,02 12	9,85 98	24	
	37	9,83 87	9,97 90	10,02 10	9,85 97	23	
	38	9,83 89	9,97 93	10,02 07	9,85 96	22	
	39	9,83 90	9,97 95	10,02 05	9,85 95	21	
<b>43</b>	<b>40</b>	9,83 91	9,97 98	10,02 02	9,85 94	<b>20</b>	<b>46</b>
	41	9,83 93	9,98 01	10,02 00	9,85 92	19	
	42	9,83 94	9,98 03	10,01 97	9,85 91	18	
	43	9,83 95	9,98 05	10,01 95	9,85 90	17	
	44	9,83 97	9,98 08	10,01 92	9,85 89	16	
	45	9,83 98	9,98 10	10,01 90	9,85 88	15	
	46	9,83 99	9,98 13	10,01 87	9,85 86	14	
	47	9,84 01	9,98 15	10,01 84	9,85 85	13	
	48	9,84 02	9,98 18	10,01 82	9,85 84	12	
	49	9,84 03	9,98 21	10,01 79	9,85 83	11	
<b>43</b>	<b>50</b>	9,84 05	9,98 23	10,01 77	9,85 81	<b>10</b>	<b>46</b>
	51	9,84 06	9,98 26	10,01 74	9,85 80	9	
	52	9,84 07	9,98 28	10,01 72	9,85 79	8	
	53	9,84 08	9,98 31	10,01 69	9,85 78	7	
	54	9,84 10	9,98 33	10,01 67	9,85 77	6	
	55	9,84 11	9,98 36	10,01 64	9,85 75	5	
	56	9,84 12	9,98 38	10,01 62	9,85 74	4	
	57	9,84 14	9,98 41	10,01 59	9,85 73	3	
	58	9,84 15	9,98 43	10,01 57	9,85 72	2	
	59	9,84 16	9,98 46	10,01 54	9,85 71	1	
<b>44</b>	<b>0</b>	9,84 18	9,98 48	10,01 52	9,85 69	<b>0</b>	<b>46</b>
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
<b>44</b>	<b>0</b>	9,84 18	9,98 43	10,01 52	9,85 69	<b>0</b>	<b>46</b>
	1	9,84 19	9,98 51	10,01 49	9,85 68	59	
	2	9,84 20	9,98 53	10,01 47	9,85 67	58	
	3	9,84 22	9,98 56	10,01 44	9,85 66	57	
	4	9,84 23	9,98 58	10,01 41	9,85 64	56	
	5	9,84 24	9,98 61	10,01 39	9,85 63	55	
	6	9,84 25	9,98 63	10,01 36	9,85 62	54	
	7	9,84 27	9,98 66	10,01 34	9,85 61	53	
	8	9,84 28	9,98 69	10,01 31	9,85 60	52	
	9	9,84 29	9,98 71	10,01 29	9,85 58	51	
<b>44</b>	<b>10</b>	9,84 31	9,98 74	10,01 26	9,85 57	<b>50</b>	<b>45</b>
	11	9,84 32	9,98 76	10,01 24	9,85 56	49	
	12	9,84 33	9,98 79	10,01 21	9,85 55	48	
	13	9,84 35	9,98 81	10,01 19	9,85 53	47	
	14	9,84 36	9,98 84	10,01 16	9,85 52	46	
	15	9,84 37	9,98 86	10,01 14	9,85 51	45	
	16	9,84 38	9,98 89	10,01 11	9,85 50	44	
	17	9,84 40	9,98 91	10,01 09	9,85 48	43	
	18	9,84 41	9,98 94	10,01 06	9,85 47	42	
	19	9,84 42	9,98 96	10,01 04	9,85 46	41	
<b>44</b>	<b>20</b>	9,84 44	9,98 99	10,01 01	9,85 45	<b>40</b>	<b>45</b>
	21	9,84 45	9,99 01	10,00 98	9,85 44	39	
	22	9,84 46	9,99 04	10,00 96	9,85 42	38	
	23	9,84 48	9,99 06	10,00 93	9,85 41	37	
	24	9,84 49	9,99 09	10,00 91	9,85 40	36	
	25	9,84 50	9,99 12	10,00 88	9,85 39	35	
	26	9,84 51	9,99 14	10,00 86	9,85 37	34	
	27	9,84 53	9,99 17	10,00 83	9,85 36	33	
	28	9,84 54	9,99 19	10,00 81	9,85 35	32	
	29	9,84 55	9,99 22	10,00 78	9,85 34	31	
<b>44</b>	<b>30</b>	9,84 57	9,99 24	10,00 76	9,85 32	<b>30</b>	<b>45</b>
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

D.	M.	log sin.	log tang.	log cotg.	log cos.	'	°
44	30	9,84 57	9,99 24	10,00 76	9,85 32	30	45
	31	9,84 58	9,99 27	10,00 73	9,85 31	29	
	32	9,84 59	9,99 29	10,00 71	9,85 30	28	
	33	9,84 60	9,99 32	10,00 68	9,85 29	27	
	34	9,84 62	9,99 34	10,00 66	9,85 27	26	
	35	9,84 63	9,99 37	10,00 63	9,85 26	25	
	36	9,84 64	9,99 39	10,00 61	9,85 25	24	
	37	9,84 66	9,99 42	10,00 58	9,85 24	23	
	38	9,84 67	9,99 44	10,00 56	9,85 22	22	
	39	9,84 68	9,99 47	10,00 53	9,85 21	21	
44	40	9,84 69	9,99 49	10,00 50	9,85 20	20	45
	41	9,84 71	9,99 52	10,00 48	9,85 19	19	
	42	9,84 72	9,99 54	10,00 45	9,85 17	18	
	43	9,84 73	9,99 57	10,00 43	9,85 16	17	
	44	9,84 74	9,99 60	10,00 40	9,85 15	16	
	45	9,84 76	9,99 62	10,00 38	9,85 14	15	
	46	9,84 77	9,99 65	10,00 35	9,85 12	14	
	47	9,84 78	9,99 67	10,00 33	9,85 11	13	
	48	9,84 80	9,99 70	10,00 30	9,85 10	12	
	49	9,84 81	9,99 72	10,00 28	9,85 09	11	
44	50	9,84 82	9,99 75	10,00 25	9,85 07	10	45
	51	9,84 83	9,99 77	10,00 23	9,85 06	9	
	52	9,84 85	9,99 80	10,00 20	9,85 05	8	
	53	9,84 86	9,99 82	10,00 18	9,85 04	7	
	54	9,84 87	9,99 85	10,00 15	9,85 02	6	
	55	9,84 88	9,99 87	10,00 13	9,85 01	5	
	56	9,84 90	9,99 90	10,00 10	9,85 00	4	
	57	9,84 91	9,99 92	10,00 08	9,84 99	3	
	58	9,84 92	9,99 95	10,00 05	9,84 97	2	
	59	9,84 94	9,99 97	10,00 02	9,84 96	1	
45	0	9,84 95	10,00 00	10,00 00	9,84 95	0	45
°	'	log cos.	log cotg.	log tang.	log sin.	M.	D.

\*.\* Any book in this Catalogue sent free by mail on receipt of price.

# VALUABLE SCIENTIFIC BOOKS

PUBLISHED BY

D. VAN NOSTRAND COMPANY,

33 MURRAY STREET AND 27 WARREN STREET, N. Y.

- ADAMS (J. W.)** Sewers and Drains for Populous Districts. Embracing Rules and Formulas for the dimensions and construction of works of Sanitary Engineers. Second edition. 8vo, cloth.....\$2 50
- ALEXANDER (J. H.)** Universal Dictionary of Weights and Measures, Ancient and Modern, reduced to the standards of the United States of America. New edition, enlarged. 8vo, cloth..... 3 50
- ATWOOD (GEO.)** Practical Blow-Pipe Assaying. 12mo, cloth, illustrated..... 2 00
- AUCHINCLOSS (W. S.)** Link and Valve Motions Simplified. Illustrated with 37 wood-cuts and 21 lithographic plates, together with a Travel Scale and numerous useful tables. 8vo, cloth..... 3 00
- AXON (W. E. A.)** The Mechanic's Friend: a Collection of Receipts and Practical Suggestions Relating to Aquaria—Bronzing—Cements—Drawing—Dyes—Electricity—Gilding—Glass-working—Glues—Horology—Lacquers—Locomotives—Magnetism—Metal-working—Modelling—Photography—Pyrotechny—Railways—Solders—Steam-Engine—Telegraphy—Taxidermy—Varnishes—Waterproofing, and Miscellaneous Tools, Instruments, Machines, and Processes connected with the Chemical and Mechanic Arts. With numerous diagrams and wood-cuts. Fancy cloth..... 1 50
- BACON (F. W.)** A Treatise on the Richards Steam-Engine Indicator, with directions for its use. By Charles T. Porter. Revised, with notes and large additions as developed by American practice; with an appendix containing useful formulae and rules for engineers. Illustrated. Third edition. 12mo, cloth..... 1 00

- BARBA (J.)** The Use of Steel for Constructive Purposes; Method of Working, Applying, and Testing Plates and Brass. With a Preface by A. L. Holley, C.E. 12mo, cloth. \$1 50
- BARNES (Lt. Com. J. S., U. S. N.)** Submarine Warfare, offensive and defensive, including a discussion of the offensive Torpedo System, its effects upon Iron-Clad Ship Systems and influence upon future naval wars. With twenty lithographic plates and many wood-cuts. 8vo, cloth. 5 00
- BEILSTEIN (F.)** An Introduction to Qualitative Chemical Analysis, translated by I. J. Osburn. 12mo, cloth. 75
- BENET (Gen. S. V., U. S. A.)** Electro-Ballistic Machines, and the Schultz Chronoscope. Illustrated. Second edition, 4to, cloth. 3 00
- BLAKE (W. P.)** Report upon the Precious Metals; Being Statistical Notices of the principal Gold and Silver producing regions of the World, represented at the Paris Universal Exposition. 8vo, cloth. 2 00
- Ceramic Art. A Report on Pottery, Porcelain, Tiles, Terra Cotta, and Brick. 8vo, cloth. 2 00
- BOW (R. H.)** A Treatise on Bracing, with its application to Bridges and other Structures of Wood or Iron. 156 illustrations. 8vo, cloth. 1 50
- BOWSER (Prof. E. A.)** An Elementary Treatise on Analytic Geometry, embracing Plane Geometry, and an Introduction to Geometry of three Dimensions. 12mo, cloth. 1 75
- An Elementary Treatise on the Differential and Integral Calculus. With numerous examples. 12mo, cloth. 2 25
- BURGH (N. P.)** Modern Marine Engineering, applied to Paddle and Screw Propulsion. Consisting of 36 colored plates, 250 practical wood-cut illustrations, and 403 pages of descriptive matter, the whole being an exposition of the present practice of James Watt & Co., J. & G. Rennie, R. Napier & Sons, and other celebrated firms. Thick 4to vol., cloth. 10 00
- Haiti morocco. 15 00
- BURKE (W. A.)** Key to the Solar Compass, and Surveyor's Companion; comprising all the rules necessary for use in the field; also description of the Linear Surveys and Public Land System of the United States, Notes on the Barometer, suggestions for an outfit for a survey of four months, etc. Second edition. Pocket-book form, tuck. 2 50
- BUTLER (Capt. J. S., U. S. A.)** Projectiles and Rifled Cannon. A Critical Discussion of the Principal Systems of Rifling and Projectiles, with Practical Suggestions for their Improvement, as embraced in a Report to the Chief of Ordnance, U. S. A. 36 plates. 4to, cloth. 6 00

- CAIN (Prof. WM.)** A Practical Treatise on Voussoir and Solid and Braced Arches. 16mo, cloth extra ..... \$1 75
- CALDWELL (Prof. GEO. C.) and BRENNEMAN (Prof. A. A.)** Manual of Introductory Chemical Practice, for the use of Students in Colleges and Normal and High Schools. Third edition, revised and corrected. 8vo, cloth, illustrated. New and enlarged edition. .... 1 50
- CAMPIN (FRANCIS).** On the Construction of Iron Roofs. 8vo, with plates, cloth ..... 2 00
- CHAUVENET (Prof. W.)** New method of correcting Lunar Distances, and improved method of finding the error and rate of a chronometer, by equal altitudes. 8vo, cloth..... 2 00
- CHURCH (JOHN A.)** Notes of a Metallurgical Journey in Europe. 8vo, cloth..... 2 00
- CLARK (D. KINNEAR, C.E.)** Fuel: Its Combustion and Economy, consisting of Abridgments of Treatise on the Combustion of Coal and the Prevention of Smoke, by C. W. Williams; and the Economy of Fuel, by T. S. Prideaux. With extensive additions on recent practice in the Combustion and Economy of Fuel: Coal, Coke, Wood, Peat, Petroleum, etc. 12mo, cloth... 1 50
- A Manual of Rules, Tables, and Data for Mechanical Engineers. Based on the most recent investigations. Illustrated with numerous diagrams. 1,012 pages. 8vo, cloth... 7 50
- Half morocco..... 10 00
- CLARK (Lt. LEWIS, U. S. N.)** Theoretical Navigation and Nautical Astronomy. Illustrated with 41 wood-cuts. 8vo, cloth ..... 1 50
- CLARKE (T. C.)** Description of the Iron Railway Bridge over the Mississippi River at Quincy, Illinois. Illustrated with 21 lithographed plans. 4to, cloth ..... 7 50
- CLEVINGER (S. R.)** A Treatise on the Method of Government Surveying, as prescribed by the U. S. Congress and Commissioner of the General Land Office, with complete Mathematical, Astronomical, and Practical Instructions for the use of the United States Surveyors in the field. 16mo, morocco ..... 2 50
- COFFIN (Prof. J. H. C.)** Navigation and Nautical Astronomy. Prepared for the use of the U. S. Naval Academy. Sixth edition. 52 wood-cut illustrations. 12mo, cloth..... 3 50
- COLBURN (ZERAH).** The Gas-Works of London. 12mo, boards..... 60
- COLLINS (JAS. E.)** The Private Book of Useful Alloys and Memoranda for Goldsmiths, Jewellers, etc. 18mo, cloth... 50

- CORNWALL** (Prof. H. B.) *Manual of Blow-Pipe Analysis, Qualitative and Quantitative, with a Complete System of Descriptive Mineralogy.* 8vo, cloth, with many illustrations. N. Y., 1882 ..... \$2 50
- CRAIG** (B. F.) *Weights and Measures. An account of the Decimal System, with Tables of Conversion for Commercial and Scientific Uses.* Square 32mo, limp cloth ..... 50
- CRAIG** (Prof. THOS.) *Elements of the Mathematical Theory of Fluid Motion.* 16mo, cloth ..... 1 25
- DAVIS** (C. B.) and **RAE** (F. B.) *Hand-Book of Electrical Diagrams and Connections.* Illustrated with 32 full-page illustrations. Second edition. Oblong 8vo, cloth extra ..... 2 00
- DIEDRICH** (JOHN). *The Theory of Strains: a Compendium for the Calculation and Construction of Bridges, Roofs, and Cranes.* Illustrated by numerous plates and diagrams. 8vo, cloth ..... 5 00
- DIXON** (D. B.) *The Machinist's and Steam-Engineer's Practical Calculator. A Compilation of useful Rules, and Problems Arithmetically Solved, together with General Information applicable to Shop-Tools, Mill-Gearing, Pulleys and Shafts, Steam-Boilers and Engines. Embracing Valuable Tables, and Instruction in Screw-cutting, Valve and Link Motion, etc.* 16mo, full morocco, pocket form ... (In press)
- DODD** (GEO.) *Dictionary of Manufactures, Mining, Machinery, and the Industrial Arts.* 12mo, cloth ..... 1 50
- DOUGLASS** (Prof. S. H.) and **PRESCOTT** (Prof. A. B.) *Qualitative Chemical Analysis. A Guide in the Practical Study of Chemistry, and in the Work of Analysis.* Third edition. 8vo, cloth ..... 3 50
- DUBOIS** (A. J.) *The New Method of Graphical Statics. With 60 illustrations.* 8vo, cloth ..... 1 50
- EASSIE** (P. B.) *Wood and its Uses. A Hand-Book for the use of Contractors, Builders, Architects, Engineers, and Timber Merchants.* Upwards of 250 illustrations. 8vo, cloth. 1 50
- EDDY** (Prof. H. T.) *Researches in Graphical Statics, embracing New Constructions in Graphical Statics, a New General Method in Graphical Statics, and the Theory of Internal Stress in Graphical Statics.* 8vo, cloth ..... 1 50
- ELIOT** (Prof. C. W.) and **STORER** (Prof. F. H.) *A Compendious Manual of Qualitative Chemical Analysis. Revised with the co-operation of the authors. By Prof. William R. Nichols.* Illustrated. 12mo, cloth ..... 1 50
- ELLIOT** (Maj. GEO. H., U. S. F.) *European Light-House Systems. Being a Report of a Tour of Inspection made in 1873.* 51 engravings and 21 wood-cuts. 8vo, cloth ..... 5 00

- ENGINEERING FACTS AND FIGURES.** An Annual Register of Progress in Mechanical Engineering and Construction for the years 1863-64-65-66-67-68. Fully illustrated. 6 vols. 18mo, cloth (each volume sold separately), per vol.....\$2 50
- FANNING (J. T.)** A Practical Treatise of Water-Supply Engineering. Relating to the Hydrology, Hydrodynamics, and Practical Construction of Water-Works in North America. Third edition. With numerous tables and 180 illustrations. 650 pages. 8vo, cloth..... 5 00
- FISKE (BRADLEY A., U. S. N.)** Electricity in Theory and Practice. 8vo, cloth..... 2 40
- FOSTER (Gen. J. G., U. S. A.)** Submarine Blasting in Boston Harbor, Massachusetts. Removal of Tower and Corwin Rocks. Illustrated with seven plates. 4to, cloth..... 3 50
- FOYE (Prof. J. C.)** Chemical Problems. With brief Statements of the Principles involved. Second edition, revised and enlarged. 16mo, boards..... 50
- FRANCIS (JAS. B., C E.)** Lowell Hydraulic Experiments: Being a selection from Experiments on Hydraulic Motors, on the Flow of Water over Weirs, in Open Canals of Uniform Rectangular Section, and through submerged Orifices and diverging Tubes. Made at Lowell, Massachusetts. Fourth edition, revised and enlarged, with many new experiments, and illustrated with twenty-three copperplate engravings. 4to, cloth.....15 00
- FREE-HAND DRAWING.** A Guide to Ornamental Figure and Landscape Drawing. By an Art Student. 18mo, boards..... 50
- GILLMORE (Gen. Q. A.)** Treatise on Limes, Hydraulic Cements, and Mortars. Papers on Practical Engineering, U. S. Engineer Department, No. 9, containing Reports of numerous Experiments conducted in New York City during the years 1858 to 1861, inclusive. With numerous illustrations. 8vo, cloth..... 4 00
- Practical Treatise on the Construction of Roads, Streets, and Pavements. With 70 illustrations. 12mo, cloth..... 2 00
- Report on Strength of the Building Stones in the United States, etc. 8vo, illustrated, cloth..... 1 50
- Coignet Beton and other Artificial Stone. 9 plates, views, etc. 8vo, cloth..... 2 50
- GOODEVE (T. M.)** A Text-Book on the Steam-Engine. 143 illustrations. 12mo, cloth..... 2 00
- GORDON (J. E. H.)** Four Lectures on Static Induction. 12mo, cloth..... 80



- GRUNER (M. L.)** The Manufacture of Steel. Translated from the French, by Lenox Smith, with an appendix on the Bessemer process in the United States, by the translator. Illustrated. 8vo, cloth.....\$3 50
- HALF-HOURS WITH MODERN SCIENTISTS.** Lectures and Essays. By Professors Huxley, Barker, Stirling, Cope, Tyndall, Wallace, Roscoe, Huggins, Lockyer, Young, Mayer, and Reed. Being the University Series bound up. With a general introduction by Noah Porter, President of Yale College. 2 vols 12mo, cloth, illustrated ..... 2 50
- HAMILTON (W. G.)** Useful Information for Railway Men. Sixth edition, revised and enlarged. 562 pages, pocket form. Morocco, gilt..... 2 00
- HARRISON (W. B.)** The Mechanic's Tool Book, with Practical Rules and Suggestions for Use of Machinists, Iron-Workers, and others. Illustrated with 44 engravings. 12mo, cloth..... 1 50
- HASKINS (C. H.)** The Galvanometer and its Uses. A Manual for Electricians and Students. Second edition. 12mo, morocco..... 1 50
- HENRICI (OLAUS).** Skeleton Structures, especially in their application to the Building of Steel and Iron Bridges. With folding plates and diagrams. 8vo, cloth..... 1 50
- HEWSON (WM.)** Principles and Practice of Embanking Lands from River Floods, as applied to the Levees of the Mississippi. 8vo, cloth..... 2 00
- HOLLEY (ALEX. L.)** A Treatise on Ordnance and Armor, embracing descriptions, discussions, and professional opinions concerning the materials, fabrication, requirements, capabilities, and endurance of European and American Guns, for Naval, Sea-Coast, and Iron-Clad Warfare, and their Rifling, Projectiles, and Breech-Loading; also, results of experiments against armor, from official records, with an appendix referring to Gun-Cotton, Hooped Guns, etc., etc. 948 pages, 493 engravings, and 147 Tables of Results, etc. 8vo, half roan ..... 10 00
- **Railway Practice** American and European Railway Practice in the economical Generation of Steam, including the Materials and Construction of Coal-burning Boilers, Combustion, the Variable Blast, Vaporization, Circulation, Superheating, Supplying and Heating Feed-water, etc., and the Adaptation of Wood and Coke-burning Engines to Coal-burning; and in Permanent Way, including Road-bed, Sleepers, Rails, Joint-fastenings, Street Railways, etc., etc. With 77 lithographed plates. Folio, cloth..... 12 00
- HOWARD (C. R.)** Earthwork Mensuration on the Basis of the Prismoidal Formulae. Containing simple and labor-saving method of obtaining Prismoidal Contents directly

from End Areas. Illustrated by Examples, and accompanied by Plain Rules for Practical Uses. Illustrated. 8vo, cloth .....	\$1 50
<b>INDUCTION-COILS.</b> How Made and How Used. 63 illustrations. 16mo, boards .....	50
<b>ISHERWOOD (B. F.)</b> Engineering Precedents for Steam Machinery. Arranged in the most practical and useful manner for Engineers. With illustrations. Two volumes in one. 8vo, cloth.....	2 50
<b>JANNETTAZ (EDWARD).</b> A Guide to the Determination of Rocks: being an Introduction to Lithology. Translated from the French by G. W. Plympton, Professor of Physical Science at Brooklyn Polytechnic Institute. 12mo, cloth.....	1 50
<b>JEFFERS (Capt. W. N., U. S. N.)</b> Nautical Surveying. Illustrated with 9 copperplates and 31 wood-cut illustrations. 8vo, cloth.....	5 00
<b>JONES (H. CHAPMAN).</b> Text-Book of Experimental Organic-Chemistry for Students. 18mo, cloth ..	1 00
<b>JOYNSON (F. H.)</b> The Metals used in Construction: Iron, Steel, Bessemer Metal, etc., etc. Illustrated. 12mo, cloth. ....	75
— Designing and Construction of Machine Gearing. Illustrated 8vo, cloth.....	2 00
<b>KANSAS CITY BRIDGE (THE).</b> With an account of the Regimen of the Missouri River, and a description of the methods used for Founding in that River. By O. Chanute, Chief-Engineer, and George Morrison, Assistant-Engineer. Illustrated with five lithographic views and twelve plates of plans. 4to, cloth.....	6 00
<b>KING (W. H.)</b> Lessons and Practical Notes on Steam, the Steam-Engine, Propellers, etc., etc., for young Marine Engineers, Students, and others. Revised by Chief-Engineer J. W. King, U. S. Navy. Nineteenth edition, enlarged. 8vo, cloth.....	2 00
<b>KIRKWOOD (JAS. P.)</b> Report on the Filtration of River Waters for the supply of Cities, as practised in Europe, made to the Board of Water Commissioners of the City of St. Louis. Illustrated by 30 double-plate engravings. 4to, cloth .....	15 00
<b>LARRABEE (C. S.)</b> Cipher and Secret Letter and Telegraphic Code, with Hogg's Improvements. The most perfect secret code ever invented or discovered. Impossible to read without the key. 18mo, cloth .....	1 00
<b>LOCK (C. G.), WIGNER (G. W.), and HARLAND (R. H.)</b> Sugar Growing and Refining. Treatise on the Culture of Sugar-Yielding Plants, and the Manufacture and Refining of Cane, Beet, and other sugars. 8vo, cloth, illustrated .....	12 00

- LOCKWOOD (THOS. D.)** Electricity, Magnetism, and Electro-Telegraphy. A Practical Guide for Students, Operators, and Inspectors. 8vo, cloth.....\$2 50
- LORING (A. E.)** A Hand-Book on the Electro-Magnetic Telegraph. Paper boards..... 50  
Cloth..... 75  
Morocco..... 1 00
- MACCORD (Prof. C. W.)** A Practical Treatise on the Slide-Valve by Eccentrics, examining by methods the action of the Eccentric upon the Slide-Valve, and explaining the practical processes of laying out the movements, adapting the valve for its various duties in the steam-engine. Second edition Illustrated. 4to, cloth ..... 2 50
- MCCULLOCH (Prof. R. S.)** Elementary Treatise on the Mechanical Theory of Heat, and its application to Air and Steam Engines. 8vo, cloth..... 3 50
- MERRILL (Col. WM. E., U. S. A.)** Iron Truss Bridges for Railroads. The method of calculating strains in Trusses, with a careful comparison of the most prominent Trusses, in reference to economy in combination, etc., etc. Illustrated. 4to, cloth..... 5 00
- MICHAELIS (Capt. O. E., U. S. A.)** The Le Boulenger Chronograph, with three lithograph folding plates of illustrations. 4to, cloth..... 3 00
- MICHIE (Prof. P. S.)** Elements of Wave Motion relating to Sound and Light. Text-Book for the U.S. Military Academy. 8vo, cloth, illustrated..... 5 00
- MINIFIE (WM.)** Mechanical Drawing. A Text-Book of Geometrical Drawing for the use of Mechanics and Schools, in which the Definitions and Rules of Geometry are familiarly explained; the Practical Problems are arranged, from the most simple to the more complex, and in their description technicalities are avoided as much as possible. With illustrations for Drawing Plans, Sections, and Elevations of Railways and Machinery; an Introduction to Isometrical Drawing, and an Essay on Linear Perspective and Shadows. Illustrated with over 200 diagrams engraved on steel. Ninth edition. With an Appendix on the Theory and Application of Colors. 8vo, cloth ..... 4 00
- "It is the best work on Drawing that we have ever seen, and is especially a text-book of Geometrical Drawing for the use of Mechanics and Schools. No young Mechanic, such as a Machinist, Engineer, Cabinet-maker, Millwright, or Carpenter, should be without it."—*Scientific American*.
- Geometrical Drawing. Abridged from the octavo edition, for the use of schools. Illustrated with forty-eight steel plates. Fifth edition. 12mo, cloth ..... 2 00

- MODERN METEOROLOGY.** A Series of Six Lectures, delivered under the auspices of the Meteorological Society in 1878. Illustrated. 12mo, cloth..... \$1 50
- MORRIS (E.)** Easy Rules for the Measurement of Earth-works, by Means of the Prismoidal Formula. 78 illustrations. 8vo, cloth..... 1 50
- MOTT (H. A., Jr.)** A Practical Treatise on Chemistry (Qualitative and Quantitative Analysis), Stoichiometry, Blow-pipe Analysis, Mineralogy, Assaying, Pharmaceutical Preparations, Human Secretions, Specific Gravities, Weights and Measures, etc., etc., etc. New edition, 1883. 650 pages. 8vo, cloth..... 4 00
- NAQUET (A.)** Legal Chemistry. A Guide to the Detection of Poisons, Falsification of Writings, Adulteration of Alimentary and Pharmaceutical Substances, Analysis of Ashes, and examination of Hair, Coins, Arms, and Stains, as applied to Chemical Jurisprudence, for the use of Chemists, Physicians, Lawyers, Pharmacists, and Experts. Translated, with additions, including a list of books and Memoirs on Toxicology, etc., from the French. By J. P. Battershall, Ph.D., with a preface by C. F. Chandler, Ph.D., M.D., LL.D. 12mo, cloth..... 2 00
- NOBLE (W. H.)** Useful Tables. Pocket form, cloth..... 50
- NUGENT (E.)** Treatise on Optics; or, Light and Sight, theoretically and practically treated, with the application to Fine Art and Industrial Pursuits. With 103 illustrations. 12mo, cloth..... 1 50
- PEIRCE (B.)** System of Analytic Mechanics. 4to, cloth..... 20 00
- PLANE TABLE (THE).** Its Uses in Topographical Surveying. From the Papers of the U. S. Coast Survey. Illustrated. cloth..... 2 00
- \* This work gives a description of the Plane Table employed at the U. S. Coast Survey office, and the manner of using it.
- PLATTNER.** Manual of Qualitative and Quantitative Analysis with the Blow-Pipe. From the last German edition, revised and enlarged. By Prof. Th. Richter, of the Royal Saxon Mining Academy. Translated by Prof. H. B. Cornwall, assisted by John H. Caswell. Illustrated with 87 woodcuts and one lithographic plate. Fourth edition, revised, 550 pages. 8vo, cloth..... 5 00
- PLYMPTON (Prof. GEO. W.)** The Blow-Pipe. A Guide to its use in the Determination of Salts and Minerals. Compiled from various sources. 12mo, cloth..... 1 50
- The Aneroid Barometer: Its Construction and Use. Compiled from several sources. 16mo, boards, illustrated, Morocco..... 1 00

- PLYMPTON** (Prof. GEO. W.) The Star-Finder, or Planisphere, with Movable Horizon. Printed in colors on fine card-board, and in accordance with Proctor's Star Atlas... \$1 00
- POCKET LOGARITHMS**, to Four Places of Decimals, including Logarithms of Numbers, and Logarithmic Sines and Tangents to Single Minutes. To which is added a Table of Natural Sines, Tangents, and Co-Tangents. 16mo, boards, Morocco..... 1 00
- POOK** (S. M.) Method of Comparing the Lines and Draughting Vessels propelled by Sail or Steam. Including a chapter on Laying-off on the Mould-Loft Floor. 1 vol. 8vo, with illustrations, cloth..... 5 00
- POPE** (F. L.) Modern Practice of the Electric Telegraph. A Hand-Book for Electricians and Operators. Eleventh edition, revised and enlarged, and fully illustrated. 8vo, cloth. 2 00
- PRESCOTT** (Prof. A. B.) Outlines of Proximate Organic Analysis, for the Identification, Separation, and Quantitative Determination of the more commonly occurring Organic Compounds. 12mo, cloth..... 1 75
- Chemical Examination of Alcoholic Liquors. A Manual of the Constituents of the Distilled Spirits and Fermented Liquors of Commerce, and their Qualitative and Quantitative Determinations. 12mo, cloth..... 1 50
- First Book in Qualitative Chemistry. Second edition. 12mo, cloth..... 1 50
- PYNCHON** (Prof. T. R.) Introduction to Chemical Physics, designed for the use of Academies, Colleges, and High-Schools. Illustrated with numerous engravings, and containing copious experiments with directions for preparing them. New edition, revised and enlarged, and illustrated by 269 illustrations on wood. Crown 8vo, cloth.... 3 00
- RAMMELSBURG** (C. F.) Guide to a Course of Quantitative Chemical Analysis, especially of Minerals and Furnace Products. Illustrated by Examples. Translated by J. Towler, M.D. 8vo, cloth..... 2 25
- RANDALL** (P. M.) Quartz Operator's Hand-Book. New edition, revised and enlarged, fully illustrated. 12mo, cloth... 2 00
- RANKINE** (W. J. M.) Applied Mechanics, comprising Principles of Statics, Cinematics, and Dynamics, and Theory of Structures, Mechanism, and Machines. Crown 8vo, cloth. Tenth edition. London..... 5 00
- A Manual of the Steam-Engine and other Prime Movers, with numerous tables and illustrations. Crown 8vo, cloth. Tenth edition. London, 1882..... 5 00
- A Selection from the Miscellaneous Scientific Papers of, with Memoir by P. G. Tait, and edited by W. J. Millar, C.E. 8vo, cloth. London, 1880..... 10 00

- RANKINE (W. J. M.)** A Manual of Machinery and Mill-work. Fourth edition. Crown 8vo. London, 1881 ..... 5 00
- Civil Engineering, comprising Engineering Surveys, Earthwork, Foundations, Masonry, Carpentry, Metal-works, Roads, Railways, Canals, Rivers, Water-works, Harbors, etc., with numerous tables and illustrations. Fourteenth edition, revised by E. F. Bamber, C.E. 8vo. London, 1883..... 6 50
- Useful Rules and Tables for Architects, Builders, Carpenters, Coachbuilders, Engineers, Founders, Mechanics, Shipbuilders, Surveyors, Typefounders, Wheelwrights, etc. Sixth edition. Crown 8vo, cloth. London, 1883..... 4 00
- and **BAMBER (E. F.)** A Mechanical Text-Book; or, Introduction to the Study of Mechanics and Engineering. 8vo, cloth. London, 1875 ..... 3 50
- RICE (Prof. J. M.)** and **JOHNSON (Prof. W. W.)** On a New Method of Obtaining the Differentials of Functions, with especial reference to the Newtonian Conception of Rates or Velocities. 12mo, paper ..... 50
- ROGERS (Prof. H. D.)** The Geology of Pennsylvania. A Government Survey, with a General View of the Geology of the United States, Essays on the Coal Formation and its Fossils, and a description of the Coal Fields of North America and Great Britain. Illustrated with Plates and Engravings in the text. 3 vols. 4to, cloth, with Portfolio of Maps. .... 30 00
- ROEBLING (J. A.)** Long and Short Span Railway Bridges. Illustrated with large copperplate engravings of plans and views. Imperial folio, cloth ..... 25 00
- ROSE (JOSHUA, M.E.)** The Pattern-Maker's Assistant, embracing Lathe Work, Branch Work, Core Work, Sweep Work, and Practical Gear Constructions, the Preparation and Use of Tools, together with a large collection of useful and valuable Tables. Third edition. Illustrated with 250 engravings. 8vo, cloth ..... 2 50
- SABINE (ROBERT).** History and Progress of the Electric Telegraph, with descriptions of some of the apparatus. Second edition, with additions, 12mo, cloth ..... 1 25
- SAELTZER (ALEX.)** Treatise on Acoustics in connection with Ventilation. 12mo, cloth ..... 1 00
- SCHUMANN (F.)** A Manual of Heating and Ventilation in its Practical Application for the use of Engineers and Architects, embracing a series of Tables and Formulæ for dimensions of heating, flow and return pipes for steam and hot-water boilers, flues, etc., etc. 12mo. Illustrated. Full roan ..... 1 50
- Formulas and Tables for Architects and Engineers in calculating the strains and capacity of structures in Iron and Wood. 12mo, morocco, tucks ..... 2 50

- SAWYER (W. E.)** Electric-Lighting by Incandescence, and its Application to Interior Illumination. A Practical Treatise. With 96 illustrations. Third edition. 8vo, cloth. \$2 50
- SCRIBNER (J. M.)** Engineers' and Mechanics' Companion, comprising United States Weights and Measures, Mensuration of Surfaces and Solids, Tables of Squares and Cubes, Square and Cube Roots, Circumference and Areas of Circles, the Mechanical Powers, Centres of Gravity, Gravitation of Bodies, Pendulums, Specific Gravity of Bodies, Strength, Weight, and Crush of Materials, Water-Wheels, Hydrostatics, Hydraulics, Statics, Centres of Percussion and Gyration, Friction Heat, Tables of the Weight of Metals, Scantling, etc., Steam and the Steam-Engine. Nineteenth edition, revised, 16mo, full morocco..... 1 50
- Engineers', Contractors', and Surveyors' Pocket Table-Book. Comprising Logarithms of Numbers, Logarithmic Sines and Tangents, Natural Sines and Natural Tangents, the Traverse Table, and a full and complete set of Excavation and Embankment Tables, together with numerous other valuable tables for Engineers, etc. Eleventh edition, revised, 16mo, full morocco ..... 1 50
- SHELLEN (Dr. H.)** Dynamo-Electric Machines. Translated, with much new matter on American practice, and many illustrations which now appear for the first time in print. 8vo, cloth, New York.....(in press)
- SHOCK (Chief-Eng. W. H.)** Steam-Boilers: their Design, Construction, and Management. 450 pages text. Illustrated with 150 wood-cuts and 36 full-page plates (several double). Quarto. Illustrated. Half morocco ..... 15 00
- SHUNK (W. F.)** The Field Engineer. A handy book of practice in the Survey, Location, and Track-work of Railroads, containing a large collection of Rules and Tables, original and selected, applicable to both the Standard and Narrow Gauge, and prepared with special reference to the wants of the young Engineer. Third edition. 12mo, morocco, tucks..... 2 50
- SHIELDS (J. E.)** Notes on Engineering Construction. Embracing Discussions of the Principles involved, and Descriptions of the Material employed in Tunnelling, Bridging, Canal and Road Building, etc., etc. 12mo, cloth ..... 1 50
- SHREVE (S. H.)** A Treatise on the Strength of Bridges and Roofs. Comprising the determination of Algebraic formulas for strains in Horizontal, Inclined or Rafter, Triangular, Bowstring, Lenticular, and other Trusses, from fixed and moving loads, with practical applications and examples, for the use of Students and Engineers. 87 wood-cut illustrations. Third edition. 8vo, cloth..... 3 50

<b>SIMMS (F. W.)</b> A Treatise on the Principles and Practice of Levelling, showing its application to purposes of Railway Engineering and the Construction of Roads, etc. Revised and corrected, with the addition of Mr. Laws's Practical Examples for setting out Railway Curves. Illustrated. 8vo, cloth .....	\$2 50
<b>STILLMAN (PAUL.)</b> Steam-Engine Indicator, and the Improved Manometer Steam and Vacuum Gauges—their Utility and Application. New edition. 12mo, flexible cloth .....	1 00
<b>STONE (B. D.)</b> The Theory of Strains in Girders and similar structures, with observations on the application of Theory to Practice, and Tables of Strength and other properties of Materials. New and revised edition, enlarged. Royal 8vo, 664 pages. Complete in one volume. 8vo, cloth .....	12 50
<b>STUART (CHAS. B., U. S. N.)</b> The Naval Dry Docks of the United States. Illustrated with 24 engravings on steel. Fourth edition, cloth .....	6 00
— The Civil and Military Engineers of America. With 9 finely executed portraits of eminent engineers, and illustrated by engravings of some of the most important works constructed in America. 8vo, cloth .....	5 00
<b>STUART (B.)</b> How to Become a Successful Engineer. Being Hints to Youths intending to adopt the Profession. Sixth edition. 12mo, boards .....	50
<b>SWEET (S. H.)</b> Special Report on Coal, showing its Distribution, Classification, and Cost delivered over different routes to various points in the State of New York and the principal cities on the Atlantic Coast. With maps. 8vo, cloth .....	3 00
<b>TEXT-BOOK (A) ON SURVEYING,</b> Projections, and Portable Instruments, for the Use of the Cadet Midshipmen at the U. S. Naval Academy. Nine lithographed plates and several wood-cuts. 8vo, cloth .....	2 00
<b>TONER (J. M.)</b> Dictionary of Elevations and Climatic Register of the United States. Containing, in addition to Elevations, the Latitude, Mean Annual Temperature, and the total Annual Rain-fall of many localities; with a brief introduction on the Orographic and Physical Peculiarities of North America. 8vo, cloth .....	3 75
<b>TUCKER (Dr. J. H.)</b> A Manual of Sugar Analysis, including the Applications in General of Analytical Methods to the Sugar Industry. With an Introduction on the Chemistry of Cane Sugar, Dextrose, Levulose, and Milk Sugar. 8vo, cloth, illustrated .....	3 50
<b>TUNNER (P.)</b> A Treatise on Roll-Turning for the Manufacture of Iron. Translated and adapted by John B. Pearce, of the Pennsylvania Steel-Works, with numerous engravings, wood-cuts, and folio atlas of plates .....	10 00



- 
- VAN WAGENEN (T. F.)** Manual of Hydraulic Mining, for the use of the Practical Miner. 12mo, cloth.....\$1 00
- WALKER (W. H.)** Screw Propulsion. Notes on Screw Propulsion: Its Rise and History. 8vo, cloth..... 75
- WANKLYN (J. A.)** A Practical Treatise on the Examination of Milk and its Derivatives, Cream, Butter, and Cheese. 12mo, cloth..... 1 00
- WATT (ALEX.)** Electro-Metallurgy, Practically Treated. Sixth edition, with considerable additions. 12mo, cloth.... 1 00
- WEISBACH (JULIUS).** A Manual of Theoretical Mechanics. Translated from the fourth augmented and improved German edition, with an introduction to the Calculus, by Eckley B. Cox, A.M., Mining Engineer. 1,100 pages, and 902 wood-cut illustrations. 8vo, cloth..... 10 00
- WEYBACH (J. J.)** Strength and Calculations of Dimensions of Iron and Steel Construction, with reference to the Latest Experiments. 12mo, cloth, plates..... 1 00
- WILLIAMSON (R. S.)** On the use of the Barometer on Surveys and Reconnoissances. Part I. Meteorology in its Connection with Hypsometry. Part II. Barometric Hypsometry. With Illustrative Tables and Engravings. 4to cloth 15 00
- Practical Tables in Meteorology and Hypsometry, in connection with the use of the Barometer. 4to, cloth..... 2 50
- 

Complete 112-page Catalogue of works in every department of science sent postpaid to any address on receipt of ten cents in postage stamps.

### THE UNIVERSITY SERIES.

- No. 1. ON THE PHYSICAL BASIS OF LIFE. By Prof. T. H. Huxley, LL.D., F.R.S. With an introduction by a Professor in Yale College. 12mo, pp. 36. Paper cover..... 25
- No. 2. THE CORRELATION OF VITAL AND PHYSICAL FORCES. By Prof. George F. Barker, M.D., of Yale College. 36 pp. Paper covers..... 25
- No. 3. AS REGARDS PROTOPLASM, in relation to Prof. Huxley's "Physical Basis of Life." By J. Hutchinson Stirling, F.R.C.S. 72 pp..... 25
- No. 4. ON THE HYPOTHESIS OF EVOLUTION, Physical and Metaphysical. By Prof. Edward D. Cope. 12mo, 72 pp. Paper covers..... 25
- No. 5. SCIENTIFIC ADDRESSES—1. On the Methods and Tendencies of Physical Investigation. 2. On Haze and Dust. 3. On the Scientific Use of the Imagination. By Prof. John Tyndall, F.R.S. 12mo, 74 pp. Paper covers..... 25  
Flex. cloth..... 50
- No. 6. NATURAL SELECTION AS APPLIED TO MAN. By Alfred Russell Wallace. This pamphlet treats (1) of the Development of Human Races under the Law of Selection; (2) the Limits of Natural Selection as applied to Man. 54 pp. 25
- No. 7. SPECTRUM ANALYSIS. Three lectures by Profs. Roscoe, Huggins, and Lockyer. Finely illustrated. 88 pp. Paper covers..... 25
- No. 8. THE SUN. A sketch of the present state of scientific opinion as regards this body. By Prof. C. A. Young, Ph.D., of Dartmouth College. 58 pp. Paper covers..... 25
- No. 9. THE EARTH A GREAT MAGNET. By A. M. Mayer, Ph.D., of Stevens Institute. 72 pp. Paper covers..... 25  
Flexible cloth..... 50
- No. 10. MYSTERIES OF THE VOICE AND EAR. By Prof. O. N. Rood, Columbia College, New York. Beautifully illustrated. 38 pp. Paper covers..... 25  
Or together, 2 vols., cloth..... 50

## VAN NOSTRAND'S SCIENCE SERIES.

(18mo, green boards. Amply illustrated where the subject demands.)

- No. 1. CHIMNEYS FOR FURNACES, FIRE-PLACES, AND STEAM-BOILERS. By J. Armstrong, C.E. Second edition, enlarged..... 50
- No. 2. STEAM-BOILER EXPLOSIONS. By Zerah Colburn... 50
- No. 3. PRACTICAL DESIGNING OF RETAINING WALLS. By Arthur Jacob, A.B..... 50
- No. 4. PROPORTIONS OF PINS USED IN BRIDGES. By Charles Bender, C.E..... 50
- No. 5. VENTILATION OF BUILDINGS. By W. F. Butler... 50
- No. 6. ON THE DESIGNING AND CONSTRUCTION OF STORAGE RESERVOIRS. By Arthur Jacob, A.B..... 50
- No. 7. SURCHARGED AND DIFFERENT FORMS OF RETAINING WALLS. By James S. Tate, C.E..... 50
- No. 8. A TREATISE ON THE COMPOUND ENGINE. By John Turnbull, Jr. Second edition, revised by Prof. S. W. Robinson..... 50
- No. 9. FUEL. By C. William Siemens, D.C.L.; to which is appended the VALUE OF ARTIFICIAL FUEL AS COMPARED WITH COAL. By John Wormald, C.E..... 50
- No. 10. COMPOUND ENGINES. Translated from the French of A. Mallet..... 50
- No. 11. THEORY OF ARCHES. By Prof. W. Allan. .... 50
- No. 12. A THEORY OF VOUSOIR ARCHES. By Prof. W. E. Cain..... 50
- No. 13. GASES MET WITH IN COAL-MINES. By J. J. Atkinson..... 50
- No. 14. FRICTION OF AIR IN MINES. By J. J. Atkinson... 50
- No. 15. SKEW ARCHES. By Prof. E. W. Hyde, C.E. Illustrated..... 50
- No. 16. A GRAPHIC METHOD FOR SOLVING CERTAIN ALGEBRAIC EQUATIONS. By Prof. George L. Vose... 50
- No. 17. WATER AND WATER SUPPLY. By Prof. W. H. Corfield, of the University College, London..... 50
- No. 18. SEWERAGE AND SEWAGE UTILIZATION. By Prof. W. H. Corfield, M.A., of the University College, London..... 50
- No. 19. STRENGTH OF BEAMS UNDER TRANSVERSE LOADS. By Prof. W. Allan, author of "Theory of Arches" 50

- No. 20. BRIDGE AND TUNNEL CENTRES. By John B. McMaster, C.E. .... 50
- No. 21. SAFETY VALVES. By Richard H. Buel, C.E. .... 50
- No. 22. HIGH MASONRY DAMS. By John B. McMaster, C.E. .... 50
- No. 23. THE FATIGUE OF METALS UNDER REPEATED STRAINS, with Various Tables of Results and Experiments. From the German of Prof. Ludwig Spangenburg, with a Preface by S. H. Shreve, A.M. .... 50
- No. 24. A PRACTICAL TREATISE ON THE TEETH OF WHEELS. By Prof. S. W. Robinson. .... 50
- No. 25. ON THE THEORY AND CALCULATION OF CONTINUOUS BRIDGES. By Mansfield Merriman, Ph.D. .... 50
- No. 26. PRACTICAL TREATISE ON THE PROPERTIES OF CONTINUOUS BRIDGES. By Charles Bender, C.E. .... 50
- No. 27. ON BOILER INCRUSTATION AND CORROSION. By F. J. Rowan. .... 50
- No. 28. TRANSMISSION OF POWER BY WIRE ROPES. By Albert W. Stahl, U. S. N. .... 50
- No. 29. STEAM INJECTORS. Translated from the French of M. Leon Pochet. .... 50
- No. 30. TERRESTRIAL MAGNETISM AND THE MAGNETISM OF IRON VESSELS. By Prof. Fairman Rogers. .... 50
- No. 31. THE SANITARY CONDITION OF DWELLING-HOUSES IN TOWN AND COUNTRY. By George E. Waring, Jr. .... 50
- No. 32. CABLE-MAKING OF SUSPENSION BRIDGES. By W. Hildenbrand, C.E. .... 50
- No. 33. MECHANICS OF VENTILATION. By George W. Rafter, C.E. .... 50
- No. 34. FOUNDATIONS. By Prof. Jules Gaudard, C.E. Translated from the French. .... 50
- No. 35. THE ANEROID BAROMETER: ITS CONSTRUCTION AND USE. Compiled by George W. Plympton. Second edition. .... 50
- No. 36. MATTER AND MOTION. By J. Clerk Maxwell, M.A. .... 50
- No. 37. GEOGRAPHICAL SURVEYING: Its Uses, Methods, and Results. By Frank De Yeaux Carpenter, C.E. .... 50
- No. 38. MAXIMUM STRESSES IN FRAMED BRIDGES. By Prof. Wm. Cain, A.M., C.E. .... 50
- No. 39. A HAND-BOOK OF THE ELECTRO-MAGNETIC TELEGRAPH. By A. E. Loring. .... 50
- No. 40. TRANSMISSION OF POWER BY COMPRESSED AIR. By Robert Zahner, M.E. .... 50
- No. 41. STRENGTH OF MATERIALS. By Wm. Kent, C.E. .... 50

- No. 42. VOUSSOIR ARCHES APPLIED TO STONE BRIDGES, TUNNELS, CULVERTS, AND DOMES. By Prof. Wm. Cain..... 50
- No. 43. WAVE AND VORTEX MOTION. By Dr. Thomas Craig, of Johns Hopkins University..... 50
- No. 44. TURBINE WHEELS. By Prof. W. P. Trowbridge, Columbia College..... 50
- No. 45. THERMODYNAMICS. By Prof. H. T. Eddy, University of Cincinnati..... 50
- No. 46. ICE-MAKING MACHINES. From the French of M. Le Doux..... 50
- No. 47. LINKAGES; THE DIFFERENT FORMS AND USES OF ARTICULATED LINKS. By J. D. C. De Roos..... 50
- No. 48. THEORY OF SOLID AND BRACED ARCHES. By Wm. Cain, C.E..... 50
- No. 49. ON THE MOTION OF A SOLID IN A FLUID. By Thomas Craig, Ph.D..... 50
- No. 50. DWELLING HOUSES: Their Sanitary Construction and Arrangements. By Prof. W. H. Corfield..... 50
- No. 51. THE TELESCOPE: Its Construction, etc. By Thos. Nolan..... 50
- No. 52. IMAGINARY QUANTITIES Translated from the French of M. Argand. By Prof. Hardy..... 50
- No. 53. INDUCTION COILS: How Made and How Used.... 50
- No. 54. KINEMATICS OF MACHINERY. By Prof. Kennedy. With an introduction by Prof. R. H. Thurston..... 50
- No. 55. SEWER GASES: Their Nature and Origin. By A. De Varona..... 50
- No. 56. THE ACTUAL LATERAL PRESSURE OF EARTH-WORK. By Benj. Baker, M. Inst. C.E..... 50
- No. 57. INCANDESCENT ELECTRIC LIGHTS, WITH PARTICULAR REFERENCE TO THE EDISON LAMPS AT THE PARIS EXHIBITION. By Comte Th. Du Moncel, Wm. Henry Preece, J. W. Howell, and others. Second edition..... 50
- No. 58. THE VENTILATION OF COAL-MINES. By W. Fairley, M.E., F.S.S..... 50
- No. 59. RAILROAD ECONOMICS; or, Notes, with Comments. By S. W. Robinson, C.E..... 50
- No. 60. STRENGTH OF WROUGHT-IRON BRIDGE MEMBERS. By S. W. Robinson, C.E..... 50
- No. 61. POTABLE WATER AND THE DIFFERENT METHODS OF DETECTING IMPURITIES. By Chas. W. Folkard..... 50

No. 62. THE THEORY OF THE GAS ENGINE. By Dugald Clerk.....	50
No. 63. HOUSE DRAINAGE AND SANITARY PLUMBING. By W. P. Gerhard.....	50
No. 64. ELECTRO-MAGNETS. By Th. Du Moncel.....	50
No. 65. POCKET LOGARITHMS TO FOUR PLACES DECIMALS .....	50
No. 66. DYNAMO-ELECTRIC MACHINERY. By S. P. Thompson. With notes by F. L. Pope.....	50
No. 67. HYDRAULIC TABLES, BASED ON "KUTTER'S FORMULA." By P. J. Flynn.....	50
No. 68. STEAM-HEATING. By Robert Briggs.....	50
No. 69. CHEMICAL PROBLEMS. By Prof. J. C. Foye. Second edition, revised and enlarged.....	50
No. 70. EXPLOSIVES AND EXPLOSIVE COMPOUNDS. By M. Bertholet.....	50
No. 71. DYNAMIC ELECTRICITY. By John Hopkinson, J. A. Schoolbred, and R. E. Day .....	50
No. 72. TOPOGRAPHICAL SURVEYING. By Geo. J. Specht, Prof. A. S. Hardy, John B. McMaster, and H. F. Walling....	50
No. 73. SYMBOLIC ALGEBRA ; or, The Algebra of Algebraic Numbers. By Prof. W. Cain.....	50
No. 74. TESTING-MACHINES, Their History, Construction, and Use. By Arthur V. Abbott.....	50
No. 75. RECENT PROGRESS IN DYNAMO-ELECTRIC MACHINES. Being a Supplement to Dynamo-Electric Machinery. By Prof. Sylvanus P. Thompson.....	50
No. 76. MODERN REPRODUCTIVE GRAPHIC PROCESSES. By Lt. Jas. S. Pettit, U.S.A.....	50
No. 77. STADIA SURVEYING. The Theory of Stadia Measurements. By Arthur Winslow.....	50
No. 78. THE STEAM-ENGINE INDICATOR, and Its Use. By W. B. Le Van.....	50
No. 79. THE FIGURE OF THE EARTH. By Frank C. Roberts, C.E.....	50
No. 80. HEALTHY FOUNDATIONS FOR HOUSES. By Glenn Brown.....	50
No. 81. WATER METERS: Comparative Tests of Accuracy, Delivery, etc. Distinctive features of the Worthington, Kennedy, Siemens, and Hesse Meters. By Ross E. Browne ....	50
No. 82. THE PRESERVATION OF TIMBER by the use of Antiseptics. By Samuel Bagster Boulton, C.E.....	50
No. 83. MECHANICAL INTEGRATORS. By Prof. Henry S. H. Shaw, C. E.....	50



## THE UNIVERSITY SERIES.

I.—ON THE PHYSICAL BASIS OF LIFE. By Prof. T. L. HUXLEY, M.D., F.R.S. With an introduction by a Professor in Yale College. 19mo, pp. 86. Paper Covers. Price 25 cents.

II.—THE CORRELATION OF VITAL AND PHYSICAL FORCES. By Prof. GEORGE H. BARRETT, M.D., of Yale College. 24 pp. Paper Covers. Price 25 cents.

III.—AS REGARDS PHOTOPLASM. In relation to Prof. Huxley's Physical Basis of Life. By J. HUTCHINSON GIBBS, F.R.C.S. pp. 72. Price 25 cents.

IV.—ON THE HYPOTHESIS OF EVOLUTION, Physical and Metaphysical. By Prof. EDWARD D. COPE, LL.D., 72 pp. Paper Covers. Price 25 cents.

V.—SCIENTIFIC ADDRESSES.—*On the Methods and Tendencies of Physical Investigation.* 2. *On Haze and Dust.* 3. *On the Scientific Use of the Microscopium.* By Prof. JOHN TYNDALL, F.R.S. 12mo, 74 pp. Paper Covers. Price 25 cents. Flex. Cloth, 50 cts.

NO. VI.—NATURAL SELECTION AS APPLIED TO MAN. By ALFRED RUSSELL WALLACE. This pamphlet treats (1) of the Development of Human Races under the law of selection; (2) the limits of Natural Selection as applied to man. 34 pp. Price 25 cents.

NO. VII.—SPECTRUM ANALYSIS. Three lectures by Prof. H. RUSSELL, Higgins, and Lockyer. Finely illustrated. 88 pp. Paper Covers. Price 25 cents.

NO. VIII.—THE SUN. A sketch of the present state of astronomical knowledge of this body, with an account of the most recent discoveries and methods of observation. By Prof. C. A. YOUNG, Ph.D., of Dartmouth College. 58 pp. Paper Covers. Price 25 cents.

NO. IX.—THE EARTH A GREAT MAGNET. By A. M. MATHU, Ph.D., of Stevens Institute. A most profoundly interesting lecture on the subject of magnetism. 72 pp. Paper Covers. Price 25 cents. Flex. Cloth, 50 cents.

NO. X.—MYSTERIES OF THE VOICE AND EAR. By Prof. O. N. ROOS, Columbia College, New York. One of the most interesting lectures on sound ever delivered. Original "discoveries" by most experiments. Beautifully illus. 88 pp. Paper Covers. 25 cts.